

Bernard Fam Van Der Laan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4797069/publications.pdf>

Version: 2024-02-01

177
papers

6,082
citations

47006

47
h-index

88630

70
g-index

181
all docs

181
docs citations

181
times ranked

7022
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive modelling for swallowing dysfunction after primary (chemo)radiation: Results of a prospective observational study. <i>Radiotherapy and Oncology</i> , 2012, 105, 107-114.	0.6	223
2	CD44 Expression Predicts Local Recurrence after Radiotherapy in Larynx Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 5329-5338.	7.0	173
3	Critical weight loss in head and neck cancer—prevalence and risk factors at diagnosis: an explorative study. <i>Supportive Care in Cancer</i> , 2007, 15, 1045-1050.	2.2	155
4	NTCP models for patient-rated xerostomia and sticky saliva after treatment with intensity modulated radiotherapy for head and neck cancer: The role of dosimetric and clinical factors. <i>Radiotherapy and Oncology</i> , 2012, 105, 101-106.	0.6	149
5	Detection of unknown primary tumours and distant metastases in patients with cervical metastases: value of FDG-PET versus conventional modalities. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 1024-1030.	6.4	139
6	Treatment outcome of bone-anchored craniofacial prostheses after tumor surgery. <i>Cancer</i> , 2001, 92, 3045-3050.	4.1	122
7	Clinical recommendations on the treatment of neuroendocrine carcinoma of the larynx: A meta-analysis of 436 reported cases. <i>Head and Neck</i> , 2015, 37, 707-715.	2.0	115
8	Changes in nutritional status and dietary intake during and after head and neck cancer treatment. <i>Head and Neck</i> , 2011, 33, 863-870.	2.0	114
9	Expression of Growth Factors and Growth Factor Receptors in Normal and Tumorous Human Thyroid Tissues. <i>Thyroid</i> , 1995, 5, 67-73.	4.5	102
10	Tumour infiltration depth ≥ 4 mm is an indication for an elective neck dissection in pT1cN0 oral squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 337-342.	1.5	101
11	Morbidity of the neck after head and neck cancer therapy. <i>Head and Neck</i> , 2004, 26, 785-791.	2.0	100
12	Radiation-induced tumours of the head and neck. <i>Journal of Laryngology and Otology</i> , 1995, 109, 346-349.	0.8	99
13	Effects of Quaternary Ammonium Silane Coatings on Mixed Fungal and Bacterial Biofilms on Tracheoesophageal Shunt Prostheses. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3673-3677.	3.1	94
14	Overexpression of Intrinsic Hypoxia Markers HIF1 α and CA-IX Predict for Local Recurrence in Stage T1-T2 Glottic Laryngeal Carcinoma Treated With Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 161-169.	0.8	94
15	Critical factors in the translation of improved antimicrobial strategies for medical implants and devices. <i>Biomaterials</i> , 2013, 34, 9237-9243.	11.4	93
16	A Prospective Cohort Study on Radiation-induced Hypothyroidism: Development of an NTCP Model. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e351-e356.	0.8	90
17	Development of NTCP models for head and neck cancer patients treated with three-dimensional conformal radiotherapy for xerostomia and sticky saliva: The role of dosimetric and clinical factors. <i>Radiotherapy and Oncology</i> , 2012, 105, 86-93.	0.6	90
18	The Additive Effect of Co-Occurring Anxiety and Depression on Health Status, Quality of Life and Coping Strategies in Help-Seeking Tinnitus Sufferers. <i>Ear and Hearing</i> , 2008, 29, 947-956.	2.1	88

#	ARTICLE	IF	CITATIONS
19	Higher laryngeal preservation rate after CO ₂ laser surgery compared with radiotherapy in T1a glottic laryngeal carcinoma. <i>Head and Neck</i> , 2009, 31, 759-764.	2.0	86
20	Shoulder complaints after neck dissection; is the spinal accessory nerve involved?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2003, 41, 7-11.	0.8	85
21	¹⁸ F-FDG PET as a Routine Posttreatment Surveillance Tool in Oral and Oropharyngeal Squamous Cell Carcinoma: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1940-1947.	5.0	84
22	Development of a multivariable normal tissue complication probability (NTCP) model for tube feeding dependence after curative radiotherapy/chemo-radiotherapy in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2014, 113, 95-101.	0.6	84
23	Limited Evidence for the Effect of Presurgical Nasoalveolar Molding in Unilateral Cleft on Nasal Symmetry. <i>Plastic and Reconstructive Surgery</i> , 2013, 131, 62e-71e.	1.4	81
24	Shoulder complaints after nerve sparing neck dissections. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2004, 33, 253-257.	1.5	80
25	Intratympanic gentamicin therapy for control of vertigo in unilateral Menière's disease: a prospective, double-blind, randomized, placebo-controlled trial. <i>Acta Oto-Laryngologica</i> , 2008, 128, 876-880.	0.9	80
26	Relation Between Age, Comorbidity, and Complications in Patients Undergoing Major Surgery for Head and Neck Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 963-970.	1.5	79
27	Nasal Growth and Maturation Age in Adolescents. <i>JAMA Otolaryngology</i> , 2008, 134, 1288.	1.2	78
28	Shoulder and neck morbidity in quality of life after surgery for head and neck cancer. <i>Head and Neck</i> , 2004, 26, 839-844.	2.0	77
29	Amplicon Mapping and Expression Profiling Identify the Fas-Associated Death Domain Gene as a New Driver in the 11q13.3 Amplicon in Laryngeal/Pharyngeal Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 6257-6266.	7.0	74
30	Patterns of long-term swallowing dysfunction after definitive radiotherapy or chemoradiation. <i>Radiotherapy and Oncology</i> , 2015, 117, 139-144.	0.6	72
31	Meta-analysis of 701 published cases of sinonasal neuroendocrine carcinoma: The importance of differentiation grade in determining treatment strategy. <i>Oral Oncology</i> , 2016, 63, 1-9.	1.5	71
32	¹⁸ F-FLT PET for visualization of laryngeal cancer: comparison with ¹⁸ F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2004, 45, 226-31.	5.0	70
33	Prognostic index for patients with parotid carcinoma. <i>Cancer</i> , 2003, 97, 1453-1463.	4.1	69
34	Malnutrition and quality of life in patients treated for oral or oropharyngeal cancer. <i>Head and Neck</i> , 2011, 33, 490-496.	2.0	69
35	The QUANTEC criteria for parotid gland dose and their efficacy to prevent moderate to severe patient-rated xerostomia. <i>Acta Oncologica</i> , 2014, 53, 597-604.	1.8	68
36	Acute symptoms during the course of head and neck radiotherapy or chemoradiation are strong predictors of late dysphagia. <i>Radiotherapy and Oncology</i> , 2015, 115, 56-62.	0.6	66

#	ARTICLE	IF	CITATIONS
37	Digital image analysis of Ki67 proliferation index in breast cancer using virtual dual staining on whole tissue sections: clinical validation and inter-platform agreement. <i>Breast Cancer Research and Treatment</i> , 2018, 169, 33-42.	2.5	65
38	FDG PET in oral and oropharyngeal cancer. Value for confirmation of NO neck and detection of occult metastases. <i>Oral Oncology</i> , 2008, 44, 31-36.	1.5	61
39	DT-diaphorase activity in normal and neoplastic human tissues; an indicator for sensitivity to bioreductive agents?. <i>British Journal of Cancer</i> , 1995, 72, 917-921.	6.4	60
40	High prevalence of cachexia in newly diagnosed head and neck cancer patients: An exploratory study. <i>Nutrition</i> , 2017, 35, 114-118.	2.4	59
41	FDG-PET and detection of distant metastases and simultaneous tumors in head and neck squamous cell carcinoma: A comparison with chest radiography and chest CT. <i>Oral Oncology</i> , 2009, 45, 234-240.	1.5	58
42	The Impact of Type D Personality on Health-Related Quality of Life in Tinnitus Patients Is Mainly Mediated by Anxiety and Depression. <i>Otology and Neurotology</i> , 2010, 31, 11-18.	1.3	56
43	Clinical course of recurrent respiratory papillomatosis: Comparison between aggressiveness of human papillomavirus-6 and human papillomavirus-11. <i>Head and Neck</i> , 2015, 37, 1625-1632.	2.0	56
44	Swallowing sparing intensity modulated radiotherapy (SW-IMRT) in head and neck cancer: Clinical validation according to the model-based approach. <i>Radiotherapy and Oncology</i> , 2016, 118, 298-303.	0.6	55
45	Malnutrition in patients treated for oral or oropharyngeal cancer—prevalence and relationship with oral symptoms: an explorative study. <i>Supportive Care in Cancer</i> , 2011, 19, 1675-1683.	2.2	52
46	The Groningen Radiotherapy-Induced Xerostomia questionnaire: Development and validation of a new questionnaire. <i>Radiotherapy and Oncology</i> , 2010, 97, 127-131.	0.6	51
47	Facial nerve function in carcinoma of the parotid gland. <i>European Journal of Cancer</i> , 2006, 42, 2744-2750.	2.8	49
48	Head and Neck Tumor Hypoxia Imaging by 18F-Fluoroazomycin-arabinoside (18F-FAZA)-PET. <i>Clinical Nuclear Medicine</i> , 2014, 39, 44-48.	1.3	48
49	The Treatment of Idiopathic Sudden Sensorineural Hearing Loss Using Pulse Therapy: A Prospective, Randomized, Double-Blind Clinical Trial. <i>Laryngoscope</i> , 2007, 117, 684-690.	2.0	45
50	Oral symptoms and functional outcome related to oral and oropharyngeal cancer. <i>Supportive Care in Cancer</i> , 2011, 19, 1327-1333.	2.2	44
51	Narrow band imaging is a new technique in visualization of recurrent respiratory papillomatosis. <i>Laryngoscope</i> , 2012, 122, 1826-1830.	2.0	44
52	Free flap reconstruction for head and neck cancer can be safely performed in both young and elderly patients after careful patient selection. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2999-3005.	1.6	43
53	The impact of comorbidity on treatment-related side effects in older patients with laryngeal cancer. <i>Oral Oncology</i> , 2011, 47, 56-61.	1.5	41
54	The association of well-differentiated thyroid carcinoma with insular or anaplastic thyroid carcinoma; evidence for dedifferentiation in tumor progression. <i>Endocrine Pathology</i> , 1993, 4, 215-221.	9.0	37

#	ARTICLE	IF	CITATIONS
55	Catecholamine-Synthesizing Enzymes Are Expressed in Parasympathetic Head and Neck Paraganglioma Tissue. <i>Neuroendocrinology</i> , 2015, 101, 289-295.	2.5	37
56	The importance of multimodality therapy in the treatment of sinonasal neuroendocrine carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2565-2568.	1.6	36
57	<sc>FADD</sc> expression is associated with regional and distant metastasis in squamous cell carcinoma of the head and neck. <i>Histopathology</i> , 2013, 63, 263-270.	2.9	36
58	Frailty is associated with decline in health-related quality of life of patients treated for head and neck cancer. <i>Oral Oncology</i> , 2020, 111, 105020.	1.5	36
59	Predictive value of the <sc>G</sc>roningen <sc>F</sc>railty <sc>I</sc>ndicator for treatment outcomes in elderly patients after head and neck, or skin cancer surgery in a retrospective cohort. <i>Clinical Otolaryngology</i> , 2015, 40, 474-482.	1.2	35
60	Patients with head and neck cancer: Are they frailer than patients with other solid malignancies?. <i>European Journal of Cancer Care</i> , 2020, 29, e13170.	1.5	35
61	The phosphatase and tensin homologue deleted on chromosome 10 mediates radiosensitivity in head and neck cancer. <i>British Journal of Cancer</i> , 2010, 102, 1778-1785.	6.4	34
62	Immunological response to quadrivalent HPV vaccine in treatment of recurrent respiratory papillomatosis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3231-3236.	1.6	32
63	The OncoLifeS data-biobank for oncology: a comprehensive repository of clinical data, biological samples, and the patient's perspective. <i>Journal of Translational Medicine</i> , 2019, 17, 374.	4.4	32
64	Prevalence and prediction of trismus in patients with head and neck cancer: A cross-sectional study. <i>Head and Neck</i> , 2019, 41, 64-71.	2.0	32
65	Age of diagnosis and evaluation of consequences of submucous cleft palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 1019-1024.	1.0	31
66	Development and Validation of a Prediction Model for Tube Feeding Dependence after Curative (Chemo-) Radiation in Head and Neck Cancer. <i>PLoS ONE</i> , 2014, 9, e94879.	2.5	31
67	Composition and architecture of biofilms on used voice prostheses. <i>Head and Neck</i> , 2012, 34, 863-871.	2.0	30
68	Detection of HPV-associated oropharyngeal tumours in a 16-year cohort: more than meets the eye. <i>British Journal of Cancer</i> , 2015, 112, 1349-1357.	6.4	30
69	Self-Completion of the Patient-Generated Subjective Global Assessment Short Form Is Feasible and Is Associated With Increased Awareness on Malnutrition Risk in Patients With Head and Neck Cancer. <i>Nutrition in Clinical Practice</i> , 2020, 35, 353-362.	2.4	29
70	Difficulties in the fixation of prostheses for voice rehabilitation after laryngectomy. <i>Acta Oto-Laryngologica</i> , 2005, 125, 804-813.	0.9	28
71	Lack of claudin-7 is a strong predictor of regional recurrence in oral and oropharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2013, 49, 998-1005.	1.5	28
72	Identification and validation of <sc>WISP1</sc> as an epigenetic regulator of metastasis in oral squamous cell carcinoma. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 45-59.	2.8	28

#	ARTICLE	IF	CITATIONS
73	Dopamine excess in patients with head and neck paragangliomas. <i>Anticancer Research</i> , 2010, 30, 5153-8.	1.1	28
74	Narrow-band imaging in transoral laser surgery for early glottic cancer in relation to clinical outcome. <i>Head and Neck</i> , 2017, 39, 1343-1348.	2.0	26
75	Role of minor salivary glands in developing patient-rated xerostomia and sticky saliva during day and night. <i>Radiotherapy and Oncology</i> , 2013, 109, 311-316.	0.6	25
76	Predictors for distant metastasis in head and neck cancer, with emphasis on age. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 181-190.	1.6	25
77	FADD Expression as a Prognosticator in Early-Stage Glottic Squamous Cell Carcinoma of the Larynx Treated Primarily With Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 1220-1226.	0.8	24
78	Reproducibility and prognostic value of pattern of invasion scoring in low-stage oral squamous cell carcinoma. <i>Histopathology</i> , 2016, 68, 388-397.	2.9	24
79	Is human papillomavirus involved in laryngeal neuroendocrine carcinoma?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 719-725.	1.6	23
80	Prognostic significance of HIF-1 α , CAIX, and OPN in T1-T2 laryngeal carcinoma treated with radiotherapy. <i>Laryngoscope</i> , 2013, 123, 2154-2160.	2.0	23
81	Validity of bioelectrical impedance analysis to assess fat-free mass in patients with head and neck cancer: An exploratory study. <i>Head and Neck</i> , 2014, 36, 585-591.	2.0	22
82	Quality of life of patients with recurrent respiratory papillomatosis. <i>Laryngoscope</i> , 2017, 127, 1826-1831.	2.0	22
83	Frailty and restrictions in geriatric domains are associated with surgical complications but not with radiation-induced acute toxicity in head and neck cancer patients: A prospective study. <i>Oral Oncology</i> , 2021, 118, 105329.	1.5	21
84	Mechanisms of acquired resistance to methotrexate in a human squamous carcinoma cell line of the head and neck, exposed to different treatment schedules. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 1274-1278.	0.7	20
85	Lactobacilli: Important in Biofilm Formation on Voice Prostheses. <i>Otolaryngology - Head and Neck Surgery</i> , 2007, 137, 505-507.	1.9	20
86	Narrow band imaging improves observer reliability in evaluation of upper aerodigestive tract lesions. <i>Laryngoscope</i> , 2016, 126, 2276-2281.	2.0	20
87	Effectiveness of an 18F-FDG-PET based strategy to optimize the diagnostic trajectory of suspected recurrent laryngeal carcinoma after radiotherapy: The RELAPS multicenter randomized trial. <i>Radiotherapy and Oncology</i> , 2016, 118, 251-256.	0.6	20
88	In vitro activity of novel antifolates against human squamous carcinoma cell lines of the head and neck with inherent resistance to methotrexate. <i>International Journal of Cancer</i> , 1992, 51, 909-914.	5.1	19
89	Nasometry normative data for young Dutch children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011, 75, 420-424.	1.0	19
90	Geriatric assessment of patients treated for cutaneous head and neck malignancies in a tertiary referral center: Predictors of postoperative complications. <i>European Journal of Surgical Oncology</i> , 2020, 46, 123-130.	1.0	19

#	ARTICLE	IF	CITATIONS
91	Voice Prosthetic Biofilm Formation and Candida Morphogenic Conversions in Absence and Presence of Different Bacterial Strains and Species on Silicone-Rubber. PLoS ONE, 2014, 9, e104508.	2.5	18
92	RAB25 expression is epigenetically downregulated in oral and oropharyngeal squamous cell carcinoma with lymph node metastasis. Epigenetics, 2016, 11, 653-663.	2.7	18
93	Addition of tumour infiltration depth and extranodal extension improves the prognostic value of the pathological TNM classification for early-stage oral squamous cell carcinoma. Histopathology, 2019, 75, 329-337.	2.9	18
94	[18F]FLT-PET and [18F]FDG-PET in the evaluation of radiotherapy for laryngeal cancer. Oral Oncology, 2009, 45, e211-e215.	1.5	17
95	Co-morbidity and treatment outcomes of elderly pharyngeal cancer patients: A matched control study. Oral Oncology, 2011, 47, 1159-1164.	1.5	17
96	Clinical outcome of salvage neck dissections in head and neck cancer in relation to initial treatment, extent of surgery and patient factors. Clinical Otolaryngology, 2017, 42, 693-700.	1.2	16
97	The impact of acoustic neuroma on long-term quality-of-life outcomes in the United Kingdom. European Archives of Oto-Rhino-Laryngology, 2018, 275, 709-717.	1.6	15
98	Short- and long-term complications of surgical and percutaneous dilatation tracheotomies: a large single-centre retrospective cohort study. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1823-1828.	1.6	15
99	Association of Deficits Identified by Geriatric Assessment With Deterioration of Health-Related Quality of Life in Patients Treated for Head and Neck Cancer. JAMA Otolaryngology - Head and Neck Surgery, 2021, 147, 1089.	2.2	15
100	Visualization of small glottic laryngeal cancer using methyl-labeled 11C-methionine positron emission tomography. Oral Oncology, 2009, 45, 703-705.	1.5	14
101	Evaluation of the modified Pittsburgh classification for predicting the disease-free survival outcome of squamous cell carcinoma of the external auditory canal. Head and Neck, 2020, 42, 3609-3622.	2.0	14
102	L-1-11C-tyrosine PET in patients with laryngeal carcinomas: comparison of standardized uptake value and protein synthesis rate. Journal of Nuclear Medicine, 2003, 44, 341-6.	5.0	14
103	Carbon-11 tyrosine PET for visualization and protein synthesis rate assessment of laryngeal and hypopharyngeal carcinomas. European Journal of Nuclear Medicine and Molecular Imaging, 2002, 29, 1182-1187.	6.4	13
104	Does the patch fit the stoma? A study on peristoma geometry and patch use in laryngectomised patients. Clinical Otolaryngology, 2011, 36, 235-241.	1.2	13
105	Neuroendocrine carcinoma of the larynx –an extraordinary malignancy with high recurrence rates and long survival: Our experience in 11 patients. Clinical Otolaryngology, 2012, 37, 63-66.	1.2	13
106	Development of the Endoscopic Endonasal Sinus and Skull Base Surgery Questionnaire. International Forum of Allergy and Rhinology, 2017, 7, 1076-1084.	2.8	13
107	Age-specific incidence and treatment patterns of head and neck cancer in the Netherlands – A cohort study. Clinical Otolaryngology, 2018, 43, 317-324.	1.2	13
108	Imaging of squamous cell carcinoma of the hypopharynx. Seminars in Ultrasound, CT and MRI, 1998, 19, 476-491.	1.5	12

#	ARTICLE	IF	CITATIONS
109	Cranialization of the frontal sinus – the final remedy for refractory chronic frontal sinusitis. <i>Journal of Neurosurgery</i> , 2012, 116, 531-535.	1.6	12
110	The role of N-methyl-d-aspartate receptors and nitric oxide in cochlear dopamine release. <i>Neuroscience</i> , 2008, 154, 796-803.	2.3	11
111	Calculating nasoseptal flap dimensions: a cadaveric study using cone beam computed tomography. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2371-2379.	1.6	11
112	The relation between flocculus volume and tinnitus after cerebellopontine angle tumor surgery. <i>Hearing Research</i> , 2018, 361, 113-120.	2.0	11
113	Side Effects of Oral Dexamethasone Pulse Therapy for Idiopathic Sudden Sensorineural Hearing Loss. <i>Otology and Neurotology</i> , 2009, 30, 691.	1.3	10
114	Assessment of hypoxic subvolumes in laryngeal cancer with 18F-fluoroazomycin arabinoside (18F-FAZA)-PET/CT scanning and immunohistochemistry. <i>Radiotherapy and Oncology</i> , 2015, 117, 106-112.	0.6	10
115	Influence of surface roughness on silicone rubber voice prostheses on <i>in vitro</i> biofilm formation and clinical lifetime in laryngectomised patients. <i>Clinical Otolaryngology</i> , 2017, 42, 1235-1240.	1.2	10
116	Multidisciplinary first-day consultation accelerates diagnostic procedures and throughput times of patients in a head-and-neck cancer care pathway, a mixed method study. <i>BMC Health Services Research</i> , 2018, 18, 820.	2.2	10
117	Evaluation of the psychometric properties of the endoscopic endonasal sinus and skull base surgery questionnaire (EES-Q) in a prospective cohort study. <i>Clinical Otolaryngology</i> , 2019, 44, 565-571.	1.2	10
118	Therapy evaluation of laryngeal carcinomas by tyrosine-pet. <i>Head and Neck</i> , 2003, 25, 634-644.	2.0	9
119	A prospective randomized multicenter clinical trial of the Provox2 and Groningen Ultra Low Resistance voice prostheses in the rehabilitation of post-laryngectomy patients: A lifetime and preference study. <i>Oral Oncology</i> , 2011, 47, 895-899.	1.5	9
120	Predictors of postoperative complications and survival in patients with major salivary glands malignancies: A study highlighting the influence of age. <i>Head and Neck</i> , 2014, 36, 369-374.	2.0	9
121	Distal chip versus fiberoptic laryngoscopy using endoscopic sheaths: diagnostic accuracy and image quality. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2227-32.	1.6	9
122	Biofilm formation on the Provox ActiValve: Composition and ingrowth analyzed by Illumina paired-end RNA sequencing, fluorescence in situ hybridization, and confocal laser scanning microscopy. <i>Head and Neck</i> , 2016, 38, E432-40.	2.0	9
123	Dopamine concentration in blood platelets is elevated in patients with head and neck paragangliomas. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016, 54, 1395-401.	2.3	9
124	Onset of hypothyroidism after total laryngectomy: Effects of thyroid gland surgery and preoperative and postoperative radiotherapy. <i>Head and Neck</i> , 2020, 42, 636-644.	2.0	9
125	Distinct Biomarker Profiles and Clinical Characteristics in T1-T2 Glottic and Supraglottic Carcinomas. <i>Laryngoscope</i> , 2020, 130, 2825-2832.	2.0	9
126	Evaluating Laryngopharyngeal Tumor Extension Using Narrow Band Imaging Versus Conventional White Light Imaging. <i>Laryngoscope</i> , 2021, 131, E2222-E2231.	2.0	9

#	ARTICLE	IF	CITATIONS
127	Early feeding after total laryngectomy results in shorter hospital stay without increased risk of complications: a retrospective case-control study. <i>Clinical Otolaryngology</i> , 2015, 40, 587-592.	1.2	8
128	Phosphorylated FADD is not prognostic for local control in T1-T2 supraglottic laryngeal carcinoma treated with radiotherapy. <i>Laryngoscope</i> , 2017, 127, E301-E307.	2.0	8
129	Lymphatic drainage patterns of oral maxillary tumors: Approachable locations of sentinel lymph nodes mainly at the cervical neck level. <i>Head and Neck</i> , 2017, 39, 486-491.	2.0	8
130	Validation of the Distress Thermometer and Problem List in Patients with Recurrent Respiratory Papillomatosis. <i>Otolaryngology - Head and Neck Surgery</i> , 2017, 156, 180-188.	1.9	8
131	Viable tumor in salvage neck dissections in head and neck cancer: Relation with initial treatment, change of lymph node size and human papillomavirus. <i>Oral Oncology</i> , 2018, 77, 131-136.	1.5	8
132	Detection of high-grade dysplasia, carcinoma in situ and squamous cell carcinoma in the upper aerodigestive tract: Recommendations for optimal use and interpretation of narrow-band imaging. <i>Clinical Otolaryngology</i> , 2019, 44, 39-46.	1.2	8
133	Differences in the diagnostic value between fiberoptic and high definition laryngoscopy for the characterisation of pharyngeal and laryngeal lesions: A multi-observer paired analysis of videos. <i>Clinical Otolaryngology</i> , 2020, 45, 119-125.	1.2	8
134	Biological tumor markers associated with local control after primary radiotherapy in laryngeal cancer: A systematic review. <i>Clinical Otolaryngology</i> , 2020, 45, 486-494.	1.2	8
135	Groningen Dilatation Tracheoscope in Treatment of Moderate Subglottic and Tracheal Stenosis. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2009, 118, 329-335.	1.1	7
136	Nasometry cooperation in children 4-6 years of age. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011, 75, 627-630.	1.0	7
137	Alternative PET tracers in head and neck cancer. A review. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2595-2601.	1.6	7
138	Functional buckling behavior of silicone rubber shells for biomedical use. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 28, 47-54.	3.1	7
139	Head and Neck Squamous Cell Carcinomas Do Not Express EGFRVIII. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 454-462.	0.8	7
140	Effect of Direct Stimulation of the Cochleovestibular Nerve on Tinnitus: A Long-Term Follow-Up Study. <i>World Neurosurgery</i> , 2017, 98, 571-577.	1.3	7
141	Virtual 3D planning of tracheostomy placement and clinical applicability of 3D cannula design: a three-step study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 451-457.	1.6	7
142	The effect of three-dimensional visualisation on performance in endoscopic sinus surgery: A clinical training study using surgical navigation for movement analysis in a randomised crossover design. <i>Clinical Otolaryngology</i> , 2020, 45, 211-220.	1.2	7
143	Comorbidity, Complications, and Survival of Sinonasal Malignancies in Young and Elderly Treated by Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 148, 860-866.	1.9	6
144	Is ¹¹ Methionine PET an alternative to ¹⁸ F FDG PET for identifying recurrent laryngeal cancer after radiotherapy?. <i>Clinical Otolaryngology</i> , 2019, 44, 124-130.	1.2	6

#	ARTICLE	IF	CITATIONS
145	Cortactin expression assessment improves patient selection for a watchful waiting strategy in pT1cN0a€•staged oral squamous cell carcinomas with a tumor infiltration depth below 4a€%mm. Head and Neck, 2021, 43, 2688-2697.	2.0	6
146	To what extent has the last two decades seen significant progress in the management of older patients with head and neck cancer?. European Journal of Surgical Oncology, 2021, 47, 1398-1405.	1.0	6
147	The association of frailty and outcomes of geriatric assessment with acute radiation-induced toxicity in patients with head and neck cancer. Oral Oncology, 2022, 130, 105933.	1.5	6
148	Data-Driven prioritisation of antibody-drug conjugate targets in head and neck squamous cell carcinoma. Oral Oncology, 2018, 80, 33-39.	1.5	5
149	Squamous cell carcinoma antigen concentration in fine needle aspiration samples: A new method to detect cervical lymph node metastases of head and neck squamous cell carcinoma. Head and Neck, 2019, 41, 2561-2565.	2.0	5
150	Standardised Kiâ€67 proliferation index assessment in earlyâ€stage laryngeal squamous cell carcinoma in relation to local control and survival after primary radiotherapy. Clinical Otolaryngology, 2020, 45, 12-20.	1.2	5
151	Age-specific oncogenic pathways in head and neck squamous cell carcinomaâ€are elderly a different subcategory?. Cellular Oncology (Dordrecht), 2022, 45, 1-18.	4.4	5
152	In Vitro Evaluation of the iValve: A Novel Hands-Free Speech Valve. Annals of Otolaryngology, Rhinology and Laryngology, 2011, 120, 814-819.	1.1	4
153	A prospective multicenter clinical feasibility study of a new automatic speaking valve for postlaryngectomy voice rehabilitation. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1005-1013.	1.6	4
154	High <sc>pATM</sc> is Associated With Poor Local Control in Supraglottic Cancer Treated With Radiotherapy. Laryngoscope, 2020, 130, 1954-1960.	2.0	4
155	High-definition videolaryngoscopy is superior to fiberoptic laryngoscopy: a 111 multi-observer study. European Archives of Oto-Rhino-Laryngology, 2021, 278, 1927-1932.	1.6	4
156	The effect of delayed primary treatment initiation on adverse events and recurrence in older head and neck cancer patients. Radiotherapy and Oncology, 2022, 173, 154-162.	0.6	4
157	Worldwide, multicenter study of peristomal geometry and morphology in laryngectomees and its clinical effects. Head and Neck, 2011, 33, 1184-1190.	2.0	3
158	The effect of endoscopic sheaths on visualization in distal chip and fiberoptic laryngoscopy. European Archives of Oto-Rhino-Laryngology, 2014, 271, 2757-2760.	1.6	3
159	PTEN Is Associated With Worse Local Control in Early Stage Supraglottic Laryngeal Cancer Treated With Radiotherapy. Laryngoscope Investigative Otolaryngology, 2019, 4, 399-404.	1.5	3
160	¹⁸Fâ€FDG PET/CT for response evaluation of regional lymph nodes in 97 head and neck squamous cell carcinoma patients: Differences in the predictive value of residual disease after radiotherapy and chemoradiotherapy. Clinical Otolaryngology, 2020, 45, 805-810.	1.2	3
161	Prediction of survival and therapy outcome with 11C-tyrosine PET in patients with laryngeal carcinoma. Journal of Nuclear Medicine, 2004, 45, 2052-7.	5.0	3
162	The effect of treatment delay on quality of life and overall survival in head and neck cancer patients. European Journal of Cancer Care, 2022, 31, e13589.	1.5	3

#	ARTICLE	IF	CITATIONS
163	Evaluation of subclasses for <sc>T4</sc> â€classified squamous cell carcinoma of the external auditory canal. Head and Neck, 2022, , .	2.0	3
164	Clinical feasibility study of protrach dualcare a new speaking valve with heat and moisture exchanger for tracheotomized patients. Laryngoscope Investigative Otolaryngology, 2017, 2, 453-458.	1.5	2
165	Comparative Study Between Peristomal Patches in Patients with Definitive Tracheostomy. International Archives of Otorhinolaryngology, 2018, 22, 130-135.	0.8	2
166	Glycoprotein Nonmetastatic Melanoma Protein B as Potential Imaging Marker in Posttherapeutic Metastatic Head and Neck Cancer. Otolaryngology - Head and Neck Surgery, 2020, 163, 1202-1208.	1.9	2
167	The Effect of Tumor Characteristics and Location on the Extent of Lymph Node Metastases of Head and Neck Cutaneous Squamous Cell Carcinoma. Frontiers in Oncology, 0, 12, .	2.8	2
168	High <sc>DNMT1</sc> Is Associated With Worse Local Control in Earlyâ€Stage Laryngeal Squamous Cell Carcinoma. Laryngoscope, 2022, 132, 801-805.	2.0	1
169	Corrigendum to â€œFacial nerve function in carcinoma of the parotid glandâ€.[European Journal of Cancer, 42 (2006) 2744â€2750]. European Journal of Cancer, 2007, 43, 1883.	2.8	0
170	P2.49. Changes in body composition during and after head and neck cancer treatment: Preliminary results. Oral Oncology Supplement, 2009, 3, 177.	0.0	0
171	Evaluation of preference for voice prosthesis. Oral Oncology, 2012, 48, e43.	1.5	0
172	<i>In vivo</i> test of a new handsâ€free tracheostoma inhalation valve, a randomised crossover study. Clinical Otolaryngology, 2013, 38, 420-424.	1.2	0
173	PO-073: Viable tumour in salvage neck dissections: relation with initial treatment, lymph node size and HPV. Radiotherapy and Oncology, 2017, 122, 36.	0.6	0
174	Semiâ€automatic tumour volume measurements on <sc>MR</sc>â€imaging using smartbrush^{Â®} in oropharyngeal carcinomas; our experience in 5 patients. Clinical Otolaryngology, 2018, 43, 1143-1148.	1.2	0
175	A comparison of the Thunderbeat and standard electrocautery devices in head and neck surgery: a prospective randomized controlled trial. European Archives of Oto-Rhino-Laryngology, 2021, 278, 4987-4996.	1.6	0
176	Biomaterials for Voice Reconstruction. , 2008, , 191-207.		0
177	The iValve Hands-Free Speech Valve for Laryngectomized Patients. In Vitro Test of a Novel Device of Revolutionary Design. IFMBE Proceedings, 2011, , 803-805.	0.3	0