

Bernard Fam Van Der Laan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4797069/publications.pdf>

Version: 2024-02-01

177
papers

6,082
citations

47006

47
h-index

88630

70
g-index

181
all docs

181
docs citations

181
times ranked

7022
citing authors

#	ARTICLE	IF	CITATIONS
1	High <scp>DNMT1</scp> Is Associated With Worse Local Control in Earlyâ€Stage Laryngeal Squamous Cell Carcinoma. <i>Laryngoscope</i> , 2022, 132, 801-805.	2.0	1
2	Age-specific oncogenic pathways in head and neck squamous cell carcinomaâ€Are elderly a different subcategory?. <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 1-18.	4.4	5
3	The effect of treatment delay on quality of life and overall survival in head and neck cancer patients. <i>European Journal of Cancer Care</i> , 2022, 31, e13589.	1.5	3
4	Evaluation of subclasses for <scp>T4</scp> â€classified squamous cell carcinoma of the external auditory canal. <i>Head and Neck</i> , 2022, , .	2.0	3
5	The effect of delayed primary treatment initiation on adverse events and recurrence in older head and neck cancer patients. <i>Radiotherapy and Oncology</i> , 2022, 173, 154-162.	0.6	4
6	The association of frailty and outcomes of geriatric assessment with acute radiation-induced toxicity in patients with head and neck cancer. <i>Oral Oncology</i> , 2022, 130, 105933.	1.5	6
7	Predictors for distant metastasis in head and neck cancer, with emphasis on age. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 181-190.	1.6	25
8	Evaluating Laryngopharyngeal Tumor Extension Using Narrow Band Imaging Versus Conventional White Light Imaging. <i>Laryngoscope</i> , 2021, 131, E2222-E2231.	2.0	9
9	High-definition videolaryngoscopy is superior to fiberoptic laryngoscopy: a 111 multi-observer study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 1927-1932.	1.6	4
10	A comparison of the Thunderbeat and standard electrocautery devices in head and neck surgery: a prospective randomized controlled trial. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 4987-4996.	1.6	0
11	Cortactin expression assessment improves patient selection for a watchful waiting strategy in pT1cN0â€staged oral squamous cell carcinomas with a tumor infiltration depth below 4â€mm. <i>Head and Neck</i> , 2021, 43, 2688-2697.	2.0	6
12	To what extent has the last two decades seen significant progress in the management of older patients with head and neck cancer?. <i>European Journal of Surgical Oncology</i> , 2021, 47, 1398-1405.	1.0	6
13	Frailty and restrictions in geriatric domains are associated with surgical complications but not with radiation-induced acute toxicity in head and neck cancer patients: A prospective study. <i>Oral Oncology</i> , 2021, 118, 105329.	1.5	21
14	Association of Deficits Identified by Geriatric Assessment With Deterioration of Health-Related Quality of Life in Patients Treated for Head and Neck Cancer. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2021, 147, 1089.	2.2	15
15	Selfâ€Completion of the Patientâ€Generated Subjective Global Assessment Short Form Is Feasible and Is Associated With Increased Awareness on Malnutrition Risk in Patients With Head and Neck Cancer. <i>Nutrition in Clinical Practice</i> , 2020, 35, 353-362.	2.4	29
16	Geriatric assessment of patients treated for cutaneous head and neck malignancies in a tertiary referral center: Predictors of postoperative complications. <i>European Journal of Surgical Oncology</i> , 2020, 46, 123-130.	1.0	19
17	Standardised Kiâ€67 proliferation index assessment in earlyâ€stage laryngeal squamous cell carcinoma in relation to local control and survival after primary radiotherapy. <i>Clinical Otolaryngology</i> , 2020, 45, 12-20.	1.2	5
18	Patients with head and neck cancer: Are they frailer than patients with other solid malignancies?. <i>European Journal of Cancer Care</i> , 2020, 29, e13170.	1.5	35

#	ARTICLE	IF	CITATIONS
19	Differences in the diagnostic value between fiberoptic and high definition laryngoscopy for the characterisation of pharyngeal and laryngeal lesions: A multi-observer paired analysis of videos. <i>Clinical Otolaryngology</i> , 2020, 45, 119-125.	1.2	8
20	Onset of hypothyroidism after total laryngectomy: Effects of thyroid gland surgery and preoperative and postoperative radiotherapy. <i>Head and Neck</i> , 2020, 42, 636-644.	2.0	9
21	The effect of three-dimensional visualisation on performance in endoscopic sinus surgery: A clinical training study using surgical navigation for movement analysis in a randomised crossover design. <i>Clinical Otolaryngology</i> , 2020, 45, 211-220.	1.2	7
22	Frailty is associated with decline in health-related quality of life of patients treated for head and neck cancer. <i>Oral Oncology</i> , 2020, 111, 105020.	1.5	36
23	Evaluation of the modified Pittsburgh classification for predicting the disease-free survival outcome of squamous cell carcinoma of the external auditory canal. <i>Head and Neck</i> , 2020, 42, 3609-3622.	2.0	14
24	¹⁸ F-FDG PET/CT for response evaluation of regional lymph nodes in 97 head and neck squamous cell carcinoma patients: Differences in the predictive value of residual disease after radiotherapy and chemoradiotherapy. <i>Clinical Otolaryngology</i> , 2020, 45, 805-810.	1.2	3
25	Glycoprotein Nonmetastatic Melanoma Protein B as Potential Imaging Marker in Posttherapeutic Metastatic Head and Neck Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2020, 163, 1202-1208.	1.9	2
26	Distinct Biomarker Profiles and Clinical Characteristics in T1-T2 Glottic and Supraglottic Carcinomas. <i>Laryngoscope</i> , 2020, 130, 2825-2832.	2.0	9
27	High pATM is Associated With Poor Local Control in Supraglottic Cancer Treated With Radiotherapy. <i>Laryngoscope</i> , 2020, 130, 1954-1960.	2.0	4
28	Biological tumor markers associated with local control after primary radiotherapy in laryngeal cancer: A systematic review. <i>Clinical Otolaryngology</i> , 2020, 45, 486-494.	1.2	8
29	The OncoLifeS data-biobank for oncology: a comprehensive repository of clinical data, biological samples, and the patient's perspective. <i>Journal of Translational Medicine</i> , 2019, 17, 374.	4.4	32
30	PTEN Is Associated With Worse Local Control in Early Stage Supraglottic Laryngeal Cancer Treated With Radiotherapy. <i>Laryngoscope Investigative Otolaryngology</i> , 2019, 4, 399-404.	1.5	3
31	Addition of tumour infiltration depth and extranodal extension improves the prognostic value of the pathological TNM classification for early-stage oral squamous cell carcinoma. <i>Histopathology</i> , 2019, 75, 329-337.	2.9	18
32	Evaluation of the psychometric properties of the endoscopic endonasal sinus and skull base surgery questionnaire (EES-Q) in a prospective cohort study. <i>Clinical Otolaryngology</i> , 2019, 44, 565-571.	1.2	10
33	Squamous cell carcinoma antigen concentration in fine needle aspiration samples: A new method to detect cervical lymph node metastases of head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2019, 41, 2561-2565.	2.0	5
34	Short- and long-term complications of surgical and percutaneous dilatation tracheotomies: a large single-centre retrospective cohort study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 1823-1828.	1.6	15
35	Prevalence and prediction of trismus in patients with head and neck cancer: A cross-sectional study. <i>Head and Neck</i> , 2019, 41, 64-71.	2.0	32
36	Is ¹¹ Methionine PET an alternative to ¹⁸ F-FDG PET for identifying recurrent laryngeal cancer after radiotherapy?. <i>Clinical Otolaryngology</i> , 2019, 44, 124-130.	1.2	6

#	ARTICLE	IF	CITATIONS
37	Detection of high-grade dysplasia, carcinoma in situ and squamous cell carcinoma in the upper aerodigestive tract: Recommendations for optimal use and interpretation of narrowband imaging. <i>Clinical Otolaryngology</i> , 2019, 44, 39-46.	1.2	8
38	Semi-automatic tumour volume measurements on MR imaging using smartbrush [®] in oropharyngeal carcinomas; our experience in 5 patients. <i>Clinical Otolaryngology</i> , 2018, 43, 1143-1148.	1.2	0
39	The relation between flocculus volume and tinnitus after cerebellopontine angle tumor surgery. <i>Hearing Research</i> , 2018, 361, 113-120.	2.0	11
40	Digital image analysis of Ki67 proliferation index in breast cancer using virtual dual staining on whole tissue sections: clinical validation and inter-platform agreement. <i>Breast Cancer Research and Treatment</i> , 2018, 169, 33-42.	2.5	65
41	The impact of acoustic neuroma on long-term quality-of-life outcomes in the United Kingdom. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 709-717.	1.6	15
42	Viable tumor in salvage neck dissections in head and neck cancer: Relation with initial treatment, change of lymph node size and human papillomavirus. <i>Oral Oncology</i> , 2018, 77, 131-136.	1.5	8
43	Data-Driven prioritisation of antibody-drug conjugate targets in head and neck squamous cell carcinoma. <i>Oral Oncology</i> , 2018, 80, 33-39.	1.5	5
44	Age-specific incidence and treatment patterns of head and neck cancer in the Netherlands – A cohort study. <i>Clinical Otolaryngology</i> , 2018, 43, 317-324.	1.2	13
45	Comparative Study Between Peristomal Patches in Patients with Definitive Tracheostomy. <i>International Archives of Otorhinolaryngology</i> , 2018, 22, 130-135.	0.8	2
46	Multidisciplinary first-day consultation accelerates diagnostic procedures and throughput times of patients in a head-and-neck cancer care pathway, a mixed method study. <i>BMC Health Services Research</i> , 2018, 18, 820.	2.2	10
47	Virtual 3D planning of tracheostomy placement and clinical applicability of 3D cannula design: a three-step study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018, 275, 451-457.	1.6	7
48	Influence of surface roughness on silicone rubber voice prostheses on <i>in vitro</i> biofilm formation and clinical lifetime in laryngectomised patients. <i>Clinical Otolaryngology</i> , 2017, 42, 1235-1240.	1.2	10
49	Effect of Direct Stimulation of the Cochleovestibular Nerve on Tinnitus: A Long-Term Follow-Up Study. <i>World Neurosurgery</i> , 2017, 98, 571-577.	1.3	7
50	Narrowband imaging in transoral laser surgery for early glottic cancer in relation to clinical outcome. <i>Head and Neck</i> , 2017, 39, 1343-1348.	2.0	26
51	Phosphorylated FADD is not prognostic for local control in T1-T2 supraglottic laryngeal carcinoma treated with radiotherapy. <i>Laryngoscope</i> , 2017, 127, E301-E307.	2.0	8
52	Lymphatic drainage patterns of oral maxillary tumors: Approachable locations of sentinel lymph nodes mainly at the cervical neck level. <i>Head and Neck</i> , 2017, 39, 486-491.	2.0	8
53	Clinical outcome of salvage neck dissections in head and neck cancer in relation to initial treatment, extent of surgery and patient factors. <i>Clinical Otolaryngology</i> , 2017, 42, 693-700.	1.2	16
54	High prevalence of cachexia in newly diagnosed head and neck cancer patients: An exploratory study. <i>Nutrition</i> , 2017, 35, 114-118.	2.4	59

#	ARTICLE	IF	CITATIONS
55	Development of the Endoscopic Endonasal Sinus and Skull Base Surgery Questionnaire. International Forum of Allergy and Rhinology, 2017, 7, 1076-1084.	2.8	13
56	PO-073: Viable tumour in salvage neck dissections: relation with initial treatment, lymph node size and HPV. Radiotherapy and Oncology, 2017, 122, 36.	0.6	0
57	Validation of the Distress Thermometer and Problem List in Patients with Recurrent Respiratory Papillomatosis. Otolaryngology - Head and Neck Surgery, 2017, 156, 180-188.	1.9	8
58	A prospective multicenter clinical feasibility study of a new automatic speaking valve for postlaryngectomy voice rehabilitation. European Archives of Oto-Rhino-Laryngology, 2017, 274, 1005-1013.	1.6	4
59	Quality of life of patients with recurrent respiratory papillomatosis. Laryngoscope, 2017, 127, 1826-1831.	2.0	22
60	Clinical feasibility study of protract dualcare a new speaking valve with heat and moisture exchanger for tracheotomized patients. Laryngoscope Investigative Otolaryngology, 2017, 2, 453-458.	1.5	2
61	Immunological response to quadrivalent HPV vaccine in treatment of recurrent respiratory papillomatosis. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3231-3236.	1.6	32
62	Narrow band imaging improves observer reliability in evaluation of upper aerodigestive tract lesions. Laryngoscope, 2016, 126, 2276-2281.	2.0	20
63	RAB25 expression is epigenetically downregulated in oral and oropharyngeal squamous cell carcinoma with lymph node metastasis. Epigenetics, 2016, 11, 653-663.	2.7	18
64	Swallowing sparing intensity modulated radiotherapy (SW-IMRT) in head and neck cancer: Clinical validation according to the model-based approach. Radiotherapy and Oncology, 2016, 118, 298-303.	0.6	55
65	Identification and validation of <i>WISP1</i> as an epigenetic regulator of metastasis in oral squamous cell carcinoma. Genes Chromosomes and Cancer, 2016, 55, 45-59.	2.8	28
66	Meta-analysis of 701 published cases of sinonasal neuroendocrine carcinoma: The importance of differentiation grade in determining treatment strategy. Oral Oncology, 2016, 63, 1-9.	1.5	71
67	Biofilm formation on the Provox ActiValve: Composition and ingrowth analyzed by Illumina paired-end RNA sequencing, fluorescence in situ hybridization, and confocal laser scanning microscopy. Head and Neck, 2016, 38, E432-40.	2.0	9
68	Reproducibility and prognostic value of pattern of invasion scoring in low-stage oral squamous cell carcinoma. Histopathology, 2016, 68, 388-397.	2.9	24
69	Dopamine concentration in blood platelets is elevated in patients with head and neck paragangliomas. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1395-401.	2.3	9
70	Effectiveness of an 18F-FDG-PET based strategy to optimize the diagnostic trajectory of suspected recurrent laryngeal carcinoma after radiotherapy: The RELAPS multicenter randomized trial. Radiotherapy and Oncology, 2016, 118, 251-256.	0.6	20
71	Predictive value of the <i>CGFR</i> onigen <i>FR</i> raily <i>I</i> ndicator for treatment outcomes in elderly patients after head and neck, or skin cancer surgery in a retrospective cohort. Clinical Otolaryngology, 2015, 40, 474-482.	1.2	35
72	Clinical course of recurrent respiratory papillomatosis: Comparison between aggressiveness of human papillomavirus-6 and human papillomavirus-11. Head and Neck, 2015, 37, 1625-1632.	2.0	56

#	ARTICLE	IF	CITATIONS
73	Early feeding after total laryngectomy results in shorter hospital stay without increased risk of complications: a retrospective case-control study. <i>Clinical Otolaryngology</i> , 2015, 40, 587-592.	1.2	8
74	Clinical recommendations on the treatment of neuroendocrine carcinoma of the larynx: A meta-analysis of 436 reported cases. <i>Head and Neck</i> , 2015, 37, 707-715.	2.0	115
75	Catecholamine-Synthesizing Enzymes Are Expressed in Parasympathetic Head and Neck Paraganglioma Tissue. <i>Neuroendocrinology</i> , 2015, 101, 289-295.	2.5	37
76	Free flap reconstruction for head and neck cancer can be safely performed in both young and elderly patients after careful patient selection. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2999-3005.	1.6	43
77	Detection of HPV-associated oropharyngeal tumours in a 16-year cohort: more than meets the eye. <i>British Journal of Cancer</i> , 2015, 112, 1349-1357.	6.4	30
78	Acute symptoms during the course of head and neck radiotherapy or chemoradiation are strong predictors of late dysphagia. <i>Radiotherapy and Oncology</i> , 2015, 115, 56-62.	0.6	66
79	Patterns of long-term swallowing dysfunction after definitive radiotherapy or chemoradiation. <i>Radiotherapy and Oncology</i> , 2015, 117, 139-144.	0.6	72
80	Assessment of hypoxic subvolumes in laryngeal cancer with 18F-fluoroazomycin-araboside (18F-FAZA)-PET/CT scanning and immunohistochemistry. <i>Radiotherapy and Oncology</i> , 2015, 117, 106-112.	0.6	10
81	Calculating nasoseptal flap dimensions: a cadaveric study using cone beam computed tomography. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2371-2379.	1.6	11
82	Development and Validation of a Prediction Model for Tube Feeding Dependence after Curative (Chemo-) Radiation in Head and Neck Cancer. <i>PLoS ONE</i> , 2014, 9, e94879.	2.5	31
83	Voice Prosthetic Biofilm Formation and Candida Morphogenic Conversions in Absence and Presence of Different Bacterial Strains and Species on Silicone-Rubber. <i>PLoS ONE</i> , 2014, 9, e104508.	2.5	18
84	Development of a multivariable normal tissue complication probability (NTCP) model for tube feeding dependence after curative radiotherapy/chemo-radiotherapy in head and neck cancer. <i>Radiotherapy and Oncology</i> , 2014, 113, 95-101.	0.6	84
85	The QUANTEC criteria for parotid gland dose and their efficacy to prevent moderate to severe patient-rated xerostomia. <i>Acta Oncologica</i> , 2014, 53, 597-604.	1.8	68
86	Validity of bioelectrical impedance analysis to assess fat-free mass in patients with head and neck cancer: An exploratory study. <i>Head and Neck</i> , 2014, 36, 585-591.	2.0	22
87	Predictors of postoperative complications and survival in patients with major salivary glands malignancies: A study highlighting the influence of age. <i>Head and Neck</i> , 2014, 36, 369-374.	2.0	9
88	Head and Neck Tumor Hypoxia Imaging by 18F-Fluoroazomycin-araboside (18F-FAZA)-PET. <i>Clinical Nuclear Medicine</i> , 2014, 39, 44-48.	1.3	48
89	Relation Between Age, Comorbidity, and Complications in Patients Undergoing Major Surgery for Head and Neck Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 963-970.	1.5	79
90	Head and Neck Squamous Cell Carcinomas Do Not Express EGFRvIII. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 454-462.	0.8	7

#	ARTICLE	IF	CITATIONS
91	Distal chip versus fiberoptic laryngoscopy using endoscopic sheaths: diagnostic accuracy and image quality. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2227-32.	1.6	9
92	The effect of endoscopic sheaths on visualization in distal chip and fiberoptic laryngoscopy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2757-2760.	1.6	3
93	Alternative PET tracers in head and neck cancer. A review. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2595-2601.	1.6	7
94	The importance of multimodality therapy in the treatment of sinonasal neuroendocrine carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2565-2568.	1.6	36
95	Functional buckling behavior of silicone rubber shells for biomedical use. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 28, 47-54.	3.1	7
96	Critical factors in the translation of improved antimicrobial strategies for medical implants and devices. <i>Biomaterials</i> , 2013, 34, 9237-9243.	11.4	93
97	Is human papillomavirus involved in laryngeal neuroendocrine carcinoma?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 719-725.	1.6	23
98	<i>In vivo</i> test of a new hands-free tracheostoma inhalation valve, a randomised crossover study. <i>Clinical Otolaryngology</i> , 2013, 38, 420-424.	1.2	0
99	Age of diagnosis and evaluation of consequences of submucous cleft palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 1019-1024.	1.0	31
100	Lack of claudin-7 is a strong predictor of regional recurrence in oral and oropharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2013, 49, 998-1005.	1.5	28
101	Role of minor salivary glands in developing patient-rated xerostomia and sticky saliva during day and night. <i>Radiotherapy and Oncology</i> , 2013, 109, 311-316.	0.6	25
102	Prognostic significance of HIF-1 α , CA-125, and OPN in T1-T2 laryngeal carcinoma treated with radiotherapy. <i>Laryngoscope</i> , 2013, 123, 2154-2160.	2.0	23
103	FADD expression is associated with regional and distant metastasis in squamous cell carcinoma of the head and neck. <i>Histopathology</i> , 2013, 63, 263-270.	2.9	36
104	Comorbidity, Complications, and Survival of Sinonasal Malignancies in Young and Elderly Treated by Surgery. <i>Otolaryngology - Head and Neck Surgery</i> , 2013, 148, 860-866.	1.9	6
105	Limited Evidence for the Effect of Presurgical Nasoalveolar Molding in Unilateral Cleft on Nasal Symmetry. <i>Plastic and Reconstructive Surgery</i> , 2013, 131, 62e-71e.	1.4	81
106	Cranialization of the frontal sinus—the final remedy for refractory chronic frontal sinusitis. <i>Journal of Neurosurgery</i> , 2012, 116, 531-535.	1.6	12
107	FADD Expression as a Prognosticator in Early-Stage Glottic Squamous Cell Carcinoma of the Larynx Treated Primarily With Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 1220-1226.	0.8	24
108	A Prospective Cohort Study on Radiation-induced Hypothyroidism: Development of an NTCP Model. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, e351-e356.	0.8	90

#	ARTICLE	IF	CITATIONS
109	Predictive modelling for swallowing dysfunction after primary (chemo)radiation: Results of a prospective observational study. <i>Radiotherapy and Oncology</i> , 2012, 105, 107-114.	0.6	223
110	Evaluation of preference for voice prosthesis. <i>Oral Oncology</i> , 2012, 48, e43.	1.5	0
111	NTCP models for patient-rated xerostomia and sticky saliva after treatment with intensity modulated radiotherapy for head and neck cancer: The role of dosimetric and clinical factors. <i>Radiotherapy and Oncology</i> , 2012, 105, 101-106.	0.6	149
112	Development of NTCP models for head and neck cancer patients treated with three-dimensional conformal radiotherapy for xerostomia and sticky saliva: The role of dosimetric and clinical factors. <i>Radiotherapy and Oncology</i> , 2012, 105, 86-93.	0.6	90
113	Narrow band imaging is a new technique in visualization of recurrent respiratory papillomatosis. <i>Laryngoscope</i> , 2012, 122, 1826-1830.	2.0	44
114	Composition and architecture of biofilms on used voice prostheses. <i>Head and Neck</i> , 2012, 34, 863-871.	2.0	30
115	Neuroendocrine carcinoma of the larynx –an extraordinary malignancy with high recurrence rates and long survival: Our experience in 11 patients. <i>Clinical Otolaryngology</i> , 2012, 37, 63-66.	1.2	13
116	Tumour infiltration depth ≥ 4 mm is an indication for an elective neck dissection in pT1cN0 oral squamous cell carcinoma. <i>Oral Oncology</i> , 2012, 48, 337-342.	1.5	101
117	Nasometry normative data for young Dutch children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011, 75, 420-424.	1.0	19
118	Nasometry cooperation in children 4–6 years of age. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011, 75, 627-630.	1.0	7
119	Does the patch fit the stoma? A study on peristoma geometry and patch use in laryngectomised patients. <i>Clinical Otolaryngology</i> , 2011, 36, 235-241.	1.2	13
120	The impact of comorbidity on treatment-related side effects in older patients with laryngeal cancer. <i>Oral Oncology</i> , 2011, 47, 56-61.	1.5	41
121	A prospective randomized multicenter clinical trial of the Provox2 and Groningen Ultra Low Resistance voice prostheses in the rehabilitation of post-laryngectomy patients: A lifetime and preference study. <i>Oral Oncology</i> , 2011, 47, 895-899.	1.5	9
122	Co-morbidity and treatment outcomes of elderly pharyngeal cancer patients: A matched control study. <i>Oral Oncology</i> , 2011, 47, 1159-1164.	1.5	17
123	Oral symptoms and functional outcome related to oral and oropharyngeal cancer. <i>Supportive Care in Cancer</i> , 2011, 19, 1327-1333.	2.2	44
124	Malnutrition in patients treated for oral or oropharyngeal cancer –prevalence and relationship with oral symptoms: an explorative study. <i>Supportive Care in Cancer</i> , 2011, 19, 1675-1683.	2.2	52
125	Malnutrition and quality of life in patients treated for oral or oropharyngeal cancer. <i>Head and Neck</i> , 2011, 33, 490-496.	2.0	69
126	Changes in nutritional status and dietary intake during and after head and neck cancer treatment. <i>Head and Neck</i> , 2011, 33, 863-870.	2.0	114

#	ARTICLE	IF	CITATIONS
127	Worldwide, multicenter study of peristomal geometry and morphology in laryngectomees and its clinical effects. <i>Head and Neck</i> , 2011, 33, 1184-1190.	2.0	3
128	In Vitro Evaluation of the iValve: A Novel Hands-Free Speech Valve. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2011, 120, 814-819.	1.1	4
129	The iValve Hands-Free Speech Valve for Laryngectomized Patients. In Vitro Test of a Novel Device of Revolutionary Design. <i>IFMBE Proceedings</i> , 2011, , 803-805.	0.3	0
130	The Impact of Type D Personality on Health-Related Quality of Life in Tinnitus Patients Is Mainly Mediated by Anxiety and Depression. <i>Otology and Neurotology</i> , 2010, 31, 11-18.	1.3	56
131	The phosphatase and tensin homologue deleted on chromosome 10 mediates radiosensitivity in head and neck cancer. <i>British Journal of Cancer</i> , 2010, 102, 1778-1785.	6.4	34
132	CD44 Expression Predicts Local Recurrence after Radiotherapy in Larynx Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 5329-5338.	7.0	173
133	The Groningen Radiotherapy-Induced Xerostomia questionnaire: Development and validation of a new questionnaire. <i>Radiotherapy and Oncology</i> , 2010, 97, 127-131.	0.6	51
134	Dopamine excess in patients with head and neck paragangliomas. <i>Anticancer Research</i> , 2010, 30, 5153-8.	1.1	28
135	¹⁸ F-FDG PET as a Routine Posttreatment Surveillance Tool in Oral and Oropharyngeal Squamous Cell Carcinoma: A Prospective Study. <i>Journal of Nuclear Medicine</i> , 2009, 50, 1940-1947.	5.0	84
136	Groningen Dilatation Tracheoscope in Treatment of Moderate Subglottic and Tracheal Stenosis. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2009, 118, 329-335.	1.1	7
137	FDG-PET and detection of distant metastases and simultaneous tumors in head and neck squamous cell carcinoma: A comparison with chest radiography and chest CT. <i>Oral Oncology</i> , 2009, 45, 234-240.	1.5	58
138	Visualization of small glottic laryngeal cancer using methyl-labeled ¹¹ C-methionine positron emission tomography. <i>Oral Oncology</i> , 2009, 45, 703-705.	1.5	14
139	[¹⁸ F]FLT-PET and [¹⁸ F]FDG-PET in the evaluation of radiotherapy for laryngeal cancer. <i>Oral Oncology</i> , 2009, 45, e211-e215.	1.5	17
140	Higher laryngeal preservation rate after CO ₂ laser surgery compared with radiotherapy in T1a glottic laryngeal carcinoma. <i>Head and Neck</i> , 2009, 31, 759-764.	2.0	86
141	P2.49. Changes in body composition during and after head and neck cancer treatment: Preliminary results. <i>Oral Oncology Supplement</i> , 2009, 3, 177.	0.0	0
142	Side Effects of Oral Dexamethasone Pulse Therapy for Idiopathic Sudden Sensorineural Hearing Loss. <i>Otology and Neurotology</i> , 2009, 30, 691.	1.3	10
143	Overexpression of Intrinsic Hypoxia Markers HIF1 α and CA-IX Predict for Local Recurrence in Stage T1-T2 Glottic Laryngeal Carcinoma Treated With Radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, 161-169.	0.8	94
144	FDG PET in oral and oropharyngeal cancer. Value for confirmation of NO neck and detection of occult metastases. <i>Oral Oncology</i> , 2008, 44, 31-36.	1.5	61

#	ARTICLE	IF	CITATIONS
145	The role of N-methyl-d-aspartate receptors and nitric oxide in cochlear dopamine release. <i>Neuroscience</i> , 2008, 154, 796-803.	2.3	11
146	Nasal Growth and Maturation Age in Adolescents. <i>JAMA Otolaryngology</i> , 2008, 134, 1288.	1.2	78
147	Intratympanic gentamicin therapy for control of vertigo in unilateral MeniÃ're's disease: a prospective, double-blind, randomized, placebo-controlled trial. <i>Acta Oto-Laryngologica</i> , 2008, 128, 876-880.	0.9	80
148	The Additive Effect of Co-Occurring Anxiety and Depression on Health Status, Quality of Life and Coping Strategies in Help-Seeking Tinnitus Sufferers. <i>Ear and Hearing</i> , 2008, 29, 947-956.	2.1	88
149	Biomaterials for Voice Reconstruction. , 2008, , 191-207.		0
150	Amplicon Mapping and Expression Profiling Identify the Fas-Associated Death Domain Gene as a New Driver in the 11q13.3 Amplicon in Laryngeal/Pharyngeal Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 6257-6266.	7.0	74
151	Lactobacilli: Important in Biofilm Formation on Voice Prostheses. <i>Otolaryngology - Head and Neck Surgery</i> , 2007, 137, 505-507.	1.9	20
152	Corrigendum to "Facial nerve function in carcinoma of the parotid gland" [European Journal of Cancer, 42 (2006) 2744-2750]. <i>European Journal of Cancer</i> , 2007, 43, 1883.	2.8	0
153	The Treatment of Idiopathic Sudden Sensorineural Hearing Loss Using Pulse Therapy: A Prospective, Randomized, Double-Blind Clinical Trial. <i>Laryngoscope</i> , 2007, 117, 684-690.	2.0	45
154	Critical weight loss in head and neck cancer" prevalence and risk factors at diagnosis: an explorative study. <i>Supportive Care in Cancer</i> , 2007, 15, 1045-1050.	2.2	155
155	Facial nerve function in carcinoma of the parotid gland. <i>European Journal of Cancer</i> , 2006, 42, 2744-2750.	2.8	49
156	Effects of Quaternary Ammonium Silane Coatings on Mixed Fungal and Bacterial Biofilms on Tracheoesophageal Shunt Prostheses. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3673-3677.	3.1	94
157	Difficulties in the fixation of prostheses for voice rehabilitation after laryngectomy. <i>Acta Oto-Laryngologica</i> , 2005, 125, 804-813.	0.9	28
158	Morbidity of the neck after head and neck cancer therapy. <i>Head and Neck</i> , 2004, 26, 785-791.	2.0	100
159	Shoulder and neck morbidity in quality of life after surgery for head and neck cancer. <i>Head and Neck</i> , 2004, 26, 839-844.	2.0	77
160	Shoulder complaints after nerve sparing neck dissections. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2004, 33, 253-257.	1.5	80
161	18F-FLT PET for visualization of laryngeal cancer: comparison with 18F-FDG PET. <i>Journal of Nuclear Medicine</i> , 2004, 45, 226-31.	5.0	70
162	Prediction of survival and therapy outcome with 11C-tyrosine PET in patients with laryngeal carcinoma. <i>Journal of Nuclear Medicine</i> , 2004, 45, 2052-7.	5.0	3

#	ARTICLE	IF	CITATIONS
163	Prognostic index for patients with parotid carcinoma. <i>Cancer</i> , 2003, 97, 1453-1463.	4.1	69
164	Therapy evaluation of laryngeal carcinomas by tyrosine-pet. <i>Head and Neck</i> , 2003, 25, 634-644.	2.0	9
165	Shoulder complaints after neck dissection; is the spinal accessory nerve involved?. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2003, 41, 7-11.	0.8	85
166	L-1-11C-tyrosine PET in patients with laryngeal carcinomas: comparison of standardized uptake value and protein synthesis rate. <i>Journal of Nuclear Medicine</i> , 2003, 44, 341-6.	5.0	14
167	Carbon-11 tyrosine PET for visualization and protein synthesis rate assessment of laryngeal and hypopharyngeal carcinomas. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 1182-1187.	6.4	13
168	Detection of unknown primary tumours and distant metastases in patients with cervical metastases: value of FDG-PET versus conventional modalities. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 1024-1030.	6.4	139
169	Treatment outcome of bone-anchored craniofacial prostheses after tumor surgery. <i>Cancer</i> , 2001, 92, 3045-3050.	4.1	122
170	Imaging of squamous cell carcinoma of the hypopharynx. <i>Seminars in Ultrasound, CT and MRI</i> , 1998, 19, 476-491.	1.5	12
171	Radiation-induced tumours of the head and neck. <i>Journal of Laryngology and Otology</i> , 1995, 109, 346-349.	0.8	99
172	DT-diaphorase activity in normal and neoplastic human tissues; an indicator for sensitivity to bioreductive agents?. <i>British Journal of Cancer</i> , 1995, 72, 917-921.	6.4	60
173	Expression of Growth Factors and Growth Factor Receptors in Normal and Tumorous Human Thyroid Tissues. <i>Thyroid</i> , 1995, 5, 67-73.	4.5	102
174	The association of well-differentiated thyroid carcinoma with insular or anaplastic thyroid carcinoma; evidence for dedifferentiation in tumor progression. <i>Endocrine Pathology</i> , 1993, 4, 215-221.	9.0	37
175	In vitro activity of novel antifolates against human squamous carcinoma cell lines of the head and neck with inherent resistance to methotrexate. <i>International Journal of Cancer</i> , 1992, 51, 909-914.	5.1	19
176	Mechanisms of acquired resistance to methotrexate in a human squamous carcinoma cell line of the head and neck, exposed to different treatment schedules. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 1274-1278.	0.7	20
177	The Effect of Tumor Characteristics and Location on the Extent of Lymph Node Metastases of Head and Neck Cutaneous Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	2