## **Manuel Feisst**

## List of Publications by Citations

Source: https://exaly.com/author-pdf/4797396/manuel-feisst-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 51          | 277            | 10          | 14      |
|-------------|----------------|-------------|---------|
| papers      | citations      | h-index     | g-index |
| 62          | 480            | 3.7 avg, IF | 3.17    |
| ext. papers | ext. citations |             | L-index |

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 51 | COOLHAIR: a prospective randomized trial to investigate the efficacy and tolerability of scalp cooling in patients undergoing (neo)adjuvant chemotherapy for early breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 173, 135-143   | 4.4 | 29        |
| 50 | Prediction of mortality rate in acute type A dissection: the German Registry for Acute Type A Aortic Dissection score. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2020</b> , 58, 700-706  | 3   | 28        |
| 49 | Reliability of an e-PRO Tool of EORTC QLQ-C30 for Measurement of Health-Related Quality of Life in Patients With Breast Cancer: Prospective Randomized Trial. <i>Journal of Medical Internet Research</i> , <b>2017</b> , 19, e322   | 7.6 | 25        |
| 48 | Epidemiology of mental disorders during pregnancy and link to birth outcome: a large-scale retrospective observational database study including 38,000 pregnancies. <i>Archives of Gynecology and Obstetrics</i> , <b>2019</b> , 299, 755-763  | 2.5 | 23        |
| 47 | An Electronic Patient-Reported Outcome Tool for the FACT-B (Functional Assessment of Cancer Therapy-Breast) Questionnaire for Measuring the Health-Related Quality of Life in Patients With Breast Cancer: Reliability Study. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e10004 | 7.6 | 16        |
| 46 | Clinical Validation of the BREAST-Q Breast-Conserving Therapy Module. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 2759-2767   | 3.1 | 13        |
| 45 | HER2-targeted therapy influences CTC status in metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 182, 127-136  | 4.4 | 12        |
| 44 | Hyperamylasemia and acute pancreatitis after pancreatoduodenectomy: Two different entities. <i>Surgery</i> , <b>2021</b> , 169, 369-376  | 3.6 | 12        |
| 43 | Heterogeneous Responses of Axillary Lymph Node Metastases to Neoadjuvant Chemotherapy are Common and Depend on Breast Cancer Subtype. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 4381-4389   | 3.1 | 11        |
| 42 | Which patients with sentinel node-positive breast cancer after breast conservation still receive completion axillary lymph node dissection in routine clinical practice?. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 173, 429-438   | 4.4 | 11        |
| 41 | Refining scores based on patient reported outcomes - statistical and medical perspectives. <i>BMC Medical Research Methodology</i> , <b>2019</b> , 19, 167   | 4.7 | 10        |
| 40 | Development and psychometric validation of a shorter version of the Breast Cancer Treatment Outcome Scale (BCTOS-12). <i>Breast</i> , <b>2018</b> , 38, 58-65  | 3.6 | 9         |
| 39 | Evolution of the Use of Completion Axillary Lymph Node Dissection in Patients with T1/2N0M0<br>Breast Cancer and Tumour-Involved Sentinel Lymph Nodes Undergoing Mastectomy: A Cohort<br>Study. <i>Annals of Surgical Oncology</i> , <b>2019</b> , 26, 2435-2443                                     | 3.1 | 8         |
| 38 | Cut-Off Analysis of CTC Change under Systemic Therapy for Defining Early Therapy Response in Metastatic Breast Cancer. <i>Cancers</i> , <b>2020</b> , 12,  | 6.6 | 8         |
| 37 | Hernia reduction following laparotomy using small stitch abdominal wall closure with and without mesh augmentation (the HULC trial): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2019</b> , 20, 738   | 2.8 | 7         |
| 36 | Reduction in physical activity significantly increases depression and anxiety in the perinatal period: a longitudinal study based on a self-report digital assessment tool. <i>Archives of Gynecology and Obstetrics</i> , <b>2020</b> , 302, 53-64  | 2.5 | 5         |
| 35 | Postoperative complications and mobilisation following major abdominal surgery with vs. without fitness tracker-based feedback (EXPELLIARMUS): study protocol for a student-led multicentre randomised controlled trial (CHIR-Net SIGMA study group). <i>Trials</i> , <b>2020</b> , 21, 293          | 2.8 | 5         |

## (2021-2019)

| 34 | Cut-off for the Life-Space Assessment in persons with cognitive impairment. <i>Aging Clinical and Experimental Research</i> , <b>2019</b> , 31, 1331-1335  | 4.8 | 5 |
|----|--|-----|---|
| 33 | Influence of patient and tumor characteristics on therapy persistence with letrozole in postmenopausal women with advanced breast cancer: results of the prospective observational EvAluate-TM study. <i>BMC Cancer</i> , <b>2019</b> , 19, 611  | 4.8 | 4 |
| 32 | A Phase II Trial of Nivolumab With Chemotherapy Followed by Maintenance Nivolumab in Patients With Pleural Mesothelioma After Surgery: The NICITA Study Protocol. <i>Clinical Lung Cancer</i> , <b>2021</b> , 22, 142-146  | 4.9 | 4 |
| 31 | Prospective multicentre cohort study of patient-reported outcomes and complications following major abdominal neoplastic surgery (PATRONUS) - study protocol for a CHIR-Net student-initiated German medical audit study (CHIR-Net SIGMA study). <i>BMC Surgery</i> , <b>2018</b> , 18, 90 | 2.3 | 4 |
| 30 | Cross-lagged analyses of the bidirectional relationship between depression and markers of chronic heart failure. <i>Depression and Anxiety</i> , <b>2020</b> , 37, 898-907   | 8.4 | 3 |
| 29 | Non-sentinel axillary tumor burden applying the ACOSOG Z0011 eligibility criteria to a large routine cohort. <i>Breast Cancer Research and Treatment</i> , <b>2019</b> , 177, 457-467  | 4.4 | 3 |
| 28 | Postoperative acute pancreatitis is a serious but rare complication after distal pancreatectomy. <i>Hpb</i> , <b>2021</b> , 23, 1339-1348  | 3.8 | 3 |
| 27 | Symptomatic marginal ulcer after pancreatoduodenectomy. Surgery, 2020, 168, 67-71  | 3.6 | 2 |
| 26 | Psychometric validation of the Breast Cancer Treatment Outcome Scale (BCTOS-12): a prospective cohort study. <i>Archives of Gynecology and Obstetrics</i> , <b>2019</b> , 300, 1679-1686   | 2.5 | 2 |
| 25 | Challenges in Acceptance and Compliance in Digital Health Assessments During Pregnancy: Prospective Cohort Study. <i>JMIR MHealth and UHealth</i> , <b>2020</b> , 8, e17377  | 5.5 | 2 |
| 24 | The Lack of Evidence for an Association between Cancer Biomarker Conversion Patterns and CTC-Status in Patients with Metastatic Breast Cancer. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,  | 6.3 | 2 |
| 23 | Circulating miR-200 family as predictive markers during systemic therapy of metastatic breast cancer <i>Archives of Gynecology and Obstetrics</i> , <b>2022</b> , 1  | 2.5 | 2 |
| 22 | Surgeon's preference of subcutaneous tissue resection: most important factor for short-term complications in subcutaneous implant placement after mastectomy-results of a cohort study. <i>Archives of Gynecology and Obstetrics</i> , <b>2020</b> , 301, 1037-1045                        | 2.5 | 1 |
| 21 | Incorporating historical two-arm data in clinical trials with binary outcome: A practical approach. <i>Pharmaceutical Statistics</i> , <b>2020</b> , 19, 662-678   | 1   | 1 |
| 20 | Novel Liquid Biomarker Panels for A Very Early Response Capturing of NSCLC Therapies in Advanced Stages. <i>Cancers</i> , <b>2020</b> , 12,  | 6.6 | 1 |
| 19 | Therapy With Local Anesthetics to Treat Vulvodynia. A Pilot Study Sexual Medicine, 2022, 10, 100482  | 2.7 | 1 |
| 18 | COOLHAIR: A prospective randomized trial to investigate the efficacy and tolerability of scalp cooling in patients undergoing neoadjuvant chemotherapy for early breast cancer <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 525-525   | 2.2 | 1 |
| 17 | Next-generation sequencing diagnostics of bacteremia in pediatric sepsis. <i>Medicine (United States)</i> , <b>2021</b> , 100, e26403  | 1.8 | 1 |

| 16 | Reply to Sartipy. European Journal of Cardio-thoracic Surgery, 2021, 59, 282-283   | 3       | 1 |
|----|--|---------|---|
| 15 | Full Reperfusion Without Functional Independence After Mechanical Thrombectomy in the Anterior Circulation: Performance of Prediction Models Before Versus After Treatment Initiation <i>Clinical Neuroradiology</i> , <b>2022</b> , 1                         | 2.7     | 1 |
| 14 | Primary care disease management for venous leg ulceration-study protocol for the Ulcus Cruris Care [UCC] randomized controlled trial (DRKS00026126) <i>Trials</i> , <b>2022</b> , 23, 60   | 2.8     | O |
| 13 | Measuring the Time to Deterioration for Health-Related Quality of Life in Patients With Metastatic Breast Cancer Using a Web-Based Monitoring Application: Longitudinal Cohort Study. <i>JMIR Cancer</i> , <b>2021</b> , 7, e25776                             | 3.2     | O |
| 12 | Analyzing non-sentinel axillary metastases in patients with T3-T4 cN0 early breast cancer and tumor-involved sentinel lymph nodes undergoing breast-conserving therapy or mastectomy. <i>Breast Cancer Research and Treatment</i> , <b>2020</b> , 184, 627-636 | 4.4     | 0 |
| 11 | Long-Term Patient Satisfaction and Quality of Life After Breast-Conserving Therapy: A Prospective Study Using the BREAST-Q. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 8742-8751   | 3.1     | O |
| 10 | Reply to Nezic. European Journal of Cardio-thoracic Surgery, 2021, 59, 923-924   | 3       | O |
| 9  | Standards of hygiene for ultrasound-guided core cut biopsies of the breast. <i>Ultraschall in Der Medizin</i> , <b>2018</b> , 39, 636-642  | 3.8     | O |
| 8  | Do hospital type or caseload make a difference in chemotherapy treatment patterns for early breast cancer? Results from 104 German institutions, 2008-2017. <i>Breast</i> , <b>2021</b> , 58, 63-71  | 3.6     | O |
| 7  | Vacuum-Assisted Breast Biopsy After Neoadjuvant Systemic Treatment for Reliable Exclusion of Residual Cancer in Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 1   | 3.1     | O |
| 6  | Evaluation of Repeated Web-Based Screening for Predicting Postpartum Depression: Prospective Cohort Study. <i>JMIR Mental Health</i> , <b>2021</b> , 8, e26665   | 6       | 0 |
| 5  | Protocol of a prospective study investigating the association of PAncreatic parenchymal RISk factors with postoperative pancreatic fistula after partial pancreaticoduodenectomy (PARIS trial) <i>BMJ Open</i> , <b>2022</b> , 12, e054138                     | 3       | O |
| 4  | Hygienestandards bei der ultraschallgesteuerten Stanzbiopsie an der Mamma. <i>Senologie - Zeitschrift F\( \text{Mammadiagnostik Und -therapie}\)</i> , <b>2019</b> , 16, 52-58   | О       |   |
| 3  | ASO Visual Abstract: Vacuum-Assisted Breast Biopsy After Neoadjuvant Systemic Treatment to Reliably Exclude Residual Cancer in Breast Cancer Patients. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 1  | 3.1     |   |
| 2  | ASO Visual Abstract: Long-Term Patient Satisfaction and Quality of Life after Breast-Conserving Therapy-A Prospective Study Using the BREAST-Q. <i>Annals of Surgical Oncology</i> , <b>2021</b> , 28, 583   | 3.1     |   |
| 1  | Abstract P2-12-08: Impact of summation dose intensity product on pathologic response in patients receiving neoadjuvant chemotherapy for early breast cancer. <i>Cancer Research</i> , <b>2022</b> , 82, P2-12-08-P2-   | 12-08.1 |   |