Xiaoxv Yin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4799018/publications.pdf

Version: 2024-02-01

257450 276875 2,101 72 24 41 citations h-index g-index papers 80 80 80 3672 times ranked citing authors docs citations all docs

#	Article	IF	Citations
1	A systematic review of antibiotic utilization in China. Journal of Antimicrobial Chemotherapy, 2013, 68, 2445-2452.	3.0	160
2	Prevalence of Anxiety and Depressive Symptoms and Related Risk Factors among Physicians in China: A Cross-Sectional Study. PLoS ONE, 2014, 9, e103242.	2.5	142
3	Post-lockdown SARS-CoV-2 nucleic acid screening in nearly ten million residents of Wuhan, China. Nature Communications, 2020, 11, 5917.	12.8	140
4	Consumption of fruit and vegetable and risk of coronary heart disease: A meta-analysis of prospective cohort studies. International Journal of Cardiology, 2015, 183, 129-137.	1.7	135
5	Prevalence and associated factors of antenatal depression: Systematic reviews and meta-analyses. Clinical Psychology Review, 2021, 83, 101932.	11.4	107
6	Sleep duration and risk of stroke events and stroke mortality: A systematic review and meta-analysis of prospective cohort studies. International Journal of Cardiology, 2016, 223, 870-876.	1.7	88
7	Prevalence of depressive symptoms and work-related risk factors among nurses in public hospitals in southern China: A cross-sectional study. Scientific Reports, 2014, 4, 7109.	3.3	87
8	A Systematic Review of Antibiotic Prescription Associated With Upper Respiratory Tract Infections in China. Medicine (United States), 2016, 95, e3587.	1.0	76
9	Consumption of hot beverages and foods and the risk of esophageal cancer: a meta-analysis of observational studies. BMC Cancer, 2015, 15, 449.	2.6	67
10	Prevalence of metabolic syndrome among middle-aged and elderly adults in China: current status and temporal trends. Annals of Medicine, 2018, 50, 345-353.	3.8	51
11	Prevalence of atrial fibrillation in different socioeconomic regions of China and its association with stroke: Results from a national stroke screening survey. International Journal of Cardiology, 2018, 271, 92-97.	1.7	50
12	Non-adherence to anti-tuberculosis treatment among internal migrants with pulmonary tuberculosis in Shenzhen, China: a cross-sectional study. BMC Public Health, 2015, 15, 474.	2.9	46
13	Chinese Version of the EQ-5D Preference Weights: Applicability in a Chinese General Population. PLoS ONE, 2016, 11, e0164334.	2.5	39
14	Association of coffee consumption with risk of colorectal cancer: a meta-analysis of prospective cohort studies. Oncotarget, 2017, 8, 18699-18711.	1.8	39
15	Turnover intention and related factors among general practitioners in Hubei, China: a cross-sectional study. BMC Family Practice, 2018, 19, 74.	2.9	38
16	Factors associated with doctors' knowledge on antibiotic use in China. Scientific Reports, 2016, 6, 23429.	3.3	35
17	Sleep disturbances among Chinese residents during the Coronavirus Disease 2019 outbreak and associated factors. Sleep Medicine, 2020, 74, 199-203.	1.6	35
18	Status of tuberculosisâ€related stigma and associated factors: a crossâ€sectional study in central China. Tropical Medicine and International Health, 2018, 23, 199-205.	2.3	34

#	Article	IF	CITATIONS
19	Association of metformin with mortality or ARDS in patients with COVID-19 and type 2 diabetes: A retrospective cohort study. Diabetes Research and Clinical Practice, 2021, 173, 108619.	2.8	31
20	Efficacy of ribavirin and interferon- \hat{l}_{\pm} therapy for hospitalized patients with COVID-19: A multicenter, retrospective cohort study. International Journal of Infectious Diseases, 2021, 104, 641-648.	3.3	31
21	Trends and patterns of outpatient and inpatient antibiotic use in China's hospitals: data from the Center for Antibacterial Surveillance, 2012–16. Journal of Antimicrobial Chemotherapy, 2019, 74, 1731-1740.	3.0	30
22	The association of metabolic syndrome components and diabetes mellitus: evidence from China National Stroke Screening and Prevention Project. BMC Public Health, 2019, 19, 192.	2.9	28
23	The effect of essential medicines programme on rational use of medicines in China. Health Policy and Planning, 2016, 31, 21-27.	2.7	27
24	Nonadherence to Antituberculosis Medications: The Impact of Stigma and Depressive Symptoms. American Journal of Tropical Medicine and Hygiene, 2018, 98, 262-265.	1.4	27
25	Prevalence and Risk Factors Associated With Workplace Violence Against General Practitioners in Hubei, China. American Journal of Public Health, 2018, 108, 1223-1226.	2.7	27
26	Over-the-counter antibiotic sales in community and online pharmacies, China. Bulletin of the World Health Organization, 2020, 98, 449-457.	3.3	27
27	Pre-hospital Delay after Acute Ischemic Stroke in Central Urban China: Prevalence and Risk Factors. Molecular Neurobiology, 2017, 54, 3007-3016.	4.0	26
28	Prevalence and risk factors associated with stroke in middle-aged and older Chinese: A community-based cross-sectional study. Scientific Reports, 2017, 7, 9501.	3.3	26
29	Post-stroke medication adherence and persistence rates: a meta-analysis of observational studies. Journal of Neurology, 2021, 268, 2090-2098.	3.6	25
30	The NLRP3 inflammasome and stroke. International Journal of Clinical and Experimental Medicine, 2015, 8, 4787-94.	1.3	24
31	Development and Validation of a Tuberculosis Medication Adherence Scale. PLoS ONE, 2012, 7, e50328.	2.5	23
32	Determinants of Emergency Medical Services Utilization Among Acute Ischemic Stroke Patients in Hubei Province in China. Stroke, 2016, 47, 891-894.	2.0	21
33	Intravenous thrombolytic therapy for acute ischemic stroke in Hubei, China: a survey of thrombolysis rate and barriers. BMC Neurology, 2019, 19, 202.	1.8	21
34	Antimicrobial resistance in Neisseria gonorrhoeae in China: a meta-analysis. BMC Infectious Diseases, 2016, 16, 108.	2.9	19
35	Fear of childbirth in nulliparous women: A cross-sectional multicentre study in China. Women and Birth, 2020, 33, e136-e141.	2.0	18
36	A Comparison of Quality of Community Health Services Between Public and Private Community Health Centers in Urban China. Medical Care, 2015, 53, 888-893.	2.4	17

#	Article	IF	CITATIONS
37	Social Determinants of Community Health Services Utilization among the Users in China: A 4-Year Cross-Sectional Study. PLoS ONE, 2014, 9, e98095.	2.5	16
38	Association between depression and the risk for fracture: a meta-analysis and systematic review. BMC Psychiatry, 2018, 18, 336.	2.6	16
39	The Mediating Effects of Stigma on Depressive Symptoms in Patients With Tuberculosis: A Structural Equation Modeling Approach. Frontiers in Psychiatry, 2018, 9, 618.	2.6	15
40	Delays in care seeking, diagnosis and treatment of patients with pulmonary tuberculosis in Hubei, China. International Health, 2020, 12, 101-106.	2.0	14
41	Chinese obstetricians' attitudes, beliefs, and clinical practices related to cesarean delivery on maternal request Women and Birth, 2020, 33, e67-e71.	2.0	13
42	Factors associated with childbirth self-efficacy: a multicenter cross-sectional study in China. Midwifery, 2021, 93, 102883.	2.3	13
43	Evaluation of early antibiotic use in patients with nonâ€severe COVIDâ€19 without bacterial infection. International Journal of Antimicrobial Agents, 2022, 59, 106462.	2.5	13
44	Interrupted Time-Series Analysis to Evaluate the Impact of a National Antimicrobial Stewardship Campaign on Antibiotic Prescribing: A Typical Practice in China's Primary Care. Clinical Infectious Diseases, 2021, 73, e4463-e4471.	5.8	12
45	Knowledge, attitudes, and practices regarding rabies and its prevention and control among bite victims by suspected rabid animals in China. One Health, 2021, 13, 100264.	3.4	11
46	Depressive Symptoms Mediate the Associations of Stigma with Medication Adherence and Quality of Life in Tuberculosis Patients in China. American Journal of Tropical Medicine and Hygiene, 2019, 100, 31-36.	1.4	11
47	Prevalence of self-medication with antibiotics and its related factors among Chinese residents: a cross-sectional study. Antimicrobial Resistance and Infection Control, 2021, 10, 89.	4.1	10
48	Prevalence of Depressive Symptoms and Related Risk Factors among Patients with Tuberculosis in China: A Multistage Cross-Sectional Study. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1624-1628.	1.4	9
49	The effect of the latest health care reforms on the quality of community health services in China. International Journal of Health Planning and Management, 2018, 33, e1225-e1231.	1.7	8
50	Prevalence of antibiotic self-medication behavior and related factors among children aged 0 to 5 years. Expert Review of Anti-Infective Therapy, 2021, 19, 1157-1164.	4.4	8
51	Sex-Disaggregated Data on Clinical Characteristics and Outcomes of Hospitalized Patients With COVID-19: A Retrospective Study. Frontiers in Cellular and Infection Microbiology, 2021, 11, 680422.	3.9	8
52	Effort-Reward Imbalance in Emergency Department Physicians: Prevalence and Associated Factors. Frontiers in Public Health, 2022, 10, 793619.	2.7	8
53	The prevalence of turnover intention and influencing factors among emergency physicians: A national observation. Journal of Global Health, 2022, 12, 04005.	2.7	8
54	Evaluating effort-reward imbalance among nurses in emergency departments: a cross-sectional study in China. BMC Psychiatry, 2021, 21, 353.	2.6	7

#	Article	IF	Citations
55	Development and nationwide application of an antibiotic knowledge scale. Preventive Medicine, 2020, 141, 106262.	3.4	6
56	Work-Family Conflict of Emergency Nurses and Its Related Factors: A National Cross-Sectional Survey in China. Frontiers in Public Health, 2021, 9, 736625.	2.7	6
57	Prevalence of Antibiotic Purchase Online and Associated Factors Among Chinese Residents: A Nationwide Community Survey of 2019. Frontiers in Pharmacology, 2021, 12, 761086.	3.5	6
58	Effectiveness of Systemic Corticosteroids Therapy for Nonsevere Patients With COVID-19: A Multicenter, Retrospective, Longitudinal Cohort Study. Value in Health, 2022, , .	0.3	6
59	Prevalence of depressive symptoms in nurses compared to the general population based on Propensity Score Matching: A nationwide cross-sectional study in China. Journal of Affective Disorders, 2022, 310, 304-309.	4.1	6
60	Association of endothelial nitric oxide synthase gene mini-satellite marker VNTR polymorphism with ischemic stroke in the Chinese Uyghur population. International Journal of Cardiology, 2014, 174, 812-814.	1.7	5
61	Data on prevalence of atrial fibrillation and its association with stroke in low-, middle-, and high-income regions of China. Data in Brief, 2018, 19, 1822-1827.	1.0	5
62	Sex differences in risk factors for stroke: A nationwide survey of 700,000 Chinese Adults. European Journal of Preventive Cardiology, 2020, 27, 323-327.	1.8	5
63	Factors associated with Chinese pregnant women's preference for a cesarean section based on the theory of planned behaviour. Tropical Medicine and International Health, 2020, 25, 209-215.	2.3	5
64	Development trend of primary healthcare after health reform in China: a longitudinal observational study. BMJ Open, 2022, 12, e052239.	1.9	5
65	The sale of antihypertensive drugs by online pharmacies in China: A nationwide cross-sectional survey. European Journal of Preventive Cardiology, 2020, 27, 2334-2337.	1.8	4
66	Factors related to turnover intention among emergency department nurses in China: A nationwide crossâ€sectional study. Nursing in Critical Care, 2022, , .	2.3	4
67	Reliability and validity of a smart quality of life scale for patients with tuberculosis. Zeitschrift Fur Gesundheitswissenschaften, 2020, 28, 575-582.	1.6	3
68	Evaluation of the Quality of Antibiotic Prescribing in Primary Care: A Multicenter Longitudinal Study From Shenzhen, China. Frontiers in Pharmacology, 2020, 11, 617260.	3.5	3
69	Automated Cluster Detection of Health Care–Associated Infection Based on the Multisource Surveillance of Process Data in the Area Network: Retrospective Study of Algorithm Development and Validation. JMIR Medical Informatics, 2020, 8, e16901.	2.6	3
70	Occurrence of selfâ€perceived medical errors and its related influencing factors among emergency department nurses. Journal of Clinical Nursing, 2023, 32, 106-114.	3.0	3
71	The Rates and the Determinants of Hypertension According to the 2017 Definition of Hypertension by ACC/AHA and 2014 Evidence-Based Guidelines Among Population Aged ≥40 Years Old. Global Heart, 2021, 16, 34.	2.3	2
72	Antibiotic dispensing patterns and patient interventions for upper respiratory tract infections by hospitals and retail pharmacies: A cross-sectional study based on standardized patients. Social Science and Medicine, 2021, 272, 113729.	3.8	1