List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4799153/publications.pdf Version: 2024-02-01



ALESSANDRA FORM

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | A â€ [~] donor-free' chromophore with a silicon-based acceptor group for second order nonlinear optics. Inorganica Chimica Acta, 2022, 533, 120745. | 1.2 | 2 |
| 2 | Carbazole-Pyridazine copolymers and their rhenium complexes: Effect of the molecular structure on the electronic properties. European Polymer Journal, 2022, 168, 111095. | 2.6 | 0 |
| 3 | Combined effects of ion-pairing on multi-emissive properties of benzimidazolium salts. Journal of Materials Chemistry C, 2021, 9, 4182-4188. | 2.7 | 2 |
| 4 | Room Temperature Phosphorescence from Organic Materials: Unravelling the Emissive Behaviour of Chloro‧ubstituted Derivatives of Cyclic Triimidazole. European Journal of Organic Chemistry, 2021, 2021, 2041-2049. | 1.2 | 13 |
| 5 | Structural Landscape of Zn(II) and Cd(II) Coordination Compounds with Two Isomeric Triimidazole Luminophores: Impact of Crystal Packing Patterns on Emission Properties. Crystal Growth and Design, 2021, 21, 4184-4200. | 1.4 | 8 |
| 6 | Some Novel Cobalt Diphenylphosphine Complexes: Synthesis, Characterization, and Behavior in the Polymerization of 1,3-Butadiene. Molecules, 2021, 26, 4067. | 1.7 | 2 |
| 7 | Nonlinear Optical Properties of Porphyrin, Fullerene and Ferrocene Hybrid Materials. Materials, 2021, 14, 4404. | 1.3 | 11 |
| 8 | Ag(<scp>i</scp>) and Cu(<scp>i</scp>) cyclic-triimidazole coordination polymers: revealing different deactivation channels for multiple room temperature phosphorescences. Inorganic Chemistry Frontiers, 2021, 8, 1312-1323. | 3.0 | 13 |
| 9 | Regulation of Ï€â<ï€ stacking interactions between triimidazole luminophores and comprehensive emission quenching by coordination to Cu(<scp>ii</scp>). New Journal of Chemistry, 2021, 45, 9040-9052. | 1.4 | 8 |
| 10 | Tunable Linear and Nonlinear Optical Properties from Room Temperature Phosphorescent Cyclic Triimidazoleâ€Pyrene Bioâ€Probe. Chemistry - A European Journal, 2021, 27, 16690-16700. | 1.7 | 13 |
| 11 | Prompt and Long-Lived Anti-Kasha Emission from Organic Dyes. Molecules, 2021, 26, 6999. | 1.7 | 22 |
| 12 | Mono-, Di-, Tri-Pyrene Substituted Cyclic Triimidazole: A Family of Highly Emissive and RTP Chromophores. Photochem, 2021, 1, 477-487. | 1.3 | 6 |
| 13 | Exploring Orthogonality between Halogen and Hydrogen Bonding Involving Benzene. Molecules, 2021, 26, 7126. | 1.7 | 1 |
| 14 | Mechanochromic Luminescence of <i>N</i> , <i>N</i> ′-Dioxide-4,4′-bipyridine Bismuth Coordination Polymers. Crystal Growth and Design, 2020, 20, 7658-7666. | 1.4 | 25 |
| 15 | Crystallization-induced room-temperature phosphorescence in fumaramides. CrystEngComm, 2020, 22, 7782-7785. | 1.3 | 27 |
| 16 | Second Order Nonlinear Optical Properties of 4-Styrylpyridines Axially Coordinated to A4 ZnII Porphyrins: A Comparative Experimental and Theoretical Investigation. Inorganics, 2020, 8, 45. | 1.2 | 7 |
| 17 | Electric-Field-Induced Second Harmonic Generation Nonlinear Optic Response of A ₄ β-Pyrrolic-Substituted Zn ^{II} Porphyrins: When Cubic Contributions Cannot Be Neglected. Inorganic Chemistry, 2020, 59, 7561-7570. | 1.9 | 11 |
| 18 | Unravelling the intricate photophysical behavior of 3-(pyridin-2-yl)triimidazotriazine AIE and RTP polymorphs. Chemical Science, 2020, 11, 7599-7608. | 3.7 | 22 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Origin of the σâ€Hole in Halogen Atoms: a Valence Bond Perspective. ChemistryOpen, 2020, 9, 445-450. | 0.9 | 4 |
| 20 | Solid State Room Temperature Dual Phosphorescence from 3-(2-Fluoropyridin-4-yl)triimidazo[1,2-a:1′,2′-c:1″,2″-e][1,3,5]triazine. Molecules, 2019, 24, 2552. | 1.7 | 17 |
| 21 | Novel Cobalt Dichloride Complexes with Hindered Diphenylphosphine Ligands: Synthesis, Characterization, and Behavior in the Polymerization of Butadiene. Molecules, 2019, 24, 2308. | 1.7 | 8 |
| 22 | Impact of Singly Occupied Molecular Orbital Energy on the n-Doping Efficiency of Benzimidazole Derivatives. ACS Applied Materials & Interfaces, 2019, 11, 37981-37990. | 4.0 | 32 |
| 23 | Featuring I··À·N Halogen Bond and Weaker Interactions in Iodoperfluoroalkylimidazoles: An Experimental and Theoretical Charge Density Study. Crystal Growth and Design, 2019, 19, 1621-1631. | 1.4 | 12 |
| 24 | Versatility of Cyclic Triimidazole to Assemble 1D, 2D, and 3D Cu(I) Halide Coordination Networks. Crystal Growth and Design, 2019, 19, 1567-1575. | 1.4 | 23 |
| 25 | Evaluation of In-Batch and In-Flow Synthetic Strategies towards the Stereoselective Synthesis of a Fluorinated Analogue of Retro-Thiorphan. Molecules, 2019, 24, 2260. | 1.7 | 5 |
| 26 | Push–pull unsymmetrical substitution in nickel(<scp>ii</scp>) complexes with tetradentate N ₂ O ₂ Schiff base ligands: synthesis, structures and linear–nonlinear optical studies. Dalton Transactions, 2019, 48, 11217-11234. | 1.6 | 22 |
| 27 | Tuning the Linear and Nonlinear Optical Properties of Pyrene-Pyridine Chromophores by Protonation and Complexation to d10 Metal Centers â€. Inorganics, 2019, 7, 38. | 1.2 | 10 |
| 28 | Solid-State Nonlinear Optical Properties of Mononuclear Copper(II) Complexes with Chiral Tridentate and Tetradentate Schiff Base Ligands. Materials, 2019, 12, 3595. | 1.3 | 19 |
| 29 | Extrinsic Heavy Metal Atom Effect on the Solid‣tate Room Temperature Phosphorescence of Cyclic Triimidazole. Chemistry - an Asian Journal, 2019, 14, 853-858. | 1.7 | 13 |
| 30 | Intrinsic and Extrinsic Heavyâ€Atom Effects on the Multifaceted Emissive Behavior of Cyclic Triimidazole. Chemistry - A European Journal, 2019, 25, 2452-2456. | 1.7 | 37 |
| 31 | Metal free room temperature phosphorescence from molecular self-interactions in the solid state. Journal of Materials Chemistry C, 2018, 6, 4603-4626. | 2.7 | 239 |
| 32 | Experimental and theoretical investigations on magneto-structural correlation in trinuclear copper(II) hydroxido propellers. Polyhedron, 2018, 145, 22-34. | 1.0 | 17 |
| 33 | Effect of crystal packing and coordinated solvent molecules on metal-ligand bond distances in linear trinuclear nickel compounds with bridging acetato and Schiff base ligands. Inorganica Chimica Acta, 2018, 473, 216-222. | 1.2 | 11 |
| 34 | On the molecular optical nonlinearity of halogen-bond-forming azobenzenes. Physical Chemistry Chemical Physics, 2018, 20, 28810-28817. | 1.3 | 9 |
| 35 | Dirhenium Coordination Complex Endowed with an Intrinsically Chiral Helical-Shaped Diphosphine Oxide. ACS Omega, 2018, 3, 11649-11654. | 1.6 | 11 |
| 36 | Halogen bonding in the framework of classical force fields: The case of chlorine. Chemical Physics Letters, 2018, 712, 89-94. | 1.2 | 19 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | New Silver(I) Coordination Polymer with Fe4 Single-Molecule Magnets as Long Spacer. Magnetochemistry, 2018, 4, 43. | 1.0 | 5 |
| 38 | The Effect of Bromo Substituents on the Multifaceted Emissive and Crystalâ€Packing Features of Cyclic Triimidazole Derivatives. ChemPhotoChem, 2018, 2, 801-805. | 1.5 | 22 |
| 39 | "Inherently Chiral―Ionic‣iquid Media: Effective Chiral Electroanalysis on Achiral Electrodes. Angewandte Chemie - International Edition, 2017, 56, 2079-2082. | 7.2 | 33 |
| 40 | Evidence of crystal packing effects in stabilizing high or low spin states of iron(<scp>ii</scp>) complexes with functionalized 2,6-bis(pyrazol-1-yl)pyridine ligands. Dalton Transactions, 2017, 46, 4075-4085. | 1.6 | 28 |
| 41 | Partial in Situ Reduction of Copper(II) Resulting in One-Pot Formation of 2D Neutral and 3D Cationic Copper(I) Iodide–Pyrazine Coordination Polymers: Structure and Emissive Properties. Inorganic Chemistry, 2017, 56, 5141-5151. | 1.9 | 21 |
| 42 | Intriguing Influence of â^'COOH-Driven Intermolecular Aggregation and Acid–Base Interactions with <i>N</i> , <i>N</i> -Dimethylformamide on the Second-Order Nonlinear-Optical Response of 5,15 Push–Pull Diarylzinc(II) Porphyrinates. Inorganic Chemistry, 2017, 56, 6438-6450. | 1.9 | 16 |
| 43 | "Inherently Chiral―Ionicâ€Liquid Media: Effective Chiral Electroanalysis on Achiral Electrodes. Angewandte Chemie, 2017, 129, 2111-2114. | 1.6 | 2 |
| 44 | H-Aggregates Granting Crystallization-Induced Emissive Behavior and Ultralong Phosphorescence from a Pure Organic Molecule. Journal of Physical Chemistry Letters, 2017, 8, 1894-1898. | 2.1 | 181 |
| 45 | Supramolecular control of liquid crystals by doping with halogen-bonding dyes. RSC Advances, 2017, 7, 40237-40242. | 1.7 | 18 |
| 46 | Cyclometalated Pt(<scp>ii</scp>) complexes with a bidentate Schiff-base ligand displaying unexpected cis/trans isomerism: synthesis, structures and electronic properties. Dalton Transactions, 2017, 46, 12500-12506. | 1.6 | 11 |
| 47 | Stimuli-responsive NLO properties of tetrathiafulvalene-fused donor–acceptor chromophores. Physical Chemistry Chemical Physics, 2017, 19, 22573-22579. | 1.3 | 14 |
| 48 | Rücktitelbild: "Inherently Chiral―Ionic‣iquid Media: Effective Chiral Electroanalysis on Achiral Electrodes (Angew. Chem. 8/2017). Angewandte Chemie, 2017, 129, 2254-2254. | 1.6 | 0 |
| 49 | Cyclic Triimidazole Derivatives: Intriguing Examples of Multiple Emissions and Ultralong Phosphorescence at Room Temperature. Angewandte Chemie, 2017, 129, 16520-16525. | 1.6 | 23 |
| 50 | Cyclic Triimidazole Derivatives: Intriguing Examples of Multiple Emissions and Ultralong Phosphorescence at Room Temperature. Angewandte Chemie - International Edition, 2017, 56, 16302-16307. | 7.2 | 142 |
| 51 | Structure–activity relationship for the solid state emission of a new family of "push–pull― Ĩ€-extended chromophores. Faraday Discussions, 2017, 196, 143-161. | 1.6 | 22 |
| 52 | Synthesis, Structure and 1,3-Butadiene Polymerization Behavior of Vanadium(III) Phosphine Complexes. Catalysts, 2017, 7, 369. | 1.6 | 10 |
| 53 | Novel Allyl Cobalt Phosphine Complexes: Synthesis, Characterization and Behavior in the Polymerization of Allene and 1,3-Dienes. Catalysts, 2017, 7, 381. | 1.6 | 18 |
| 54 | Bismuthâ€Based Coordination Polymers with Efficient Aggregationâ€Induced Phosphorescence and Reversible Mechanochromic Luminescence. Angewandte Chemie - International Edition, 2016, 55, 7998-8002. | 7.2 | 121 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Bismuthâ€Based Coordination Polymers with Efficient Aggregationâ€Induced Phosphorescence and Reversible Mechanochromic Luminescence. Angewandte Chemie, 2016, 128, 8130-8134. | 1.6 | 33 |
| 56 | Characterization of a conglomerate-forming derivative of (\hat{A}_{\pm}) -milnacipran and its enantiomeric resolution by preferential crystallization. RSC Advances, 2016, 6, 49876-49882. | 1.7 | 3 |
| 57 | Discrete Complexes and One-Dimensional Coordination Polymers with [Cu(II)(2,2′-bpy)] ²⁺ and [Cu(II)(phen)] ²⁺ Corner Fragments: Insight into Supramolecular Structure and Optical Properties. Crystal Growth and Design, 2016, 16, 6275-6285. | 1.4 | 22 |
| 58 | 4D–ï€â€"1A type β-substituted Zn ^{II} -porphyrins: ideal green sensitizers for building-integrated photovoltaics. Chemical Communications, 2016, 52, 12642-12645. | 2.2 | 27 |
| 59 | Assessment of DFT Functionals for QTAIM Topological Analysis of Halogen Bonds with Benzene. Journal of Physical Chemistry A, 2016, 120, 9071-9080. | 1.1 | 37 |
| 60 | Vanadium(III)–catalyzed copolymerization of ethylene with norbornene: Microstructure at tetrad level and reactivity ratios. Journal of Molecular Catalysis A, 2016, 424, 220-231. | 4.8 | 20 |
| 61 | Long-living optical gain induced by solvent viscosity in a push–pull molecule. Physical Chemistry Chemical Physics, 2016, 18, 18289-18296. | 1.3 | 8 |
| 62 | Polymorphism-dependent aggregation induced emission of a push–pull dye and its multi-stimuli responsive behavior. Journal of Materials Chemistry C, 2016, 4, 2979-2989. | 2.7 | 66 |
| 63 | Synthesis, chiroptical and SHG properties of polarizable push–pull dyes built on π-extended binaphthyls. RSC Advances, 2015, 5, 21495-21503. | 1.7 | 13 |
| 64 | Chiral (Cyclopentadienone)iron Complexes for the Catalytic Asymmetric Hydrogenation of Ketones. European Journal of Organic Chemistry, 2015, 2015, 1887-1893. | 1.2 | 56 |
| 65 | Supramolecular hierarchy among halogen and hydrogen bond donors in light-induced surface patterning. Journal of Materials Chemistry C, 2015, 3, 759-768. | 2.7 | 87 |
| 66 | Aggregation induced phosphorescent N-oxyde-2,2′-bipyridine bismuth complexes and polymorphism-dependent emission. Dalton Transactions, 2015, 44, 14589-14593. | 1.6 | 33 |
| 67 | Light-Induced Regiospecific Bromination of <i>meso</i> -Tetra(3,5-di- <i>tert</i> -butylphenyl)Porphyrin on 2,12 l²-Pyrrolic Positions. Journal of Organic Chemistry, 2015, 80, 4973-4980. | 1.7 | 17 |
| 68 | Electrochemistry and Chirality in Bibenzimidazole Systems. Electrochimica Acta, 2015, 179, 250-262. | 2.6 | 12 |
| 69 | Halogen bonding enhances nonlinear optical response in poled supramolecular polymers. Journal of Materials Chemistry C, 2015, 3, 3003-3006. | 2.7 | 44 |
| 70 | Stereoselective Synthesis of Functionalized Chiral 2â€Nitrocyclohexanecarboxylic Esters <i>via</i> Catalytic Dienamine Addition to βâ€Substituted βâ€Nitroacrylates. Advanced Synthesis and Catalysis, 2014, 356, 493-500. | 2.1 | 14 |
| 71 | Halogen bonds with benzene: An assessment of DFT functionals. Journal of Computational Chemistry, 2014, 35, 386-394. | 1.5 | 73 |
| 72 | Intermolecular Bonding Features in Solid Iodine. Crystal Growth and Design, 2014, 14, 3587-3595. | 1.4 | 56 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Solid state and solution fine tuning of the linear and nonlinear optical properties of (2-pyrene-1-yl-vinyl)pyridine by protonation–deprotonation reactions. Chemical Communications, 2014, 50, 14225-14228. | 2.2 | 29 |
| 74 | Fluorine-induced J-aggregation enhances emissive properties of a new NLO push–pull chromophore. Journal of Materials Chemistry C, 2014, 2, 5275. | 2.7 | 25 |
| 75 | Synthesis, Crystal Structure and Biological Activity of 2-Hydroxyethylammonium Salt of p-Aminobenzoic Acid. PLoS ONE, 2014, 9, e101892. | 1.1 | 36 |
| 76 | Switching of emissive and NLO properties in push–pull chromophores with crescent PPV-like structures. Physical Chemistry Chemical Physics, 2013, 15, 1666-1674. | 1.3 | 44 |
| 77 | From red to blue shift: switching the binding affinity from the acceptor to the donor end by increasing the π-bridge in push–pull chromophores with coordinative ends. New Journal of Chemistry, 2013, 37, 2792. | 1.4 | 33 |
| 78 | Stereoselective synthesis of constrained norbornane-derived spiro-β-lactams. Tetrahedron, 2013, 69, 1175-1182. | 1.0 | 8 |
| 79 | Direct Evidence of Torsional Motion in an Aggregation-Induced Emissive Chromophore. Journal of Physical Chemistry C, 2013, 117, 27161-27166. | 1.5 | 46 |
| 80 | C–Brâ∢O supramolecular synthon: in situ cryocrystallography of low melting halogen-bonded complexes. CrystEngComm, 2012, 14, 4259. | 1.3 | 29 |
| 81 | Halogenâ€Bonding Interactions with Ï€ Systems: CCSD(T), MP2, and DFT Calculations. ChemPhysChem, 2012, 13, 4224-4234. | 1.0 | 51 |
| 82 | Experimental and theoretical charge density of hydrated cupric acetate. Polyhedron, 2012, 42, 118-127. | 1.0 | 22 |
| 83 | Solvent effect on halogen bonding: The case of the lâ⊄O interaction. Journal of Molecular Graphics and Modelling, 2012, 38, 31-39. | 1.3 | 30 |
| 84 | Halogen Bonding versus Hydrogen Bonding in Driving Selfâ€Assembly and Performance of Lightâ€Responsive Supramolecular Polymers. Advanced Functional Materials, 2012, 22, 2572-2579. | 7.8 | 178 |
| 85 | Copper(II) compounds with NNO tridentate Schiff base ligands: Effect of subtle variations in ligands on complex formation, structures and magnetic properties. Inorganica Chimica Acta, 2012, 387, 373-382. | 1.2 | 26 |
| 86 | Halogen bonding in ligand–receptor systems in the framework of classical force fields. Physical Chemistry Chemical Physics, 2011, 13, 19508. | 1.3 | 85 |
| 87 | Synthesis, crystal structures and magnetic properties of dinuclear copper(ii) compounds with NNO tridentate Schiff base ligands and bridging aliphatic diamine and aromatic diimine linkers. Dalton Transactions, 2011, 40, 3381. | 1.6 | 22 |
| 88 | Self-Complementary Nonlinear Optical-Phores Targeted to Halogen Bond-Driven Self-Assembly of Electro-Optic Materials. Crystal Growth and Design, 2011, 11, 5642-5648. | 1.4 | 67 |
| 89 | The role of the atomic charges on the ligands and platinum(ii) in affecting the cis and trans influences in [PtXL(PPh3)2]+ complexes (X = NO3, Cl, Br, l; L = 4-substituted pyridines, amines, PPh3). A 31P NMR and DFT investigation. Dalton Transactions, 2011, 40, 10162. | 1.6 | 17 |
| 90 | Tetrathiaheterohelicene Phosphanes as Helicalâ€6haped Chiral Ligands for Catalysis. European Journal of Organic Chemistry, 2011, 2011, 5649-5658. | 1.2 | 62 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|---------------------|
| 91 | Stereoselective synthesis of β-substituted-l-threonines from enantiopure 5-acetyl-2-isoxazolines. Tetrahedron, 2011, 67, 2925-2933. | 1.0 | 4 |
| 92 | Site-selective assembly between 1,8-diiodoperfluorooctane and 4,7,8,11-tetraazahelicene driven by halogen bonding. Supramolecular Chemistry, 2011, 23, 256-262. | 1.5 | 4 |
| 93 | Cooperation between Cis and Trans Influences in <i>cis</i> -Pt ^{II} (PPh ₃) ₂ Complexes: Structural, Spectroscopic, and Computational Studies. Inorganic Chemistry, 2010, 49, 123-135. | 1.9 | 50 |
| 94 | Detection of Weak Intramolecular Interactions in Ru ₃ (CO) ₁₂ by Topological Analysis of Charge Density Distributions. Journal of Physical Chemistry A, 2010, 114, 9368-9373. | 1.1 | 17 |
| 95 | Selective Synthesis of Isoquinolinâ€3â€one Derivatives Combining Pdâ€Catalysed Aromatic Alkylation/Vinylation with Addition Reactions: The Beneficial Effect of Water. European Journal of Organic Chemistry, 2009, 2009, 3161-3166. | 1.2 | 17 |
| 96 | Enzymatic resolution of (±)-5-phenyl-4,5-dihydroisoxazole-3-carboxylic acid ethyl ester and its transformations into polyfunctionalised amino acids and dipeptides. Tetrahedron: Asymmetry, 2009, 20, 1940-1947. | 1.8 | 6 |
| 97 | Experimental and Theoretical Study of the Br··À N Halogen Bond in Complexes of 1,4-Dibromotetrafluorobenzene with Dipyridyl Derivatives. Journal of Physical Chemistry A, 2009, 113, 3403-3412. | 1.1 | 63 |
| 98 | Copper(II) Complexes of Tridentate Schiff Bases of 5â€Substituted Salicylaldehydes and Diamines – The Role of the Substituent and the Diamine in the Formation of Monoâ€, Di†and Trinuclear Species – Crystal Structures and Magnetic Properties. European Journal of Inorganic Chemistry, 2008, 2008, 3633-3647. | 1.0 | 39 |
| 99 | Tuning second-order NLO responses through halogen bonding. Chemical Communications, 2007, , 2590. | 2.2 | 110 |
| 100 | 2,2′-Dihydroxy-3,3′-dimethoxy-5,5′-dimethyl-6,6′-dibromo-1,1′-biphenyl: preparation, resolution, str and biological activity. Tetrahedron: Asymmetry, 2007, 18, 414-423. | ucture 1.8 | 4 |
| 101 | Stereoselective synthesis of β-hydroxy-α-amino acids β-substituted with non-aromatic heterocycles. Tetrahedron: Asymmetry, 2007, 18, 1667-1675. | 1.8 | 13 |
| 102 | Structural, Spectral, Electric-Field-Induced Second Harmonic, and Theoretical Study of Ni(II), Cu(II), Zn(II), and VO(II) Complexes with [N2O2] Unsymmetrical Schiff Bases of S-Methylisothiosemicarbazide Derivatives. Inorganic Chemistry, 2007, 46, 884-895. | 1.9 | 119 |
| 103 | Experimental multipole-refined and theoretical charge density study of LiGaSi2O6 clinopyroxene at ambient conditions. Physics and Chemistry of Minerals, 2007, 34, 519-527. | 0.3 | 5 |
| 104 | Copper(II) Complexes of salen Analogues with Two Differently Substituted (Pushâ^'Pull) Salicylaldehyde Moieties. A Study on the Modulation of Electronic Asymmetry and Nonlinear Optical Properties. Inorganic Chemistry, 2006, 45, 10976-10989. | 1.9 | 135 |
| 105 | Synthesis of Functionalized Azabicycloalkane Amino Acids as Dipeptide Mimics. Synthesis, 2006, 2006, 1133-1140. | 1.2 | 5 |
| 106 | Synthesis, structure and butadiene polymerization behavior of CoCl2(PRxPh3â^'x)2 (R=methyl, ethyl,) Tj ETQq0 0 stereoselectivity. Journal of Organometallic Chemistry, 2005, 690, 1845-1854. | 0 rgBT /Ov 0.8 | verlock 10 Tf 68 |
| 107 | Synthesis, structure, and butadiene polymerization behavior of alkylphosphine cobalt(II) complexes. Journal of Molecular Catalysis A, 2005, 226, 235-241. | 4.8 | 61 |
| 108 | Stereoselective synthesis of chiral atropisomerically stable ferrocenyldiols containing a biphenyl unit. Tetrahedron: Asymmetry, 2005, 16, 3049-3058. | 1.8 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|------------------------|-----------|
| 109 | Asymmetric synthesis of 1,3-thiazolidine-derived spiro-Î ² -lactams via a Staudinger reaction between chiral ketenes and imines. Tetrahedron: Asymmetry, 2005, 16, 3371-3379. | 1.8 | 32 |
| 110 | Multipole-refined charge density study of diopside at ambient conditions. Physics and Chemistry of Minerals, 2005, 32, 638-645. | 0.3 | 15 |
| 111 | VALTOPO: a program for the determination of atomic and molecular properties from experimental electron densities. Journal of Applied Crystallography, 2005, 38, 232-236. | 1.9 | 16 |
| 112 | Synthesis and X-ray Structure of CoCl2(PiPrPh2)2. A New Highly Active and Stereospecific Catalyst for 1,2 Polymerization of Conjugated Dienes When Used in Association with MAO. Macromolecules, 2005, 38, 1064-1070. | 2.2 | 98 |
| 113 | Enantiopure 2,2′-dihydroxy-3,3′-dimethoxy-5,5′-diallyl-6,6′-dibromo-1,1′-biphenyl: a conformational C2-dimer of a eugenol derivative. Tetrahedron: Asymmetry, 2004, 15, 275-282. | ly _{.st} able | 10 |
| 114 | Experimental electron density study of the supramolecular aggregation between 4,4′-dipyridyl-N,N′-dioxide and 1,4-diiodotetrafluorobenzene at 90â€K. Acta Crystallographica Section B: Structural Science, 2004, 60, 559-568. | 1.8 | 57 |
| 115 | Cu(II) Schiff-base complex with [N3O] binding site and a pendant S-methylisothiosemicarbazide arm. Inorganica Chimica Acta, 2004, 357, 875-880. | 1.2 | 3 |
| 116 | Mononuclear nickel(II) and copper(II) complexes with Schiff base ligands derived from 2,6-diformyl-4-methylphenol and S-methylisothiosemicarbazones. Inorganica Chimica Acta, 2004, 357, 2728-2736. | 1.2 | 23 |
| 117 | Stereoselective synthesis of Cα-tetrasubstituted azabicyclo[X.3.0]alkane amino acids. Tetrahedron Letters, 2004, 45, 6311-6315. | 0.7 | 7 |
| 118 | New Lanthanide Complexes for Sensitized Visible and Near-IR Light Emission:Â Synthesis,1H NMR, and X-ray Structural Investigation and Photophysical Properties. Inorganic Chemistry, 2004, 43, 1294-1301. | 1.9 | 82 |
| 119 | New Chromium(II) Bidentate Phosphine Complexes:  Synthesis, Characterization, and Behavior in the Polymerization of 1,3-Butadiene. Organometallics, 2004, 23, 3727-3732. | 1.1 | 53 |
| 120 | Halogen Bond Distance as a Function of Temperature. Crystal Growth and Design, 2004, 4, 291-295. | 1.4 | 83 |
| 121 | Nâ‹â‹â‹Br Halogen Bonding: One-Dimensional Infinite Chains through the Self-Assembly of Dibromotetrafluorobenzenes with Dipyridyl Derivatives. Chemistry - A European Journal, 2003, 9, 3974-3983. | 1.7 | 141 |
| 122 | Electron Density Investigation of a Push–Pull Ethylene (C14H24N2O2â‹H2O) by X-ray Diffraction atT= 21 K. Chemistry - A European Journal, 2003, 9, 5528-5537. | 1.7 | 38 |
| 123 | The Experimental Electron Density Distribution in the Complex of (E)-1,2-Bis(4-pyridyl)ethylene with 1,4-Diiodotetrafluorobenzene at 90 K. Chemistry - A European Journal, 2003, 9, 1631-1638. | 1.7 | 56 |
| 124 | Cu(II) complexes with asymmetrical [N3O] Schiff-base ligands derived from S-methylisothiosemicarbazide. Inorganica Chimica Acta, 2003, 353, 336-343. | 1.2 | 12 |
| 125 | Stereoselective oxazaborolidine–borane reduction of biphenyl alkyl diketones–lignin models: enantiopure dehydrodiapocynol derivatives. Tetrahedron: Asymmetry, 2003, 14, 2467-2474. | 1.8 | 20 |
| 126 | Perfluorocarbon-Hydrocarbon Discrete Intermolecular Aggregates: An Exceptionally Short Nâ‹ī Contact. Supramolecular Chemistry, 2002, 14, 47-55. | 1.5 | 31 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | 1-(1-Benzoylpropen-2-yl)-3-methylisothiosemicarbazide. Acta Crystallographica Section C: Crystal Structure Communications, 2002, 58, o342-o344. | 0.4 | 4 |
| 128 | Conformational study of S-alkylated isothiosemicarbazones. Acta Crystallographica Section B: Structural Science, 2002, 58, 900-902. | 1.8 | 2 |
| 129 | Ni(II) complexes with [N3O] Schiff base ligands bearing S-methylisothiosemicarbazide unit: design, synthesis and structure. Inorganica Chimica Acta, 2002, 338, 169-181. | 1.2 | 20 |
| 130 | C2-Symmetric sulfur derivatives of 2,2′,3,3′-tetramethoxybiphenyl. Tetrahedron: Asymmetry, 2001, 12, 1451-1458. | 1.8 | 12 |
| 131 | SYMMOL– a program to find the maximum symmetry in an atom cluster: an upgrade. Journal of Applied Crystallography, 2000, 33, 417-417. | 1.9 | 27 |
| 132 | 6,6′-Dibromo-3,3′-dimethoxy-2,2′-dihydroxy-1,1′-biphenyl: preparation and resolution. Tetrahedron: Asymmetry, 2000, 11, 1827-1833. | 1.8 | 7 |
| 133 | Chiral nonracemic C2-symmetry biphenyls by desymmetrization of 6,6′,2,2′-tetramethoxy-1,1′-biphenyl. Tetrahedron: Asymmetry, 2000, 11, 4417-4427. | 1.8 | 15 |
| 134 | Spatial Energetics of Protonated LiH: Lower-Lying Potential Energy Surfaces from Valence Bond Calculations. Journal of Physical Chemistry A, 2000, 104, 11972-11982. | 1.1 | 31 |
| 135 | Rotationally inelastic collisions of LiH with He: a quasi-classical dynamics study. Computational and Theoretical Chemistry, 1999, 468, 73-83. | 1.5 | 6 |
| 136 | SYMMOL: a program to find the maximum symmetry group in an atom cluster, given a prefixed tolerance. Journal of Applied Crystallography, 1998, 31, 503-504. | 1.9 | 75 |
| 137 | Two Diastereoisomers of 2-(Benzenesulfonyl)-5-benzoyl-1-oxo-3-phenyl-2,5-diazaspiro[3.4]octan-7-yl Acetate. Acta Crystallographica Section C: Crystal Structure Communications, 1998, 54, 1320-1322. | 0.4 | 0 |
| 138 | Two Macrocyclic Azacrown Ethers. Acta Crystallographica Section C: Crystal Structure Communications, 1998, 54, 1921-1923. | 0.4 | 2 |
| 139 | Molecular Shape of Regular Star Polymers by Monte Carlo Simulations. Macromolecules, 1997, 30, 4737-4743. | 2.2 | 25 |
| 140 | Theoretical Investigation of Thiophene Oligomers:  A Spin-Coupled Study. Journal of Physical Chemistry A, 1997, 101, 4437-4443. | 1.1 | 12 |
| 141 | Local Conformation of Regular Star Polymers in a Good Solvent:Â A Monte Carlo Study. Macromolecules, 1996, 29, 2994-2999. | 2.2 | 17 |
| 142 | A simulation study of the chemisorption dynamics of molecular hydrogen on the Ni(111) surface. Surface Science, 1996, 352-354, 142-147. | 0.8 | 10 |
| 143 | A dynamical study of the chemisorption of molecular hydrogen on the Cu(111) surface. Journal of Physics Condensed Matter, 1995, 7, 7195-7207. | 0.7 | 32 |
| 144 | Dynamics and Intrinsic Viscosity of Star Polymers in Poor Solvents. Macromolecules, 1995, 28, 7950-7952. | 2.2 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The chemisorption of hydrogen on Cu(111): A dynamical study. International Journal of Quantum Chemistry, 1994, 52, 1067-1080. | 1.0 | 17 |
| 146 | A Monte Carlo quasi-classical trajectories study of the chemisorption of hydrogen on the W(001) surface. Surface Science, 1992, 274, 161-172. | 0.8 | 10 |
| 147 | Dynamical study of the adsorption of hydrogen on the W(001) surface. Surface Science, 1992, 269-270, 201-206. | 0.8 | 20 |
| 148 | Dynamics of the chemisorption of hydrogen on the Fe(001) surface. Journal of the Chemical Society, Faraday Transactions, 1991, 87, 1447. | 1.7 | 8 |