

Huanshun Yin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4799864/huanshun-yin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

5,100
citations

40
h-index

63
g-index

152
ext. papers

5,755
ext. citations

7.7
avg, IF

5.99
L-index

#	Paper	IF	Citations
150	Photoelectrochemical biosensor for DNA formylation based on WS ₂ nanosheets@polydopamine and MoS ₂ nanosheets. <i>Biosensors and Bioelectronics: X</i> , 2022 , 10, 100104	2.9	
149	Photoelectrochemical immunosensor for DNA hydroxymethylation based on PTCA-sensitized perovskite Bi ₄ TaO ₈ Cl. <i>Sensors and Actuators B: Chemical</i> , 2022 , 355, 131290	8.5	1
148	Enhanced photoactivity of CdS nanorods by MXene and ZnSnO ₃ : Application in photoelectrochemical biosensor for the effect of environmental pollutants on DNA hydroxymethylation in wheat tissues. <i>Materials Today Chemistry</i> , 2022 , 24, 100878	6.2	1
147	Investigation the effect of antibiotics on the content of N ⁶ -methyladenosine in rice seedling tissue and heavy metal on FTO activity based on antibody-free photoelectrochemical biosensor. <i>Sensors and Actuators B: Chemical</i> , 2022 , 364, 131896	8.5	1
146	Investigation of the Effect of Antibiotics on 5-formylcytosine Content in Mazie Seedling Tissues Based on Photoelectrochemical Biosensor. <i>Journal of Hazardous Materials</i> , 2022 , 129146	12.8	1
145	Investigation of the inhibited biotoxicity of heavy metals towards 5- formylcytosine in rice by hydrochar based on photoelectrochemical biosensor. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125293	12.8	11
144	Recent advances in biosensor for histone acetyltransferase detection. <i>Biosensors and Bioelectronics</i> , 2021 , 175, 112880	11.8	9
143	Electrochemiluminescence biosensor for microRNA determination based on AgNCs@MoS composite with (AuNPs-Semicarbazide)@Cu-MOF as coreaction accelerator. <i>Mikrochimica Acta</i> , 2021 , 188, 68	5.8	3
142	Photoelectrochemical biosensor for 5-formylcytosine deoxyribonucleoside detection based on BiIO ₄ -WS ₂ /CuO ternary heterojunction. <i>Sensors and Actuators B: Chemical</i> , 2021 , 341, 130019	8.5	4
141	WS ₂ /Bi/BiOBr Nanostructures for Photoelectrochemical Sensing of 5-Formyluracil-2'-deoxyuridine-5'-triphosphate through Hemin/G-Quadruplex Double Signal Amplification. <i>ACS Applied Nano Materials</i> , 2021 , 4, 8998-9007	5.6	2
140	Photoelectrochemical biosensor for N ⁶ -methyladenosine detection based on enhanced photoactivity of TiO ₂ -X and MoS ₂ nanocomposite. <i>Journal of Electroanalytical Chemistry</i> , 2021 , 895, 115444	4.4	2
139	Enhanced photoactivity of perovskite Bi ₄ NbO ₈ Cl/PTC-NH ₂ heterojunction and its application for photoelectrochemical sensing of DNA hydroxymethylation. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130211	8.5	3
138	Enhanced photoactivity of ZnPc@WS heterojunction by CuBiO and its application for photoelectrochemical detection of 5-formyl-2'-deoxycytidine. <i>Talanta</i> , 2021 , 234, 122697	6.2	1
137	Applications of two-dimensional layered nanomaterials in photoelectrochemical sensors: A comprehensive review. <i>Coordination Chemistry Reviews</i> , 2021 , 447, 214156	23.2	19
136	Photoelectrochemical assay for histone acetyltransferase based on polydopamine sensitized layered WS ₂ . <i>Sensors and Actuators B: Chemical</i> , 2020 , 319, 128261	8.5	6
135	Homogeneous detection of 5-hydroxymethylcytosine based on electrochemiluminescence quenching of g-CN/MoS nanosheets by ferrocenedicarboxylic acid polymer. <i>Talanta</i> , 2020 , 219, 121211	6.2	3
134	Photoelectrochemical Biosensor for DNA Formylation Detection in Genomic DNA of Maize Seedlings Based on Black Tio-Enhanced Photoactivity of MoS/WS Heterojunction. <i>ACS Sensors</i> , 2020 , 5, 1092-1101	9.2	29

133	Polydopamine-sensitized WS ₂ /black-TiO ₂ heterojunction for histone acetyltransferase detection with enhanced visible-light-driven photoelectrochemical activity. <i>Chemical Engineering Journal</i> , 2020 , 393, 124707	14.7	29
132	Photoelectrochemical assay for DNA hydroxymethylation determination based on the inhibited photoactivity of black TiO nanosphere by ZnO. <i>Mikrochimica Acta</i> , 2020 , 187, 156	5.8	1
131	A novel photoelectrochemical immunosensor for N1-methyladenine detection based on BiVO ₄ /g-C ₃ N ₄ heterojunction with signal amplification of TiO ₂ @NH ₂ -MIL-125(Ti). <i>Sensors and Actuators B: Chemical</i> , 2020 , 318, 128310	8.5	8
130	Preparation of P-g-CN-WS nanocomposite and its application in photoelectrochemical detection of 5-formylcytosine. <i>Journal of Colloid and Interface Science</i> , 2020 , 561, 348-357	9.3	19
129	One step preparation of CN-WS nanocomposite with enhanced photoactivity and its application for photoelectrochemical detection of 5-formylcytosine in the genomic DNA of maize seedling. <i>Biosensors and Bioelectronics</i> , 2020 , 151, 111973	11.8	14
128	Photoelectrochemical biosensor for histone acetyltransferase detection based on ZnO quantum dots inhibited photoactivity of BiOI nanoflower. <i>Sensors and Actuators B: Chemical</i> , 2020 , 307, 127633	8.5	23
127	Electrochemiluminescence biosensor for DNA hydroxymethylation detection based on enzyme-catalytic covalent bonding reaction of -CHOH and thiol functionalized FeO magnetic beads. <i>Biosensors and Bioelectronics</i> , 2020 , 150, 111908	11.8	12
126	Electrochemiluminescence immunosensor for 5-hydroxymethylcytosine detection based on PAMAM-nanosilver-nitrogen doped graphene nanocomposite. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 877, 114646	4.1	3
125	Photoelectrochemical immunosensor for methylated RNA detection based on WS and poly(U) polymerase-triggered signal amplification. <i>Mikrochimica Acta</i> , 2020 , 187, 596	5.8	3
124	Recent advances on signal amplification strategies in photoelectrochemical sensing of microRNAs. <i>Biosensors and Bioelectronics</i> , 2020 , 166, 112476	11.8	45
123	Electrochemical, electrochemiluminescent and photoelectrochemical bioanalysis of epigenetic modifiers: A comprehensive review. <i>Coordination Chemistry Reviews</i> , 2020 , 424, 213519	23.2	36
122	Photoelectrochemical biosensor for protein kinase A detection based on carbon microspheres, peptide functionalized Au-ZIF-8 and TiO ₂ /g-CN. <i>Talanta</i> , 2019 , 196, 197-203	6.2	25
121	Photoelectrochemical determination of the activity of histone acetyltransferase and inhibitor screening by using MoS nanosheets. <i>Mikrochimica Acta</i> , 2019 , 186, 663	5.8	10
120	Yolk-shell Fe ₃ O ₄ nanoparticles loaded on persimmon-derived porous carbon for supercapacitor assembly and As (V) removal. <i>Journal of Alloys and Compounds</i> , 2019 , 810, 151887	5.7	3
119	Electrochemical aptasensor for sulfadimethoxine detection based on the triggered cleavage activity of nuclease P1 by aptamer-target complex. <i>Talanta</i> , 2019 , 204, 409-414	6.2	17
118	Electrochemical aptasensing strategy for kanamycin detection based on target-triggered single-strand DNA adsorption on MoS ₂ nanosheets and enzymatic signal amplification. <i>Sensors and Actuators B: Chemical</i> , 2019 , 296, 126664	8.5	31
117	A novel photoelectrochemical biosensor for the sensitive detection of dual microRNAs using molybdenum carbide nanotubes as nanocarriers and energy transfer between CQDs and AuNPs. <i>Chemical Engineering Journal</i> , 2019 , 365, 351-357	14.7	33
116	Photoelectrochemical biosensor for 5hmC detection based on the photocurrent inhibition effect of ZnO on MoS/CN heterojunction. <i>Biosensors and Bioelectronics</i> , 2019 , 142, 111516	11.8	38

115	Amplified electrochemical immunoassay for 5-methylcytosine using a nanocomposite prepared from graphene oxide, magnetite nanoparticles and β -cyclodextrin. <i>Mikrochimica Acta</i> , 2019 , 186, 488	5.8	9
114	Photoelectrochemical immunosensor for N-methyladenine detection based on Ru@UiO-66, BiO and Black TiO. <i>Biosensors and Bioelectronics</i> , 2019 , 131, 163-170	11.8	26
113	Photoelectrochemical detection of 5-hydroxymethylcytosine in genomic DNA based on M. HhaI methyltransferase catalytic covalent bonding. <i>Chemical Engineering Journal</i> , 2019 , 357, 94-102	14.7	25
112	Photoelectrochemical biosensor for microRNA detection based on a MoS ₂ /g-CN/black TiO heterojunction with Histostar@AuNPs for signal amplification. <i>Biosensors and Bioelectronics</i> , 2019 , 128, 137-143	11.8	85
111	Electrochemical aptasensor for ampicillin detection based on the protective effect of aptamer-antibiotic conjugate towards DpnII and Exo III digestion. <i>Talanta</i> , 2019 , 197, 42-48	6.2	32
110	Photoelectrochemical biosensor for hydroxymethylated DNA detection and T4-DNA-glucosyltransferase activity assay based on WS nanosheets and carbon dots. <i>Biosensors and Bioelectronics</i> , 2019 , 127, 38-44	11.8	37
109	Dual-signal amplified photoelectrochemical biosensor for detection of N-methyladenosine based on BiVO ₄ -TiO ₂ heterojunction, Ag-mediated cytosine pairs. <i>Biosensors and Bioelectronics</i> , 2018 , 108, 89-96	11.8	37
108	Photoelectrochemical biosensor for microRNA detection based on multiple amplification strategies. <i>Mikrochimica Acta</i> , 2018 , 185, 257	5.8	11
107	Signal-on electrochemiluminescence biosensor for microRNA-319a detection based on two-stage isothermal strand-displacement polymerase reaction. <i>Biosensors and Bioelectronics</i> , 2018 , 107, 34-39	11.8	30
106	Photoelectrochemical biosensor for HEN1 RNA methyltransferase detection using peroxidase mimics PtCu NFs and poly(U) polymerase-mediated RNA extension. <i>Biosensors and Bioelectronics</i> , 2018 , 103, 32-38	11.8	24
105	Aptamer-based photoelectrochemical biosensor for antibiotic detection using ferrocene modified DNA as both aptamer and electron donor. <i>Sensors and Actuators B: Chemical</i> , 2018 , 266, 514-521	8.5	48
104	A sensitive photoelectrochemical immunoassay of N-methyladenosine based on dual-signal amplification strategy: Ru doped in SiO ₂ nanosphere and carboxylated g-CN. <i>Biosensors and Bioelectronics</i> , 2018 , 99, 281-288	11.8	35
103	Photoelectrochemical detection of miRNA-319a in rice leaf responding to phytohormones treatment based on CuO-CuWO ₄ and rolling circle amplification. <i>Sensors and Actuators B: Chemical</i> , 2018 , 255, 1744-1752	8.5	17
102	A novel electrochemiluminescence biosensor for the detection of 5-methylcytosine, TET 1 protein and DNA-glucosyltransferase activities based on gold nanoclusters-H ₂ O ₂ system. <i>Sensors and Actuators B: Chemical</i> , 2018 , 274, 144-151	8.5	34
101	Photoelectrochemical apta-biosensor for zeatin detection based on graphene quantum dots improved photoactivity of graphite-like carbon nitride and streptavidin induced signal inhibition. <i>Sensors and Actuators B: Chemical</i> , 2018 , 257, 237-244	8.5	41
100	Ultrasensitive electrochemiluminescence immunosensor for 5-hydroxymethylcytosine detection based on FeO@SiO ₂ nanoparticles and PAMAM dendrimers. <i>Biosensors and Bioelectronics</i> , 2018 , 99, 660-666	11.8	60
99	Photoelectrochemical determination of the activity of protein kinase A by using g-CN and CdS quantum dots. <i>Mikrochimica Acta</i> , 2018 , 185, 541	5.8	5
98	Electrochemical aptasensors for zeatin detection based on MoS ₂ nanosheets and enzymatic signal amplification. <i>Analyst</i> , 2018 , 143, 5185-5190	5	11

97	Tungsten disulfide (WS) nanosheet-based photoelectrochemical aptasensing of chloramphenicol. <i>Mikrochimica Acta</i> , 2018 , 185, 453	5.8	23
96	Photoelectrochemical immunosensing platform for M. Sssl methyltransferase activity analysis and inhibitor screening based on g-C3N4 and CdS quantum dots. <i>Sensors and Actuators B: Chemical</i> , 2017 , 244, 458-465	8.5	43
95	Enhanced Photoelectrochemical Method for Sensitive Detection of Protein Kinase A Activity Using TiO/g-CN, PAMAM Dendrimer, and Alkaline Phosphatase. <i>Analytical Chemistry</i> , 2017 , 89, 2369-2376	7.8	129
94	Photoelectrochemical immunosensor for methylated RNA detection based on g-CN/CdS quantum dots heterojunction and Phos-tag-biotin. <i>Biosensors and Bioelectronics</i> , 2017 , 95, 124-130	11.8	60
93	Amperometric determination of the activity of protein kinase a using a glassy carbon electrode modified with IgG functionalized gold nanoparticles conjugated to horseradish peroxidase. <i>Mikrochimica Acta</i> , 2017 , 184, 3301-3308	5.8	9
92	Electrochemical biosensor for hydroxymethylated DNA detection and β -glucosyltransferase activity assay based on enzymatic catalysis triggering signal amplification. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 602-608	8.5	21
91	Electrochemical immunosensor based on hairpin DNA probe for specific detection of N6-methyladenosine RNA. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 804, 192-198	4.1	9
90	Aptamer based voltammetric determination of ampicillin using a single-stranded DNA binding protein and DNA functionalized gold nanoparticles. <i>Mikrochimica Acta</i> , 2017 , 185, 68	5.8	25
89	Ultrasensitive microRNA-21 detection based on DNA hybridization chain reaction and SYBR Green dye. <i>Analytical Biochemistry</i> , 2017 , 538, 20-25	3.1	10
88	Fluorometric determination of microRNA based on strand displacement amplification and rolling circle amplification. <i>Mikrochimica Acta</i> , 2017 , 184, 4359-4365	5.8	30
87	Amperometric biosensor for 5-hydroxymethylcytosine based on enzymatic catalysis and using spherical poly(acrylic acid) brushes. <i>Mikrochimica Acta</i> , 2017 , 184, 3789-3796	5.8	9
86	Electrochemical immunosensor for N6-methyladenosine detection in human cell lines based on biotin-streptavidin system and silver-SiO signal amplification. <i>Biosensors and Bioelectronics</i> , 2017 , 90, 494-500	11.8	43
85	Photoelectrochemical immunosensor for microRNA detection based on gold nanoparticles-functionalized g-C3N4 and anti-DNA:RNA antibody. <i>Sensors and Actuators B: Chemical</i> , 2016 , 222, 1119-1126	8.5	55
84	A novel photoelectrochemical biosensor for protein kinase activity assay based on phosphorylated graphite-like carbon nitride. <i>Analytica Chimica Acta</i> , 2016 , 934, 36-43	6.6	22
83	DNA methyltransferase detection based on digestion triggering the combination of poly adenine DNA with gold nanoparticles. <i>Biosensors and Bioelectronics</i> , 2016 , 80, 74-78	11.8	30
82	Electrochemical biosensor for microRNA detection based on hybridization protection against nuclease S1 digestion. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 413-419	2.6	6
81	Rapid detection of Dam methyltransferase activity based on the exonuclease III-assisted isothermal amplification cycle. <i>Analytical Methods</i> , 2016 , 8, 2771-2777	3.2	5
80	Two-stage cyclic enzymatic amplification method for ultrasensitive electrochemical assay of microRNA-21 in the blood serum of gastric cancer patients. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 307-12	11.8	45

79	Electrochemical biosensor for microRNA detection based on poly(U) polymerase mediated isothermal signal amplification. <i>Biosensors and Bioelectronics</i> , 2016 , 79, 79-85	11.8	44
78	Electrochemical biosensors for polynucleotide kinase activity assay and inhibition screening based on phosphorylation reaction triggered Exonuclease and exonuclease I cleavage. <i>Sensors and Actuators B: Chemical</i> , 2016 , 225, 151-157	8.5	20
77	A novel signal-on photoelectrochemical biosensor for detection of 5-hydroxymethylcytosine based on in situ electron donor producing strategy and all wavelengths of light irradiation. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 621-625	8.5	32
76	A colorimetric assay of DNA methyltransferase activity based on the keypad lock of duplex DNA modified meso-SiO ₂ @Fe ₃ O ₄ . <i>Analytica Chimica Acta</i> , 2016 , 920, 80-5	6.6	9
75	Electrochemical biosensor for protein kinase A activity assay based on gold nanoparticles-carbon nanospheres, phos-tag-biotin and Galactosidase. <i>Biosensors and Bioelectronics</i> , 2016 , 86, 508-515	11.8	38
74	Photoelectrochemical biosensor for highly sensitive detection of microRNA based on duplex-specific nuclease-triggered signal amplification. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 1301-1309	2.6	16
73	G-quadruplex functionalized nano mesoporous silica for assay of the DNA methyltransferase activity. <i>Analytica Chimica Acta</i> , 2015 , 879, 34-40	6.6	17
72	Electrochemical biosensor for detection of DNA hydroxymethylation based on glycosylation and alkaline phosphatase catalytic signal amplification. <i>Electrochimica Acta</i> , 2015 , 174, 647-652	6.7	26
71	Electrochemical immunosensor for N ⁶ -methyladenosine RNA modification detection. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1-6	8.5	26
70	Label-free, Ultrasensitive and Electrochemical Immunosensing Platform for microRNA Detection Using Anti-DNA:RNA Hybrid Antibody and Enzymatic Signal Amplification. <i>Electrochimica Acta</i> , 2015 , 165, 130-135	6.7	20
69	Methyltransferase activity assay based on the use of exonuclease III, the hemin/G-quadruplex system and reduced graphene oxide on a gold electrode, and a study on enzyme inhibition. <i>Mikrochimica Acta</i> , 2015 , 182, 2607-2613	5.8	9
68	A novel electrochemical immunosensor for the quantitative detection of 5-hydroxymethylcytosine in genomic DNA of breast cancer tissue. <i>Chemical Communications</i> , 2015 , 51, 14671-3	5.8	38
67	Electrochemical biosensor for DNA demethylase detection based on demethylation triggered endonuclease BstUI and Exonuclease III digestion. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 266-70	11.8	16
66	A novel signal-on strategy for M.SssI methyltransferase activity analysis and inhibitor screening based on photoelectrochemical immunosensor. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 109-14	11.8	49
65	Electrochemical detection of protein kinase activity based on carboxypeptidase Y digestion triggered signal amplification. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 77-83	11.8	24
64	A sensitive electrochemical biosensor for detection of protein kinase A activity and inhibitors based on Phos-tag and enzymatic signal amplification. <i>Biosensors and Bioelectronics</i> , 2015 , 63, 26-32	11.8	40
63	A signal "on" photoelectrochemical biosensor for assay of protein kinase activity and its inhibitor based on graphite-like carbon nitride, Phos-tag and alkaline phosphatase. <i>Biosensors and Bioelectronics</i> , 2015 , 64, 462-8	11.8	58
62	A Phos-tag-based photoelectrochemical biosensor for assay of protein kinase activity and inhibitors. <i>Sensors and Actuators B: Chemical</i> , 2015 , 206, 728-734	8.5	23

61	An electrochemical biosensor for the activity assay of polynucleotide kinase and inhibitor screening. <i>Analytical Methods</i> , 2015 , 7, 9984-9991	3.2	6
60	Visible-light induced photoelectrochemical biosensor for the detection of microRNA based on Bi2S3 nanorods and streptavidin on an ITO electrode. <i>Mikrochimica Acta</i> , 2015 , 182, 241-248	5.8	22
59	Signal-on photoelectrochemical biosensor for microRNA detection based on Bi2S3 nanorods and enzymatic amplification. <i>Biosensors and Bioelectronics</i> , 2014 , 53, 232-7	11.8	73
58	Enzyme-based electrochemical biosensor for sensitive detection of DNA demethylation and the activity of DNA demethylase. <i>Analytica Chimica Acta</i> , 2014 , 840, 28-32	6.6	18
57	A label-free electrochemical biosensor for microRNA detection based on apoferritin-encapsulated Cu nanoparticles. <i>Journal of Solid State Electrochemistry</i> , 2014 , 18, 2829-2835	2.6	12
56	Photoelectrochemical biosensing platform for microRNA detection based on in situ producing electron donor from apoferritin-encapsulated ascorbic acid. <i>Biosensors and Bioelectronics</i> , 2014 , 53, 175-81	11.8	34
55	DNA-based hybridization chain reaction amplification for assaying the effect of environmental phenolic hormone on DNA methyltransferase activity. <i>Analytica Chimica Acta</i> , 2014 , 829, 9-14	6.6	12
54	A new strategy for methylated DNA detection based on photoelectrochemical immunosensor using Bi2S3 nanorods, methyl bonding domain protein and anti-his tag antibody. <i>Biosensors and Bioelectronics</i> , 2014 , 51, 103-8	11.8	82
53	One-step, ultrasensitive, and electrochemical assay of microRNAs based on T7 exonuclease assisted cyclic enzymatic amplification. <i>Analytical Chemistry</i> , 2014 , 86, 5606-10	7.8	94
52	DNA methyltransferase activity assay based on visible light-activated photoelectrochemical biosensor. <i>Biosensors and Bioelectronics</i> , 2014 , 53, 263-7	11.8	52
51	Effective signal-on photoelectrochemical immunoassay of subgroup J avian leukosis virus based on Bi2S3 nanorods as photosensitizer and in situ generated ascorbic acid for electron donating. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 237-43	11.8	46
50	Electrochemical immunosensor for DNA methyltransferase activity assay based on methyl CpG-binding protein and dual gold nanoparticle conjugate-based signal amplification. <i>Sensors and Actuators B: Chemical</i> , 2014 , 192, 143-149	8.5	29
49	Ultrasensitive photoelectrochemical immunoassay of indole-3-acetic acid based on the MPA modified CdS/RGO nanocomposites decorated ITO electrode. <i>Biosensors and Bioelectronics</i> , 2014 , 51, 164-9	11.8	56
48	Electrochemical immunoassays for the detection the activity of DNA methyltransferase by using the rolling circle amplification technique. <i>Mikrochimica Acta</i> , 2014 , 181, 471-477	5.8	16
47	Investigation of the effect of phytohormone on the expression of microRNA-159a in Arabidopsis thaliana seedlings based on mimic enzyme catalysis systematic electrochemical biosensor. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 244-50	11.8	25
46	Electrochemical immunoassay platform for high sensitivity detection of indole-3-acetic acid. <i>Electrochimica Acta</i> , 2013 , 96, 66-73	6.7	17
45	Electrochemical biosensing method for the detection of DNA methylation and assay of the methyltransferase activity. <i>Sensors and Actuators B: Chemical</i> , 2013 , 178, 412-417	8.5	19
44	An ultrasensitive electrochemical immunosensor platform with double signal amplification for indole-3-acetic acid determinations in plant seeds. <i>Analyst, The</i> , 2013 , 138, 1851-7	5	25

43	A sensitive electrochemical method for DNA methyltransferase assay and inhibitor screening based on DNA methylation-sensitive cleavage. <i>Electrochimica Acta</i> , 2013 , 112, 596-602	6.7	12
42	Direct determination of 5-methylcytosine based on electrochemical activation of surfactant functionalized graphene modified pyrolytic graphite electrode. <i>Electrochimica Acta</i> , 2013 , 95, 200-204	6.7	18
41	An electrochemical biosensor for assay of DNA methyltransferase activity and screening of inhibitor. <i>Electrochimica Acta</i> , 2013 , 89, 530-536	6.7	19
40	Electrochemical determination of microRNA-21 based on bio bar code and hemin/G-quadruplet DNAzyme. <i>Analyt, The</i> , 2013 , 138, 3409-15	5	59
39	Ultrasensitive electrochemical immunoassay for DNA methyltransferase activity and inhibitor screening based on methyl binding domain protein of MeCP2 and enzymatic signal amplification. <i>Biosensors and Bioelectronics</i> , 2013 , 49, 39-45	11.8	34
38	An electrochemical assay for DNA methylation, methyltransferase activity and inhibitor screening based on methyl binding domain protein. <i>Biosensors and Bioelectronics</i> , 2013 , 41, 492-7	11.8	49
37	Electrochemical determination of microRNA-21 based on graphene, LNA integrated molecular beacon, AuNPs and biotin multifunctional bio bar codes and enzymatic assay system. <i>Biosensors and Bioelectronics</i> , 2012 , 33, 247-53	11.8	165
36	Electrochemical oxidation behavior of 2,4-dinitrophenol at hydroxylapatite film-modified glassy carbon electrode and its determination in water samples. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 75-82	2.6	21
35	Amperometric biosensor based on tyrosinase immobilized in hydrotalcite-like compounds film for the determination of polyphenols. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 449-456	2.6	18
34	Determination aminopyrine in pharmaceutical formulations based on APTS-Fe ₃ O ₄ nanoparticles modified glassy carbon electrode. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 731-738	2.6	11
33	Electrochemical oxidation determination and voltammetric behaviour of 4-nitrophenol based on Cu ₂ O nanoparticles modified glassy carbon electrode. <i>International Journal of Environmental Analytical Chemistry</i> , 2012 , 92, 742-754	1.8	40
32	An electrochemical signal Off-on sensing platform for microRNA detection. <i>Analyt, The</i> , 2012 , 137, 1389-95	5	69
31	Amplified electrochemical microRNA biosensor using a hemin-G-quadruplex complex as the sensing element. <i>RSC Advances</i> , 2012 , 2, 7140	3.7	42
30	MicroRNA-21 detection based on molecular switching by amperometry. <i>New Journal of Chemistry</i> , 2012 , 36, 1985	3.6	33
29	Electrochemical immunosensing platform for DNA methyltransferase activity analysis and inhibitor screening. <i>Analytical Chemistry</i> , 2012 , 84, 9072-8	7.8	84
28	Electrochemical behavior of antipyrine at a Bi ₂ S ₃ modified glassy carbon electrode and its determination in pharmaceutical formulations. <i>Analytical Methods</i> , 2012 , 4, 1736	3.2	19
27	Electrochemical behavior of phenacetin on CdSe microspheres modified glassy carbon electrode and its simultaneous determination with paracetamol and 4-aminophenol. <i>Analytical Methods</i> , 2012 , 4, 1445	3.2	15
26	Determination of hydrogen peroxide based on calcined layered double hydroxide-modified glassy carbon electrode in flavored beverages. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 1545-1550	2.6	14

25	Electrochemical determination of nonylphenol based on ionic liquid-functionalized graphene nanosheet modified glassy carbon electrode and its interaction with DNA. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 2837-2843	2.6	16
24	Electrochemical determination of theophylline in foodstuff, tea and soft drinks based on urchin-like CdSe microparticles modified glassy carbon electrode. <i>Food Chemistry</i> , 2012 , 134, 1225-30	8.5	46
23	One-step "green" preparation of graphene nanosheets and carbon nanospheres mixture by electrolyzing graphite rod and its application for glucose biosensing. <i>Biosensors and Bioelectronics</i> , 2011 , 30, 112-7	11.8	35
22	Electrochemical oxidation behavior of bisphenol A at surfactant/layered double hydroxide modified glassy carbon electrode and its determination. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 167-173	2.6	50
21	Electrochemical behaviors of GMP based on solid-phase extraction on at Cu-Mg-Al hydrotalcite-like compound (HTLC) modified glass carbon electrode. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 1253-1261	2.6	7
20	Electrochemical oxidation behavior of guanosine-5'-monophosphate on a glassy carbon electrode modified with a composite film of graphene and multi-walled carbon nanotubes, and its amperometric determination. <i>Mikrochimica Acta</i> , 2011 , 172, 343-349	5.8	12
19	Sensitive voltammetric determination of rutin in pharmaceuticals, human serum, and traditional Chinese medicines using a glassy carbon electrode coated with graphene nanosheets, chitosan, and a poly(amido amine) dendrimer. <i>Mikrochimica Acta</i> , 2011 , 173, 337-345	5.8	33
18	Voltammetric sensing of paracetamol, dopamine and 4-aminophenol at a glassy carbon electrode coated with gold nanoparticles and an organophilic layered double hydroxide. <i>Mikrochimica Acta</i> , 2011 , 175, 39-46	5.8	66
17	A glassy carbon electrode modified with graphene and tyrosinase immobilized on platinum nanoparticles for sensing organophosphorus pesticides. <i>Mikrochimica Acta</i> , 2011 , 175, 129-135	5.8	40
16	Electrocatalysis Oxidation of GMP Based on Layered Double Hydroxide Functionalized with Anionic Surfactant and Room Temperature Ionic Liquid Modified Glassy Carbon Electrode. <i>Chinese Journal of Chemistry</i> , 2011 , 29, 829-834	4.9	2
15	Electrochemical behaviour of Sudan I at Fe ₃ O ₄ nanoparticles modified glassy carbon electrode and its determination in food samples. <i>Food Chemistry</i> , 2011 , 127, 1348-53	8.5	89
14	Electrochemical behavior of catechol, resorcinol and hydroquinone at graphene-chitosan composite film modified glassy carbon electrode and their simultaneous determination in water samples. <i>Electrochimica Acta</i> , 2011 , 56, 2748-2753	6.7	314
13	Electrocatalytic oxidation behavior of guanosine at graphene, chitosan and Fe ₃ O ₄ nanoparticles modified glassy carbon electrode and its determination. <i>Talanta</i> , 2010 , 82, 1193-9	6.2	94
12	Sensitivity and selectivity determination of BPA in real water samples using PAMAM dendrimer and CoTe quantum dots modified glassy carbon electrode. <i>Journal of Hazardous Materials</i> , 2010 , 174, 236-43	12.8	97
11	The immobilization of Cytochrome c on MWNT-PAMAM-chit nanocomposite incorporated with DNA biocomposite film modified glassy carbon electrode for the determination of nitrite. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 1681-1688	2.6	19
10	Evaluation of DNA damage and antioxidant capacity of sericin by a DNA electrochemical biosensor based on dendrimer-encapsulated Au-Pd/chitosan composite. <i>Mikrochimica Acta</i> , 2010 , 168, 347-354	5.8	48
9	Electrochemical oxidative determination of 4-nitrophenol based on a glassy carbon electrode modified with a hydroxyapatite nanopowder. <i>Mikrochimica Acta</i> , 2010 , 169, 87-92	5.8	138
8	Electrochemical behavior of bisphenol A at glassy carbon electrode modified with gold nanoparticles, silk fibroin, and PAMAM dendrimers. <i>Mikrochimica Acta</i> , 2010 , 170, 99-105	5.8	66

7	Amperometric nitrite biosensor based on a gold electrode modified with cytochrome c on Nafion and Cu-Mg-Al layered double hydroxides. <i>Mikrochimica Acta</i> , 2010 , 171, 385-392	5.8	17
6	Selective determination of dopamine in the presence of ascorbic acid using ferrocenyl-tethered PAMAM dendrimers modified glassy carbon electrode. <i>Journal of Applied Electrochemistry</i> , 2010 , 40, 1379-1385	2.6	11
5	Electrochemical Determination of 2-Nitrophenol in Water Samples Using Mg-Al-SDS Hydrotalcite-Like Clay Modified Glassy Carbon Electrode. <i>Electroanalysis</i> , 2010 , 22, 1136-1142	3	14
4	Electrochemical oxidation behavior of guanine and adenine on graphene/Nafion composite film modified glassy carbon electrode and the simultaneous determination. <i>Process Biochemistry</i> , 2010 , 45, 1707-1712	4.8	160
3	Electrochemical determination of bisphenol A at Mg-Al- CO_3 layered double hydroxide modified glassy carbon electrode. <i>Electrochimica Acta</i> , 2010 , 55, 603-610	6.7	121
2	Amperometric biosensor based on tyrosinase immobilized onto multiwalled carbon nanotubes-cobalt phthalocyanine-silk fibroin film and its application to determine bisphenol A. <i>Analytica Chimica Acta</i> , 2010 , 659, 144-50	6.6	152
1	Photoelectrochemical biosensor for 5-formylcytosine based on $\text{WS}_2/\text{Bi}/\text{Bi}_2\text{O}_2\text{CO}_3$ nanocomposite and rolling circle amplification. <i>Chinese Journal of Chemistry</i> ,	4.9	1