Robert C Tuckey

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4800072/robert-c-tuckey-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers
4,397
citations
41
h-index
65
g-index

97
ext. papers
65
g-index

L-index

#	Paper	IF	Citations
92	Chemical synthesis, biological activities and action on nuclear receptors of 20S(OH)D, 20S,25(OH)D, 20S,23S(OH)D and 20S,23R(OH)D <i>Bioorganic Chemistry</i> , 2022 , 121, 105660	5.1	O
91	Vitamin D and lumisterol derivatives can act on liver X receptors (LXRs). Scientific Reports, 2021, 11, 80	02 4.9	15
90	Simultaneous measurement of 13 circulating vitamin D3 and D2 mono and dihydroxy metabolites using liquid chromatography mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021 , 59, 1642-1652	5.9	7
89	Knocking out the Vitamin D Receptor Enhances Malignancy and Decreases Responsiveness to Vitamin D3 Hydroxyderivatives in Human Melanoma Cells. <i>Cancers</i> , 2021 , 13,	6.6	4
88	20-Hydroxyvitamin D3, a Secosteroid Produced in Humans, Is Anti-Inflammatory and Inhibits Murine Autoimmune Arthritis. <i>Frontiers in Immunology</i> , 2021 , 12, 678487	8.4	3
87	Antifibrogenic Activities of CYP11A1-derived Vitamin D3-hydroxyderivatives Are Dependent on ROR [Indocrinology, 2021, 162,	4.8	3
86	Selective ability of rat 7-Dehydrocholesterol reductase (DHCR7) to act on some 7-Dehydrocholesterol metabolites but not on lumisterol metabolites. <i>Journal of Steroid</i> Biochemistry and Molecular Biology, 2021 , 212, 105929	5.1	1
85	Evidence for Involvement of Nonclassical Pathways in the Protection From UV-Induced DNA Damage by Vitamin D-Related Compounds <i>JBMR Plus</i> , 2021 , 5, e10555	3.9	O
84	Hydroxylumisterols, Photoproducts of Pre-Vitamin D3, Protect Human Keratinocytes against UVB-Induced Damage. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
83	Noncalcemic Vitamin D Hydroxyderivatives Inhibit Human Oral Squamous Cell Carcinoma and Down-regulate Hedgehog and WNT/ECatenin Pathways. <i>Anticancer Research</i> , 2020 , 40, 2467-2474	2.3	6
82	Photoprotective Properties of Vitamin D and Lumisterol Hydroxyderivatives. <i>Cell Biochemistry and Biophysics</i> , 2020 , 78, 165-180	3.2	53
81	Detection of 7-Dehydrocholesterol and Vitamin D3 Derivatives in Honey. <i>Molecules</i> , 2020 , 25,	4.8	7
80	Extra-adrenal glucocorticoid biosynthesis: implications for autoimmune and inflammatory disorders. <i>Genes and Immunity</i> , 2020 , 21, 150-168	4.4	44
79	The Role of Classical and Novel Forms of Vitamin D in the Pathogenesis and Progression of Nonmelanoma Skin Cancers. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1268, 257-283	3.6	15
78	CYP11A1-derived vitamin D products protect against UVB-induced inflammation and promote keratinocytes differentiation. <i>Free Radical Biology and Medicine</i> , 2020 , 155, 87-98	7.8	15
77	Association among Vitamin D, Retinoic Acid-Related Orphan Receptors, and Vitamin D Hydroxyderivatives in Ovarian Cancer. <i>Nutrients</i> , 2020 , 12,	6.7	3
76	Protective effects of novel derivatives of vitamin D and lumisterol against UVB-induced damage in human keratinocytes involve activation of Nrf2 and p53 defense mechanisms. <i>Redox Biology</i> , 2019 , 24, 101206	11.3	62

(2016-2019)

75	Catalytic properties of 25-hydroxyvitamin D3 3-epimerase in rat and human liver microsomes. <i>Archives of Biochemistry and Biophysics</i> , 2019 , 666, 16-21	4.1	10
74	The serum vitamin D metabolome: What we know and what is still to discover. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019 , 186, 4-21	5.1	75
73	CYP27A1 acts on the pre-vitamin D3 photoproduct, lumisterol, producing biologically active hydroxy-metabolites. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 181, 1-10	5.1	15
72	Investigation of 20S-hydroxyvitamin D analogs and their 1£OH derivatives as potent vitamin D receptor agonists with anti-inflammatory activities. <i>Scientific Reports</i> , 2018 , 8, 1478	4.9	25
71	On the role of classical and novel forms of vitamin D in melanoma progression and management. Journal of Steroid Biochemistry and Molecular Biology, 2018 , 177, 159-170	5.1	54
70	Properties of purified CYP2R1 in a reconstituted membrane environment and its 25-hydroxylation of 20-hydroxyvitamin D3. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018 , 177, 59-69	5.1	6
69	Differential and Overlapping Effects of 20,23(OH)D3 and 1,25(OH)D3 on Gene Expression in Human Epidermal Keratinocytes: Identification of AhR as an Alternative Receptor for 20,23(OH)D3. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	56
68	Vitamin D signaling and melanoma: role of vitamin D and its receptors in melanoma progression and management. <i>Laboratory Investigation</i> , 2017 , 97, 706-724	5.9	76
67	1⊉0S-Dihydroxyvitamin D Interacts with Vitamin D Receptor: Crystal Structure and Route of Chemical Synthesis. <i>Scientific Reports</i> , 2017 , 7, 10193	4.9	18
66	Characterization of a new pathway that activates lumisterol in vivo to biologically active hydroxylumisterols. <i>Scientific Reports</i> , 2017 , 7, 11434	4.9	50
65	Endogenously produced nonclassical vitamin D hydroxy-metabolites act as "biased" agonists on VDR and inverse agonists on ROR (ADD ROPE) ROPE (5.1	84
64	Noncalcemic 20-hydroxyvitamin D3 inhibits human melanoma growth in in vitro and in vivo models. <i>Oncotarget</i> , 2017 , 8, 9823-9834	3.3	30
63	Bioactive forms of vitamin D selectively stimulate the skin analog of the hypothalamus-pituitary-adrenal axis in human epidermal keratinocytes. <i>Molecular and Cellular Endocrinology</i> , 2016 , 437, 312-322	4.4	12
62	Membrane-Mediated Protein-Protein Interactions of Cholesterol Side-Chain Cleavage Cytochrome P450 with its Associated Electron Transport Proteins. <i>ChemPlusChem</i> , 2016 , 81, 995-1002	2.8	5
61	Classical and non-classical metabolic transformation of vitamin D in dermal fibroblasts. <i>Experimental Dermatology</i> , 2016 , 25, 231-2	4	40
60	Design, Synthesis and Biological Activities of Novel Gemini 20S-Hydroxyvitamin D3 Analogs. <i>Anticancer Research</i> , 2016 , 36, 877-86	2.3	6
59	Vitamin D derivatives enhance cytotoxic effects of H2O2 or cisplatin on human keratinocytes. <i>Steroids</i> , 2016 , 110, 49-61	2.8	29
58	Synthesis and Biological Evaluation of Vitamin D3 Metabolite 20S,23S-Dihydroxyvitamin D3 and Its 23R Epimer. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 5102-8	8.3	14

57	Hydroxylation of 20-hydroxyvitamin D3 by human CYP3A4. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 159, 131-41	5.1	18
56	Metabolism of 20-hydroxyvitamin D3 and 20,23-dihydroxyvitamin D3 by rat and human CYP24A1. Journal of Steroid Biochemistry and Molecular Biology, 2015 , 149, 153-65	5.1	14
55	Antitumor effects of vitamin D analogs on hamster and mouse melanoma cell lines in relation to melanin pigmentation. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 6645-67	6.3	29
54	Novel non-calcemic secosteroids that are produced by human epidermal keratinocytes protect against solar radiation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 148, 52-63	5.1	55
53	Novel activities of CYP11A1 and their potential physiological significance. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 151, 25-37	5.1	181
52	Chemical Synthesis and Biological Activities of 20S,24S/R-Dihydroxyvitamin D3 Epimers and Their 1Hydroxyl Derivatives. <i>Journal of Medicinal Chemistry</i> , 2015 , 58, 7881-7	8.3	18
51	Vitamin D as an adjuvant in melanoma therapy. <i>Melanoma Management</i> , 2015 , 2, 1-4	2.1	8
50	CYP11A1 in skin: an alternative route to photoprotection by vitamin D compounds. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015 , 148, 72-8	5.1	39
49	Detection of novel CYP11A1-derived secosteroids in the human epidermis and serum and pig adrenal gland. <i>Scientific Reports</i> , 2015 , 5, 14875	4.9	154
48	A Proposed Molecular Mechanism of High-Dose Vitamin D3 Supplementation in Prevention and Treatment of Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 13043-64	6.3	15
47	On the role of skin in the regulation of local and systemic steroidogenic activities. <i>Steroids</i> , 2015 , 103, 72-88	2.8	107
46	ROR and ROR are expressed in human skin and serve as receptors for endogenously produced noncalcemic 20-hydroxy- and 20,23-dihydroxyvitamin D. <i>FASEB Journal</i> , 2014 , 28, 2775-89	0.9	170
45	The role of CYP11A1 in the production of vitamin D metabolites and their role in the regulation of epidermal functions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014 , 144 Pt A, 28-39	5.1	108
44	In vivo production of novel vitamin D2 hydroxy-derivatives by human placentas, epidermal keratinocytes, Caco-2 colon cells and the adrenal gland. <i>Molecular and Cellular Endocrinology</i> , 2014 , 383, 181-92	4.4	73
43	Cutaneous glucocorticosteroidogenesis: securing local homeostasis and the skin integrity. <i>Experimental Dermatology</i> , 2014 , 23, 369-374	4	56
42	Metabolism of 20-hydroxyvitamin D3 by mouse liver microsomes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014 , 144 Pt B, 286-93	5.1	12
41	Lumisterol is metabolized by CYP11A1: discovery of a new pathway. <i>International Journal of Biochemistry and Cell Biology</i> , 2014 , 55, 24-34	5.6	26
40	Kinetic analysis of human CYP24A1 metabolism of vitamin D via the C24-oxidation pathway. <i>FEBS Journal</i> , 2014 , 281, 3280-96	5.7	27

(2011-2014)

39	Cytochromes p450 and skin cancer: role of local endocrine pathways. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014 , 14, 77-96	2.2	70
38	CYP24A1 expression inversely correlates with melanoma progression: clinic-pathological studies. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 19000-17	6.3	31
37	Novel vitamin D analogs as potential therapeutics: metabolism, toxicity profiling, and antiproliferative activity. <i>Anticancer Research</i> , 2014 , 34, 2153-63	2.3	41
36	Optimized 25-hydroxyvitamin D analysis using liquid Iquid extraction with 2D separation with LC/MS/MS detection, provides superior precision compared to conventional assays. <i>Metabolomics</i> , 2013 , 9, 1031-1040	4.7	62
35	20S-hydroxyvitamin D3, noncalcemic product of CYP11A1 action on vitamin D3, exhibits potent antifibrogenic activity in vivo. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E298-303	5.6	62
34	Novel vitamin D photoproducts and their precursors in the skin. <i>Dermato-Endocrinology</i> , 2013 , 5, 7-19		42
33	Hydroxylation of CYP11A1-derived products of vitamin D3 metabolism by human and mouse CYP27B1. <i>Drug Metabolism and Disposition</i> , 2013 , 41, 1112-24	4	31
32	Expression of human CYP27B1 in Escherichia coli and characterization in phospholipid vesicles. <i>FEBS Journal</i> , 2012 , 279, 3749-3761	5.7	11
31	Rat CYP24A1 acts on 20-hydroxyvitamin D(3) producing hydroxylated products with increased biological activity. <i>Biochemical Pharmacology</i> , 2012 , 84, 1696-704	6	36
30	Cytochrome P450scc-dependent metabolism of 7-dehydrocholesterol in placenta and epidermal keratinocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 2003-18	5.6	61
29	Correlation between secosteroid-induced vitamin D receptor activity in melanoma cells and computer-modeled receptor binding strength. <i>Molecular and Cellular Endocrinology</i> , 2012 , 361, 143-52	4.4	53
28	In vivo evidence for a novel pathway of vitamin DImetabolism initiated by P450scc and modified by CYP27B1. <i>FASEB Journal</i> , 2012 , 26, 3901-15	0.9	199
27	20-hydroxyvitamin Dilnhibits proliferation of cancer cells with high efficacy while being non-toxic. <i>Anticancer Research</i> , 2012 , 32, 739-46	2.3	57
26	Novel vitamin D hydroxyderivatives inhibit melanoma growth and show differential effects on normal melanocytes. <i>Anticancer Research</i> , 2012 , 32, 3733-42	2.3	61
25	Cutaneous hypothalamic-pituitary-adrenal axis homolog: regulation by ultraviolet radiation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011 , 301, E484-93	6	188
24	Production of 22-hydroxy metabolites of vitamin d3 by cytochrome p450scc (CYP11A1) and analysis of their biological activities on skin cells. <i>Drug Metabolism and Disposition</i> , 2011 , 39, 1577-88	4	65
23	Vitamin D analogs 17,20S(OH)2pD and 17,20R(OH)2pD are noncalcemic and exhibit antifibrotic activity. <i>Journal of Investigative Dermatology</i> , 2011 , 131, 1167-9	4.3	39
22	20-Hydroxyvitamin D2 is a noncalcemic analog of vitamin D with potent antiproliferative and prodifferentiation activities in normal and malignant cells. <i>American Journal of Physiology - Cell Physiology</i> , 2011 , 300, C526-41	5.4	90

21	Products of vitamin D3 or 7-dehydrocholesterol metabolism by cytochrome P450scc show anti-leukemia effects, having low or absent calcemic activity. <i>PLoS ONE</i> , 2010 , 5, e9907	3.7	110
20	Purified mouse CYP27B1 can hydroxylate 20,23-dihydroxyvitamin D3, producing 1alpha,20,23-trihydroxyvitamin D3, which has altered biological activity. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 1553-9	4	31
19	Chemical synthesis of 20S-hydroxyvitamin D3, which shows antiproliferative activity. <i>Steroids</i> , 2010 , 75, 926-35	2.8	51
18	20,23-dihydroxyvitamin D3, novel P450scc product, stimulates differentiation and inhibits proliferation and NF-kappaB activity in human keratinocytes. <i>Journal of Cellular Physiology</i> , 2010 , 223, 36-48	7	77
17	Sequential metabolism of 7-dehydrocholesterol to steroidal 5,7-dienes in adrenal glands and its biological implication in the skin. <i>PLoS ONE</i> , 2009 , 4, e4309	3.7	71
16	20-Hydroxycholecalciferol, product of vitamin D3 hydroxylation by P450scc, decreases NF-kappaB activity by increasing IkappaB alpha levels in human keratinocytes. <i>PLoS ONE</i> , 2009 , 4, e5988	3.7	98
15	20-Hydroxyvitamin D3, a product of vitamin D3 hydroxylation by cytochrome P450scc, stimulates keratinocyte differentiation. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 2271-80	4.3	97
14	Metabolism of 1alpha-hydroxyvitamin D3 by cytochrome P450scc to biologically active 1alpha,20-dihydroxyvitamin D3. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008 , 112, 213-9	5.1	41
13	Kinetics of vitamin D3 metabolism by cytochrome P450scc (CYP11A1) in phospholipid vesicles and cyclodextrin. <i>International Journal of Biochemistry and Cell Biology</i> , 2008 , 40, 2619-26	5.6	37
12	Pathways and products for the metabolism of vitamin D3 by cytochrome P450scc. <i>FEBS Journal</i> , 2008 , 275, 2585-96	5.7	92
11	The cytochrome P450scc system opens an alternate pathway of vitamin D3 metabolism. <i>FEBS Journal</i> , 2005 , 272, 4080-90	5.7	119
10	A novel pathway for sequential transformation of 7-dehydrocholesterol and expression of the P450scc system in mammalian skin. <i>FEBS Journal</i> , 2004 , 271, 4178-88		187
9	Transfer of cholesterol between phospholipid vesicles mediated by the steroidogenic acute regulatory protein (StAR). <i>Journal of Biological Chemistry</i> , 2002 , 277, 47123-8	5.4	51
8	Placental cytochrome P450scc (CYP11A1): comparison of catalytic properties between conditions of limiting and saturating adrenodoxin reductase. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2002 , 81, 153-8	5.1	15
7	Oxidized adrenodoxin acts as a competitive inhibitor of cytochrome P450scc in mitochondria from the human placenta. <i>FEBS Journal</i> , 2001 , 268, 2338-43		16
6	The concentration of adrenodoxin reductase limits cytochrome p450scc activity in the human placenta. <i>FEBS Journal</i> , 1999 , 263, 319-25		30
5	Electron transfer to cytochrome P-450scc limits cholesterol-side-chain-cleavage activity in the human placenta. <i>FEBS Journal</i> , 1997 , 244, 835-9		22
4	Side-chain specificities of human and bovine cytochromes P-450scc. <i>FEBS Journal</i> , 1993 , 217, 209-15		33

LIST OF PUBLICATIONS

3	Pregnenolone synthesis from cholesterol and hydroxycholesterols by mitochondria from ovaries following the stimulation of immature rats with pregnant marels serum gonadotropin and human choriogonadotropin. <i>FEBS Journal</i> , 1989 , 186, 255-9	26
2	Ferredoxin reductase levels in the ovaries of pigs and superovulated rats during follicular cell growth and luteinization. <i>FEBS Journal</i> , 1986 , 161, 629-33	7
1	Purification and analysis of phospholipids in the inner mitochondrial membrane fraction of bovine corpus luteum, and properties of cytochrome P-450scc incorporated into vesicles prepared from these phospholipids. FEBS Journal, 1985, 148, 379-84	22