

Claire E Baldwin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4800258/publications.pdf>

Version: 2024-02-01

23
papers

1,519
citations

758635

12
h-index

752256

20
g-index

23
all docs

23
docs citations

23
times ranked

2019
citing authors

#	ARTICLE	IF	CITATIONS
1	Physiotherapy management for COVID-19 in the acute hospital setting: clinical practice recommendations. <i>Journal of Physiotherapy</i> , 2020, 66, 73-82.	0.7	481
2	Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. <i>Critical Care</i> , 2014, 18, 658.	2.5	391
3	Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. <i>Intensive Care Medicine</i> , 2017, 43, 531-542.	3.9	118
4	Muscle strength assessment in critically ill patients with handheld dynamometry: An investigation of reliability, minimal detectable change, and time to peak force generation. <i>Journal of Critical Care</i> , 2013, 28, 77-86.	1.0	98
5	Diaphragm and peripheral muscle thickness on ultrasound: Intra-rater reliability and variability of a methodology using non-standard recumbent positions. <i>Respirology</i> , 2011, 16, 1136-1143.	1.3	91
6	Alterations in Respiratory and Limb Muscle Strength and Size in Patients With Sepsis Who Are Mechanically Ventilated. <i>Physical Therapy</i> , 2014, 94, 68-82.	1.1	76
7	Accelerometry Shows Inpatients With Acute Medical or Surgical Conditions Spend Little Time Upright and Are Highly Sedentary: Systematic Review. <i>Physical Therapy</i> , 2017, 97, 1044-1065.	1.1	63
8	Recommendations for older adults' physical activity and sedentary behaviour during hospitalisation for an acute medical illness: an international Delphi study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 69.	2.0	37
9	Effectiveness of combined exercise and nutrition interventions in prefrail or frail older hospitalised patients: a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e040146.	0.8	33
10	Physiotherapy management for COVID-19 in the acute hospital setting and beyond: an update to clinical practice recommendations. <i>Journal of Physiotherapy</i> , 2022, 68, 8-25.	0.7	31
11	Body Composition Analysis in Critically Ill Survivors. <i>Journal of Parenteral and Enteral Nutrition</i> , 2012, 36, 306-315.	1.3	23
12	Physical Activity of ICU Survivors during Acute Admission: Agreement of the activPAL with Observation. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018, 70, 57-63.	0.3	18
13	The sedentary behaviour and physical activity patterns of survivors of a critical illness over their acute hospitalisation: An observational study. <i>Australian Critical Care</i> , 2020, 33, 272-280.	0.6	13
14	Tracheostomy Tube Type and Inner Cannula Selection Impact Pressure and Resistance to Air Flow. <i>Respiratory Care</i> , 2016, 61, 607-614.	0.8	12
15	A scoping review of interventions using accelerometers to measure physical activity or sedentary behaviour during hospitalization. <i>Clinical Rehabilitation</i> , 2020, 34, 1157-1172.	1.0	9
16	Early Detection of Muscle Weakness and Functional Limitations in the Critically Ill: A Retrospective Evaluation of Bioimpedance Spectroscopy. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 44, 837-848.	1.3	8
17	Myopathic characteristics in septic mechanically ventilated patients. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015, 18, 240-247.	1.3	6
18	Evaluating Physical Functioning in Survivors of Critical Illness: Development of a New Continuum Measure for Acute Care*. <i>Critical Care Medicine</i> , 2020, 48, 1427-1435.	0.4	5

#	ARTICLE	IF	CITATIONS
19	Fluid balance does not predict estimated sodium balance in critically ill mechanically ventilated patients. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 89-96.	0.0	5
20	Core Domains for Research on Hospital Inactivity in Acutely Ill Older Adults: A Delphi Consensus Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 664-674.	0.5	1
21	Peripheral muscle strength can be measured using grip/hand-held dynamometry with good intra-rater and test-retest reliability in critically ill patients. <i>Australian Critical Care</i> , 2011, 24, 54.	0.6	0
22	Associations Between Body Composition and Weakness and Functional Limitations: A Cross Sectional Study of Bioelectrical Impedance Spectroscopy in Mechanically-ventilated Adults. <i>Australian Critical Care</i> , 2019, 32, S5-S6.	0.6	0
23	Clinimetrics: The Physical Function in ICU test-scored. <i>Journal of Physiotherapy</i> , 2021, 68, 73-73.	0.7	0