

Jae-Nam Bae

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4801106/publications.pdf>

Version: 2024-02-01

72
papers

2,469
citations

346980

22
h-index

232693

48
g-index

77
all docs

77
docs citations

77
times ranked

4155
citing authors

#	ARTICLE	IF	CITATIONS
1	Cognitive reserve and the effects of virtual reality-based cognitive training on elderly individuals with mild cognitive impairment and normal cognition. <i>Psychogeriatrics</i> , 2021, 21, 552-559.	0.6	10
2	A 9-Year Comparison of Dementia Prevalence in Korea: Results of NaSDEK 2008 and 2017. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 821-831.	1.2	7
3	Effects of Virtual Reality-Based Cognitive Training in the Elderly with and without Mild Cognitive Impairment. <i>Psychiatry Investigation</i> , 2021, 18, 619-627.	0.7	14
4	Significant Domains of Life Satisfaction That Affect Suicidal Behavior in Adolescents. <i>Soa-Œceongso'nyeon Jeongsin Yihag</i> , 2021, 32, 104-111.	0.3	4
5	Variables Affecting Attitudes Toward Suicide Among the Adolescent Population. <i>Journal of Nervous and Mental Disease</i> , 2021, 209, 59-64.	0.5	2
6	Objective and subjective sleep problems and quality of life of rehabilitation in patients with mild to moderate stroke. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 199-207.	1.0	8
7	Relationship between subjective memory complaint and executive function in a community sample of South Korean elderly. <i>Psychogeriatrics</i> , 2020, 20, 850-857.	0.6	7
8	Low-dose Quetiapine-induced Syndrome of Inappropriate Antidiuretic Hormone in a Patient with Traumatic Brain Syndrome. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 164-166.	0.9	2
9	Important Consideration in Choosing Antipsychotics in the Treatment of Patients with 22q11.2 Deletion Syndrome: Risk of Convulsion. <i>Clinical Psychopharmacology and Neuroscience</i> , 2020, 18, 454-457.	0.9	3
10	Association between Perceived Parenting Style and Adolescents' Attitudes toward Suicide. <i>Soa-Œceongso'nyeon Jeongsin Yihag</i> , 2020, 31, 193-200.	0.3	2
11	Perception of Stigma and Its Associated Factors Among Patients With Major Depressive Disorder: A Multicenter Survey From an Asian Population. <i>Frontiers in Psychiatry</i> , 2019, 10, 321.	1.3	26
12	Relationship between physicians' perceived stigma toward depression and physician referral to psycho-oncology services on an oncology/hematology ward. <i>Psycho-Oncology</i> , 2018, 27, 824-830.	1.0	5
13	Prevalence and Risk Factors of Abusive Behaviors in the Caregivers of People with Dementia in Korea. <i>Psychiatry Investigation</i> , 2018, 15, 677-686.	0.7	11
14	Lifetime prevalence of psychiatric morbidities, suicidality, and quality of life in a community population with the bimodal chronotype: A nationwide epidemiologic study. <i>Chronobiology International</i> , 2017, 34, 732-739.	0.9	1
15	The role of depression in the insomnia of people with subjective memory impairment, mild cognitive impairment, and dementia in a community sample of elderly individuals in South Korea. <i>International Psychogeriatrics</i> , 2017, 29, 653-661.	0.6	12
16	[P3-535]: ASSOCIATIONS BETWEEN SUBJECTIVE MEMORY COMPLAINTS AND EXECUTIVE FUNCTIONS IN A COMMUNITY SAMPLE OF ELDERLY WITHOUT COGNITIVE DYSFUNCTION. <i>Alzheimer's and Dementia</i> , 2017, 13, P1183.	0.4	2
17	Comparison of Hematologic Variability between Clozapine Monotherapy and Augmentation Therapy with Atypical Antipsychotics for Schizophrenia: Results from a 6-Month Retrospective Follow-Up Study. <i>Korean Journal of Schizophrenia Research</i> , 2017, 20, 61.	0.3	0
18	Prevalence and Psychiatric Comorbidities of Internet Addiction in a Nationwide Sample of Korean Adults. <i>Psychiatry Investigation</i> , 2017, 14, 879.	0.7	20

#	ARTICLE	IF	CITATIONS
19	Reason for Clozapine Discontinuation. Korean Journal of Schizophrenia Research, 2016, 19, 17.	0.3	2
20	Association of Overweight with the Prevalence of Lifetime Psychiatric Disorders and Suicidality: General Population-based Study in Korea. Journal of Korean Medical Science, 2016, 31, 1814.	1.1	3
21	Differences in knowledge of dementia among older adults with normal cognition, mild cognitive impairment, and dementia: A representative nationwide sample of Korean elders. Archives of Gerontology and Geriatrics, 2016, 66, 82-88.	1.4	18
22	Lifetime prevalence, sociodemographic correlates, and diagnostic overlaps of bipolar spectrum disorder in the general population of South Korea. Journal of Affective Disorders, 2016, 203, 248-255.	2.0	10
23	Mental-Physical Comorbidity in Korean Adults: Results from a Nationwide General Population Survey in Korea. Psychiatry Investigation, 2016, 13, 496.	0.7	15
24	Gender Differences in Depressive Symptom Profile: Results from Nationwide General Population Surveys in Korea. Journal of Korean Medical Science, 2015, 30, 1659.	1.1	34
25	Factors Affecting Recurrence in Patients with Schizophrenia Received More Than 10 Years of Treatment. Korean Journal of Schizophrenia Research, 2015, 18, 66.	0.3	2
26	Sleep duration and associated factors in a community sample of elderly individuals in Korea. Psychogeriatrics, 2015, 15, 87-94.	0.6	6
27	Stigma of Mental Illnesses as Perceived by North Korean Defectors Living in South Korea. Psychiatry Investigation, 2015, 12, 9.	0.7	13
28	Prevalence and Correlates of DSM-IV Mental Disorders in South Korean Adults: The Korean Epidemiologic Catchment Area Study 2011. Psychiatry Investigation, 2015, 12, 164.	0.7	101
29	Sociodemographic Factors and Comorbidities Associated with Remission from Alcohol Dependence: Results from a Nationwide General Population Survey in Korea. Psychiatry Investigation, 2015, 12, 316.	0.7	4
30	Differences in psychiatric symptoms among Asian patients with depression: A multi-country cross-sectional study. Psychiatry and Clinical Neurosciences, 2014, 68, 245-254.	1.0	14
31	Impact of illiteracy on depression symptomatology in community-dwelling older adults. International Psychogeriatrics, 2014, 26, 1669-1678.	0.6	14
32	Electroconvulsive therapy for major depressive disorder in a patient with a permanent skull defect: A case report. Asia-Pacific Psychiatry, 2014, 6, 454-457.	1.2	3
33	Impact of childhood exposure to psychological trauma on the risk of psychiatric disorders and somatic discomfort: Single vs. multiple types of psychological trauma. Psychiatry Research, 2014, 219, 443-449.	1.7	40
34	Prescription Patterns for Patients with Schizophrenia in Korea: A Focus on Antipsychotic Polypharmacy. Clinical Psychopharmacology and Neuroscience, 2014, 12, 128-136.	0.9	17
35	Prevalence, correlates, and comorbidities of four DSM-IV specific phobia subtypes: Results from the Korean Epidemiological Catchment Area study. Psychiatry Research, 2013, 209, 596-603.	1.7	19
36	O4-04-01: Dementia epidemiology in Korea: Comparison of the results from the Nationwide Survey on the Dementia Epidemiology (NaSDEK) 2008 and the NaSDEK 2012. , 2013, 9, P687-P687.		1

#	ARTICLE	IF	CITATIONS
37	Melancholic features and hostility are associated with suicidality risk in Asian patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 148, 368-374.	2.0	24
38	Relationship of oestrogen receptor status to depressive symptoms and quality of life in breast cancer patients. <i>Acta Neuropsychiatrica</i> , 2013, 25, 283-288.	1.0	1
39	Prevalence of insomnia and associated factors in a community sample of elderly individuals in South Korea. <i>International Psychogeriatrics</i> , 2013, 25, 1729-1737.	0.6	44
40	Clinical features of depression in Asia: Results of a large prospective, cross-sectional study. <i>Asia-Pacific Psychiatry</i> , 2013, 5, 259-267.	1.2	22
41	The 12-Item General Health Questionnaire as an Effective Mental Health Screening Tool for General Korean Adult Population. <i>Psychiatry Investigation</i> , 2013, 10, 352.	0.7	42
42	The Influence of Previous Antipsychotic Polypharmacy Versus Monotherapy on the Effectiveness of Antipsychotic after Switching to Paliperidone Extended-release. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013, 11, 152-157.	0.9	2
43	Interactive influences of demographics on the Mini-Mental State Examination (MMSE) and the demographics-adjusted norms for MMSE in elderly Koreans. <i>International Psychogeriatrics</i> , 2012, 24, 642-650.	0.6	17
44	DSM-IV psychiatric comorbidity according to symptoms of insomnia: a nationwide sample of Korean adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 2019-2033.	1.6	40
45	Prevalence, correlates, comorbidities, and suicidal tendencies of premenstrual dysphoric disorder in a nationwide sample of Korean women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1937-1945.	1.6	51
46	Rapid improvement of depression and quality of life with escitalopram treatment in outpatients with breast cancer: A 12-week, open-label prospective trial. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012, 36, 318-323.	2.5	27
47	Restless legs syndrome in older people: a community-based study on its prevalence and association with major depressive disorder in older Korean adults. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 565-572.	1.3	33
48	Lifetime risk and age of onset distributions of psychiatric disorders: analysis of national sample survey in South Korea. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 671-681.	1.6	20
49	Comparison of Treated and Untreated Major Depressive Disorder in a Nationwide Sample of Korean Adults. <i>Community Mental Health Journal</i> , 2012, 48, 363-371.	1.1	9
50	Normative study of the category fluency test (CFT) from nationwide data on community-dwelling elderly in Korea. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 305-309.	1.4	10
51	A nationwide survey on the prevalence and risk factors of late life depression in South Korea. <i>Journal of Affective Disorders</i> , 2012, 138, 34-40.	2.0	92
52	The Role of Vascular Risk Factors in the Development of DED Syndrome Among an Elderly Community Sample. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 104-114.	0.6	12
53	Cholinesterase Inhibitors for Alzheimer Disease: Do They Provide More Than Symptomatic Benefits?. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 266-273.	0.6	7
54	Prevalence, correlates, and comorbidities of adult ADHD symptoms in Korea: Results of the Korean epidemiologic catchment area study. <i>Psychiatry Research</i> , 2011, 186, 378-383.	1.7	94

#	ARTICLE	IF	CITATIONS
55	Relationships of Mental Disorders and Weight Status in the Korean Adult Population. <i>Journal of Korean Medical Science</i> , 2011, 26, 108.	1.1	17
56	A Nationwide Survey on the Prevalence of Dementia and Mild Cognitive Impairment in South Korea. <i>Journal of Alzheimer's Disease</i> , 2011, 23, 281-291.	1.2	158
57	Factors Affecting Treatment Discontinuation and Treatment Outcome in Patients with Schizophrenia in Korea: 10-Year Follow-Up Study. <i>Psychiatry Investigation</i> , 2011, 8, 22.	0.7	12
58	Prevalence, clinical correlations, comorbidities, and suicidal tendencies in pathological Korean gamblers: results from the Korean Epidemiologic Catchment Area Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 621-629.	1.6	67
59	Depressive symptoms in elderly adults with hypotension: Different associations with positive and negative affect. <i>Journal of Affective Disorders</i> , 2010, 127, 359-364.	2.0	23
60	Relationships of sleep duration with sociodemographic and health-related factors, psychiatric disorders and sleep disturbances in a community sample of Korean adults. <i>Journal of Sleep Research</i> , 2010, 19, 567-577.	1.7	101
61	Prevalence of DSM-IV major mental disorders among Korean adults: A 2006 National Epidemiologic Survey (KECA-R). <i>Asian Journal of Psychiatry</i> , 2010, 3, 26-30.	0.9	70
62	Corrigendum to "Prevalence of DSM-IV major mental disorders among Korean adults: A 2006 National Epidemiologic Survey (KECA-R)" [Asian Journal of Psychiatry 3 (2010) 26-30]. <i>Asian Journal of Psychiatry</i> , 2010, 3, 91.	0.9	1
63	Diagnosis of psychiatric disorders of the elderly. <i>Journal of the Korean Medical Association</i> , 2010, 53, 964.	0.1	0
64	Comparative Analysis of Cognitive Function in Schizophrenia with and without Obsessive Compulsive Disorder. <i>Psychiatry Investigation</i> , 2009, 6, 286.	0.7	42
65	Major Depressive Disorder Preceding the Onset of Progressive Supranuclear Palsy. <i>Psychiatry Investigation</i> , 2009, 6, 112.	0.7	14
66	Prevalence, Correlates, and Comorbidity of 12-Month Tobacco Dependence among Ever-smokers in South Korea, During 1984-2001. <i>Journal of Korean Medical Science</i> , 2008, 23, 207.	1.1	5
67	Lifetime and 12-Month Prevalence of DSM-IV Psychiatric Disorders Among Korean Adults. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 203-210.	0.5	188
68	Dorsolateral Prefrontal Cortex and Anterior Cingulate Cortex White Matter Alterations in Late-Life Depression. <i>Biological Psychiatry</i> , 2006, 60, 1356-1363.	0.7	255
69	Segmented volumes of cerebrum and cerebellum in first episode schizophrenia with auditory hallucinations. <i>Psychiatry Research - Neuroimaging</i> , 2005, 138, 33-42.	0.9	39
70	Development of the Korean version of the Geriatric Depression Scale and its short form among elderly psychiatric patients. <i>Journal of Psychosomatic Research</i> , 2004, 57, 297-305.	1.2	475
71	Practice Guidelines for the Management of Alzheimer's Disease. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2003, 46, 1071.	0.1	0
72	Effectiveness of virtual reality exposure treatment for posttraumatic stress disorder due to motor vehicle or industrial accidents. <i>Virtual Reality</i> , 0, 1.	4.1	0