Paul R Stauffer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4801595/publications.pdf

Version: 2024-02-01

176 papers 5,635 citations

66343 42 h-index 98798 67 g-index

178 all docs

178 docs citations

178 times ranked 3404 citing authors

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Characterization of Ferromagnetic Composite Implants for Tumor Bed Hyperthermia. IEEE Transactions on Magnetics, 2021, 57, 1-8. | 2.1 | 5 |
| 2 | Feasibility Evaluation of Metamaterial Microwave Sensors for Non-Invasive Blood Glucose Monitoring. Sensors, 2021, 21, 6871. | 3.8 | 10 |
| 3 | Feasibility of removable balloon implant for simultaneous magnetic nanoparticle heating and HDR brachytherapy of brain tumor resection cavities. International Journal of Hyperthermia, 2020, 37, 1189-1201. | 2.5 | 3 |
| 4 | Quality assurance guidelines for interstitial hyperthermia. International Journal of Hyperthermia, 2019, 36, 276-293. | 2.5 | 51 |
| 5 | Analysis of clinical data to determine the minimum number of sensors required for adequate skin temperature monitoring of superficial hyperthermia treatments. International Journal of Hyperthermia, 2018, 34, 910-917. | 2.5 | 15 |
| 6 | Microwave Radiometry for Noninvasive Monitoring of Brain Temperature., 2018,, 87-127. | | 12 |
| 7 | Dual Modality Implant for Simultaneous Magnetic Nanoparticle Heating and Brachytherapy Treatment of Tumor Resection Cavities in Brain. , 2018, , . | | 3 |
| 8 | Quality assurance guidelines for superficial hyperthermia clinical trials: I. Clinical requirements. International Journal of Hyperthermia, 2017, 33, 471-482. | 2.5 | 86 |
| 9 | Quality assurance guidelines for superficial hyperthermia clinical trials. Strahlentherapie Und Onkologie, 2017, 193, 351-366. | 2.0 | 73 |
| 10 | Using a conformal water bolus to adjust heating patterns of microwave waveguide applicators. Proceedings of SPIE, 2017, , . | 0.8 | 2 |
| 11 | Numerical investigation of novel microwave applicators based on zero-order mode resonance for hyperthermia treatment of cancer. Journal of the Franklin Institute, 2017, 354, 8734-8746. | 3.4 | 13 |
| 12 | Oncologic Applications of Magnetic Resonance Guided Focused Ultrasound. Cancer Treatment and Research, 2017, , 69-108. | 0.5 | 2 |
| 13 | METAMATERIAL ANTENNA ARRAYS FOR IMPROVED UNIFORMITY OF MICROWAVE HYPERTHERMIA TREATMENTS. Progress in Electromagnetics Research, 2016, 156, 1-12. | 4.4 | 32 |
| 14 | Dielectric properties measurements of brown and white adipose tissue in rats from 0.5 to 10 GHz. Biomedical Physics and Engineering Express, 2016, 2, 025005. | 1.2 | 3 |
| 15 | Tumor bed brachytherapy for locally advanced laryngeal cancer: a feasibility assessment of combination with ferromagnetic hyperthermia. Biomedical Physics and Engineering Express, 2016, 2, 055002. | 1.2 | 4 |
| 16 | Thermal dosimetry for bladder hyperthermia treatment. An overview. International Journal of Hyperthermia, 2016, 32, 417-433. | 2.5 | 25 |
| 17 | Hyperthermia. , 2016, , 381-398.e6. | | 7 |
| 18 | Overview of bladder heating technology: matching capabilities with clinical requirements. International Journal of Hyperthermia, 2016, 32, 407-416. | 2.5 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Educational article Salvage brachytherapy in combination with interstitial hyperthermia for locally recurrent prostate carcinoma following external beam radiation therapy: a prospective phase II study. Journal of Contemporary Brachytherapy, 2015, 3, 254-258. | 0.9 | 9 |
| 20 | Current state of the art of regional hyperthermia treatment planning: a review. Radiation Oncology, 2015, 10, 196. | 2.7 | 122 |
| 21 | A novel compact microwave radiometric sensor to noninvasively track deep tissue thermal profiles. , $2015, \dots$ | | 10 |
| 22 | Focused ultrasound for treatment of bone tumours. International Journal of Hyperthermia, 2015, 31, 260-271. | 2.5 | 37 |
| 23 | Tissue hyperthermia: Progress in the United States and elsewhere as assessed by clinical trials and PubMed reporting Journal of Clinical Oncology, 2015, 33, e22172-e22172. | 1.6 | 0 |
| 24 | A pilot clinical trial of intravesical mitomycin-C and external deep pelvic hyperthermia for non-muscle-invasive bladder cancer. International Journal of Hyperthermia, 2014, 30, 171-175. | 2.5 | 54 |
| 25 | Thermal dosimetry characteristics of deep regional heating of non-muscle invasive bladder cancer. International Journal of Hyperthermia, 2014, 30, 176-183. | 2.5 | 27 |
| 26 | Non-Invasive Measurement of Brain Temperature with Microwave Radiometry: Demonstration in a Head Phantom and Clinical Case. Neuroradiology Journal, 2014, 27, 3-12. | 1.2 | 60 |
| 27 | Components of a hyperthermia clinic: Recommendations for staffing, equipment, and treatment monitoring. International Journal of Hyperthermia, 2014, 30, 1-5. | 2.5 | 26 |
| 28 | Design and Optimization of an Ultra Wideband and Compact Microwave Antenna for Radiometric Monitoring of Brain Temperature. IEEE Transactions on Biomedical Engineering, 2014, 61, 2154-2160. | 4.2 | 71 |
| 29 | Two phase I dose-escalation/pharmacokinetics studies of low temperature liposomal doxorubicin (LTLD) and mild local hyperthermia in heavily pretreated patients with local regionally recurrent breast cancer. International Journal of Hyperthermia, 2014, 30, 285-294. | 2.5 | 93 |
| 30 | Hyperthermia, Radiation and Chemotherapy: The Role of Heat in Multidisciplinary Cancer Care. Seminars in Oncology, 2014, 41, 714-729. | 2.2 | 112 |
| 31 | Utility of microwave radiometry for diagnostic and therapeutic applications of non-invasive temperature monitoring. , 2014, , . | | 3 |
| 32 | Monitoring brown fat metabolic activity using microwave radiometry: Antenna design and frequency selection. , $2014, , .$ | | 4 |
| 33 | Novel microwave applicators based on zero-order mode resonance for hyperthermia treatment of cancer. , $2014, \ldots$ | | 1 |
| 34 | Magnetic fluid hyperthermia for bladder cancer: A preclinical dosimetry study. International Journal of Hyperthermia, 2013, 29, 835-844. | 2.5 | 45 |
| 35 | An imaging study to assess displacement between brachytherapy applicator and chestwall during simultaneous thermobrachytherapy of cancer. , 2013, , . | | 0 |
| 36 | Study of the one dimensional and transient bioheat transfer equation: Multi-layer solution development and applications. International Journal of Heat and Mass Transfer, 2013, 62, 153-162. | 4.8 | 39 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Novel Approaches to Treatment of Hepatocellular Carcinoma and Hepatic Metastases Using Thermal Ablation and Thermosensitive Liposomes. Surgical Oncology Clinics of North America, 2013, 22, 545-561. | 1.5 | 30 |
| 38 | Simulation techniques in hyperthermia treatment planning. International Journal of Hyperthermia, 2013, 29, 346-357. | 2.5 | 160 |
| 39 | Thermal modelling using discrete vasculature for thermal therapy: A review. International Journal of Hyperthermia, 2013, 29, 336-345. | 2.5 | 41 |
| 40 | The impact of temperature and urinary constituents on urine viscosity and its relevance to bladder hyperthermia treatment. International Journal of Hyperthermia, 2013, 29, 206-210. | 2.5 | 64 |
| 41 | Preclinical dosimetry of magnetic fluid hyperthermia for bladder cancer. Proceedings of SPIE, 2013, 8584, 1656985. | 0.8 | 3 |
| 42 | Numerical 3D modeling of heat transfer in human tissues for microwave radiometry monitoring of brown fat metabolism. Proceedings of SPIE, 2013, 8584, . | 0.8 | 22 |
| 43 | Stable microwave radiometry system for long term monitoring of deep tissue temperature. Proceedings of SPIE, 2013, 8584, . | 0.8 | 27 |
| 44 | A method to convert MRI images of temperature change into images of absolute temperature in solid tumours. International Journal of Hyperthermia, 2013, 29, 569-581. | 2.5 | 11 |
| 45 | Phase I clinical trial of external hyperthermia and intravesical mitomycin C to treat BCG-refractory bladder cancer Journal of Clinical Oncology, 2013, 31, e15560-e15560. | 1.6 | 0 |
| 46 | A heterogeneous human tissue mimicking phantom for RF heating and MRI thermal monitoring verification. Physics in Medicine and Biology, 2012, 57, 2021-2037. | 3.0 | 61 |
| 47 | Miniature microwave applicator for murine bladder hyperthermia studies. International Journal of Hyperthermia, 2012, 28, 456-465. | 2.5 | 18 |
| 48 | Thermal dose fractionation affects tumour physiological response. International Journal of Hyperthermia, 2012, 28, 431-440. | 2.5 | 24 |
| 49 | Preclinical assessment of comfort and secure fit of thermobrachytherapy surface applicator (TBSA) on volunteer subjects. Journal of Applied Clinical Medical Physics, 2012, 13, 223-235. | 1.9 | 3 |
| 50 | Utility of treatment planning for thermochemotherapy treatment of nonmuscle invasive bladder carcinoma. Medical Physics, 2012, 39, 1170-1181. | 3.0 | 33 |
| 51 | Hyperthermia. , 2012, , 385-403. | | 7 |
| 52 | Improved hyperthermia treatment control using SAR/temperature simulation and PRFS magnetic resonance thermal imaging. International Journal of Hyperthermia, 2011, 27, 86-99. | 2.5 | 32 |
| 53 | Non-invasive vesicoureteral reflux detection: Heating risk studies for a new device. Journal of Pediatric Urology, 2011, 7, 624-630. | 1.1 | 21 |
| 54 | 576 NONINVASIVE GRADE V VESICOURETERAL REFLUX DETECTION: AN ANIMAL STUDY. Journal of Urology, 2011, 185, . | 0.4 | 0 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | DESIGN OF MEDICAL RADIOMETER FRONT-END FOR IMPROVED PERFORMANCE. Progress in Electromagnetics Research B, 2011, 27, 289-306. | 1.0 | 32 |
| 56 | Detection of Vesicoureteral Reflux Using Microwave Radiometryâ€"System Characterization With Tissue Phantoms. IEEE Transactions on Biomedical Engineering, 2011, 58, 1629-1636. | 4.2 | 39 |
| 57 | Vesicoureteral Reflux in Children: A Phantom Study of Microwave Heating and Radiometric Thermometry of Pediatric Bladder. IEEE Transactions on Biomedical Engineering, 2011, 58, 3269-3278. | 4.2 | 19 |
| 58 | Microwave radiometry for non-invasive detection of vesicoureteral reflux (VUR) following bladder warming. Proceedings of SPIE, 2011, 7901, 79010V. | 0.8 | 14 |
| 59 | EVOLUTION OF ANTENNA PERFORMANCE FOR APPLICATIONS IN THERMAL MEDICNE. Proceedings of the European Conference on Antennas and Propagation, 2011, , 3080-3083. | 0.0 | 0 |
| 60 | Mathematical formulation and analysis of the nonlinear system reconstruction of the online imageâ∈guided adaptive control of hyperthermia. Medical Physics, 2010, 37, 980-994. | 3.0 | 5 |
| 61 | A phase I/II study of neoadjuvant liposomal doxorubicin, paclitaxel, and hyperthermia in locally advanced breast cancer. International Journal of Hyperthermia, 2010, 26, 514-521. | 2.5 | 66 |
| 62 | Thermal characteristics of thermobrachytherapy surface applicators for treating chest wall recurrence. Physics in Medicine and Biology, 2010, 55, 1949-1969. | 3.0 | 25 |
| 63 | Effective learning strategies for realâ€ŧime imageâ€guided adaptive control of multipleâ€source hyperthermia applicators. Medical Physics, 2010, 37, 1285-1297. | 3.0 | 14 |
| 64 | Modeling the detectability of vesicoureteral reflux using microwave radiometry. Physics in Medicine and Biology, 2010, 55, 5417-5435. | 3.0 | 34 |
| 65 | Conformal microwave array (CMA) applicators for hyperthermia of diffuse chest wall recurrence. International Journal of Hyperthermia, 2010, 26, 686-698. | 2.5 | 45 |
| 66 | Hyperthermia. , 2010, , 1564-1593. | | 7 |
| 67 | Hyperthermia MRI temperature measurement: Evaluation of measurement stabilisation strategies for extremity and breast tumours. International Journal of Hyperthermia, 2009, 25, 422-433. | 2.5 | 47 |
| 68 | Real-time MRI-guided hyperthermia treatment using a fast adaptive algorithm. Physics in Medicine and Biology, 2009, 54, 2131-2145. | 3.0 | 55 |
| 69 | The performance of a reduced-order adaptive controller when used in multi-antenna hyperthermia treatments with nonlinear temperature-dependent perfusion. Physics in Medicine and Biology, 2009, 54, 1979-1995. | 3.0 | 21 |
| 70 | Shaping and resizing of multifed slot radiators used in conformal microwave antenna arrays for hyperthermia treatment of large superficial diseases., 2009,,. | | 7 |
| 71 | Control time reduction using virtual source projection for treating a leg sarcoma with nonlinear perfusion. Proceedings of SPIE, 2009, 7181, . | 0.8 | 3 |
| 72 | Size reduction and radiation pattern shaping of multi-fed DCC slot antennas used in conformal microwave array hyperthermia applicators. , 2009, 7181, . | | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Clinical utility of magnetic resonance thermal imaging (MRTI) for realtime guidance of deep hyperthermia. Proceedings of SPIE, 2009, 7181, . | 0.8 | 17 |
| 74 | Progress on thermobrachytherapy surface applicator for superficial tissue disease. Proceedings of SPIE, 2009, 7181, . | 0.8 | 5 |
| 75 | Dosimetric characterization of the thermobrachytherapy surface applicator. Brachytherapy, 2009, 8, 157-158. | 0.5 | 2 |
| 76 | Flow patterns and heat convection in a rectangular water bolus for use in superficial hyperthermia. Physics in Medicine and Biology, 2009, 54, 3937-3953. | 3.0 | 21 |
| 77 | Design of a water coupling bolus with improved flow distribution for multi-element superficial hyperthermia applicators. International Journal of Hyperthermia, 2009, 25, 554-565. | 2.5 | 15 |
| 78 | Accuracy of real time noninvasive temperature measurements using magnetic resonance thermal imaging in patients treated for high grade extremity soft tissue sarcomas. Medical Physics, 2009, 36, 4848-4858. | 3.0 | 59 |
| 79 | WE-C-BRC-02: Combined Dynamic Contrast Enhanced Magnetic Resonance Imaging (DCE-MRI) and Magnetic Resonance Thermal Imaging (MRTI) for Optimal Hyperthermia Treatment of Advanced Extremity Sarcomas: Fifteen Patients Update. Medical Physics, 2009, 36, 2760-2760. | 3.0 | 0 |
| 80 | A Phase I/II Study of Neoadjuvant Liposomal Doxorubicin, Paclitaxel and Hyperthermia in Locally Advanced Breast Cancer. International Journal of Radiation Oncology Biology Physics, 2008, 72, S183-S184. | 0.8 | 1 |
| 81 | A Thermal Monitoring Sheet With Low Influence From Adjacent Waterbolus for Tissue Surface Thermometry During Clinical Hyperthermia. IEEE Transactions on Biomedical Engineering, 2008, 55, 2397-2406. | 4.2 | 14 |
| 82 | Fast temperature optimization of multi-source hyperthermia applicators with reduced-order modeling of â€~virtual sources'. Physics in Medicine and Biology, 2008, 53, 1619-1635. | 3.0 | 42 |
| 83 | Performance evaluation of a conformal thermal monitoring sheet sensor array for measurement of surface temperature distributions during superficial hyperthermia treatments. International Journal of Hyperthermia, 2008, 24, 313-325. | 2.5 | 22 |
| 84 | Characterization of a digital microwave radiometry system for noninvasive thermometry using a temperature-controlled homogeneous test load. Physics in Medicine and Biology, 2008, 53, 3883-3901. | 3.0 | 30 |
| 85 | SU-GG-T-367: Fast Hyperthermia Temperature Optimization for Pelvic Carcinoma Patient Treated in Sigma-Eye Applicator. Medical Physics, 2008, 35, 2809-2810. | 3.0 | 0 |
| 86 | SU-GG-T-366: Hyperthermia Treatment for a Patient with Two Shank Sarcomas Treated by a Fast Pre-Treatment Optimization Method. Medical Physics, 2008, 35, 2809-2809. | 3.0 | 0 |
| 87 | SUâ€GGâ€Jâ€164: Realâ€Time Magnetic Resonance Imaging (MRI) Guidance and Thermal Modeling to Focus Hyperthermia Delivery. Medical Physics, 2008, 35, 2717-2717. | 3.0 | 0 |
| 88 | Towards the Validation of a Commercial Hyperthermia Treatment Planning System. Microwave Journal, 2008, 51, 28-42. | 2.0 | 9 |
| 89 | Online feedback focusing algorithm for hyperthermia cancer treatment. International Journal of Hyperthermia, 2007, 23, 539-554. | 2.5 | 33 |
| 90 | Can we settle with single-band radiometric temperature monitoring during hyperthermia treatment of chestwall recurrence of breast cancer using a dual-mode transceiving applicator?. Physics in Medicine and Biology, 2007, 52, 911-928. | 3.0 | 34 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Progress on conformal microwave array applicators for heating chestwall disease., 2007,,. | | 5 |
| 92 | A 400 MHz Hyperthermia System using Rotating Spiral Antennas for Uniform Treatment of Large Superficial and Sub-Surface Tumors. IEEE MTT-S International Microwave Symposium Digest IEEE MTT-S International Microwave Symposium, 2007, , . | 0.0 | 2 |
| 93 | International Phase III Trial of Chemoradiotherapy ± Hyperthermia for Locally Advanced Cervix Cancer: Interim Update on Toxicities. International Journal of Radiation Oncology Biology Physics, 2007, 69, S392-S393. | 0.8 | 2 |
| 94 | Automatic Temperature Controller for Multielement Array Hyperthermia Systems. IEEE Transactions on Biomedical Engineering, 2006, 53, 1006-1015. | 4.2 | 15 |
| 95 | Evaluation of a dual-arm Archimedean spiral array for microwave hyperthermia. International Journal of Hyperthermia, 2006, 22, 475-490. | 2.5 | 40 |
| 96 | Multilayer conformal applicator for microwave heating and brachytherapy treatment of superficial tissue disease. International Journal of Hyperthermia, 2006, 22, 527-544. | 2.5 | 33 |
| 97 | Progress on system for applying simultaneous heat and brachytherapy to large-area surface disease (Invited Paper)., 2005,,. | | 7 |
| 98 | Electromagnetic optimization of dual-mode antennas for radiometry-controlled heating of superficial tissue. , 2005, , . | | 4 |
| 99 | Characteristics of Microstrip Muscle-Loaded Single-Arm Archimedean Spiral Antennas as Investigated by FDTD Numerical Computations. IEEE Transactions on Biomedical Engineering, 2005, 52, 321-330. | 4.2 | 38 |
| 100 | Advances in microwave hyperthermia of large superficial tumors. , 2005, , . | | 7 |
| 101 | Evolving technology for thermal therapy of cancer. International Journal of Hyperthermia, 2005, 21, 731-744. | 2.5 | 166 |
| 102 | Construction of a Conformal Water Bolus Vest Applicator for Hyperthermia Treatment of Superficial Skin Cancer., 2004, 2004, 3467-70. | | 9 |
| 103 | Radiation Dosimetry of a Conformal Heat-brachytherapy Applicator. Technology in Cancer Research and Treatment, 2004, 3, 347-358. | 1.9 | 18 |
| 104 | Optimization of a dual concentric conductor antenna for superficial hyperthermia applications., 2004, 2004, 2518-21. | | 13 |
| 105 | Introduction: Thermal ablation therapy. International Journal of Hyperthermia, 2004, 20, 671-677. | 2.5 | 98 |
| 106 | Pre-clinical investigation of the efficacy of an artificial tear solution containing hydroxypropyl-guar as a gelling agent. Current Eye Research, 2004, 28, 437-444. | 1.5 | 74 |
| 107 | Combination applicator for simultaneous heat and radiation. , 2004, 2004, 2514-7. | | 6 |
| 108 | Design of spiral antennas for radiometric temperature measurement., 2004, 2004, 2522-5. | | 6 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Nonparametric 1-D temperature restoration in lossy media using Tikhonov regularization on sparse radiometry data. IEEE Transactions on Biomedical Engineering, 2003, 50, 178-188. | 4.2 | 20 |
| 110 | Phantom and animal tissues for modelling the electrical properties of human liver. International Journal of Hyperthermia, 2003, 19, 89-101. | 2.5 | 153 |
| 111 | Non-invasive temperature profile estimation in a lossy medium based on multi-band radiometric signals sensed by a microwave dual-purpose body-contacting antenna. International Journal of Hyperthermia, 2002, 18, 86-103. | 2.5 | 24 |
| 112 | SAR pattern perturbations from resonance effects in water bolus layers used with superficial microwave hyperthermia applicators. International Journal of Hyperthermia, 2002, 18, 180-193. | 2.5 | 38 |
| 113 | Multifrequency radiometric determination of temperature profiles in a lossy homogeneous phantom using a dual-mode antenna with integral water bolus. IEEE Transactions on Microwave Theory and Techniques, 2002, 50, 1737-1746. | 4.6 | 49 |
| 114 | Performance Evaluation of Various Antenna Configurations for Microwave Thermography During Superficial Hyperthermia. Journal of Electromagnetic Waves and Applications, 2001, 15, 111-134. | 1.6 | 13 |
| 115 | Microwave array applicator for radiometry-controlled superficial hyperthermia., 2001, 4247, 19. | | 12 |
| 116 | Theoretical characterization of dual concentric conductor microwave applicators for hyperthermia at 433 MHz. International Journal of Hyperthermia, 2001, 17, 258-70. | 2.5 | 5 |
| 117 | Thermal therapy techniques for skin and superficial tissue disease. Proceedings of SPIE, 2000, 10297, 321. | 0.8 | 15 |
| 118 | Dual-mode antenna design for microwave heating and noninvasive thermometry of superficial tissue disease. IEEE Transactions on Biomedical Engineering, 2000, 47, 1500-1509. | 4.2 | 70 |
| 119 | Combination of transurethral and interstitial ultrasound applicators for high-temperature prostate thermal therapy. International Journal of Hyperthermia, 2000, 16, 385-403. | 2.5 | 47 |
| 120 | Thermal and SAR characterization of multielement dual concentric conductor microwave applicators for hyperthermia, a theoretical investigation. Medical Physics, 2000, 27, 745-753. | 3.0 | 37 |
| 121 | Directional power deposition from direct-coupled and catheter-cooled interstitial ultrasound applicators. International Journal of Hyperthermia, 2000, 16, 129-144. | 2.5 | 44 |
| 122 | Transceiving antenna for homogeneous heating and radiometric thermometry during hyperthermia. Electronics Letters, 2000, 36, 496. | 1.0 | 5 |
| 123 | <title>Dual-mode antenna array for microwave heating and noninvasive thermometry of superficial tissue disease</title> ., 1999,,. | | 7 |
| 124 | Improved Spatial Resolution in Thermography Obtained By a Two-Layered Structure of Microstrip Spirals. Journal of Electromagnetic Waves and Applications, 1999, 13, 307-323. | 1.6 | 10 |
| 125 | Effect of complex bolus-tissue load configurations on SAR distributions from dual concentric conductor applicators. IEEE Transactions on Biomedical Engineering, 1999, 46, 1310-1319. | 4.2 | 37 |
| 126 | Ultrasound applicators for interstitial thermal coagulation. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 1999, 46, 1218-1228. | 3.0 | 53 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | Radiation patterns of dual concentric conductor microstrip antennas for superficial hyperthermia. IEEE Transactions on Biomedical Engineering, 1998, 45, 605-613. | 4.2 | 73 |
| 128 | Survival benefit of hyperthermia in a prospective randomized trial of brachytherapy boost ± hyperthermia for glioblastoma multiforme. International Journal of Radiation Oncology Biology Physics, 1998, 40, 287-295. | 0.8 | 357 |
| 129 | Characterization of a Tranceiving Antenna Concept for Microwave Heating and Thermometry of Superficial Tumors - Abstract. Journal of Electromagnetic Waves and Applications, 1998, 12, 351-352. | 1.6 | 6 |
| 130 | Effect of practical layered dielectric loads on SAR patterns from dual concentric conductor microstrip antennas. International Journal of Hyperthermia, 1998, 14, 553-571. | 2.5 | 25 |
| 131 | <title>Prostate thermal therapy with interstitial and transurethral ultrasound applicators: a feasibility study</title> ., 1998,,. | | 4 |
| 132 | <title>Implantable microwave antennas for thermal therapy</title> ., 1998, 3249, 38. | | 3 |
| 133 | <title>Directional interstitial ultrasound applicators for thermal coagulation of tissue</title> ., 1998,,. | | 4 |
| 134 | Direct-coupled interstitial ultrasound applicators for simultaneous thermobrachytherapy: a feasibility study. International Journal of Hyperthermia, 1996, 12, 401-419. | 2.5 | 48 |
| 135 | Clinical Practice of Interstitial Thermoradiotherapy. Medical Radiology, 1996, , 207-262. | 0.1 | 7 |
| 136 | Interstitial Heating Technologies. Medical Radiology, 1995, , 279-320. | 0.1 | 30 |
| 137 | Practical induction heating coil designs for clinical hyperthermia with ferromagnetic implants. IEEE Transactions on Biomedical Engineering, 1994, 41, 17-28. | 4.2 | 57 |
| 138 | An improved bolus configuration for commercial multielement ultrasound and microwave hyperthermia systems. Medical Physics, 1994, 21, 1401-1403. | 3.0 | 12 |
| 139 | Interstitial ultrasound applicators for simultaneous thermoradiotherapy., 1994,,. | | 1 |
| 140 | 31P magnetic resonance spectroscopy after combined hyperthermia and radiation. Current Eye Research, 1994, 13, 151-156. | 1.5 | 5 |
| 141 | Interstitial thermoradiotherapy with ferromagnetic implants for locally advanced and recurrent neoplasms. International Journal of Radiation Oncology Biology Physics, 1993, 27, 109-115. | 0.8 | 26 |
| 142 | Pre-clinical evaluation of a microwave planar array applicator for superficial hyperthermia. International Journal of Hyperthermia, 1993, 9, 227-246. | 2.5 | 45 |
| 143 | Heating patterns of the Helios ultrasound hyperthermia system. International Journal of Hyperthermia, 1993, 9, 675-684. | 2.5 | 8 |
| 144 | Sonophoresis. I. The use of high-frequency ultrasound to enhance transdermal drug delivery. Pharmaceutical Research, 1992, 09, 559-564. | 3.5 | 120 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Thermoradiotherapy of recurrent malignant brain tumors. International Journal of Radiation Oncology Biology Physics, 1992, 23, 853-861. | 0.8 | 80 |
| 146 | Evaluation of microwave and radio frequency catheter ablation in a myocardium-equivalent phantom model. IEEE Transactions on Biomedical Engineering, 1992, 39, 1086-1095. | 4.2 | 87 |
| 147 | Interstitial Irradiation and Hyperthermia for the Treatment of Recurrent Malignant Brain Tumors. Neurosurgery, 1991, 28, 206-215. | 1.1 | 66 |
| 148 | Characteristics of improved microwave interstitial antennas for local hyperthermia. International Journal of Radiation Oncology Biology Physics, 1991, 20, 531-539. | 0.8 | 17 |
| 149 | RTOG quality assurance guidelines for clinical trials using hyperthermia for deep-seated malignancy. International Journal of Radiation Oncology Biology Physics, 1991, 20, 1109-1115. | 0.8 | 46 |
| 150 | RTOG quality assurance guidelines for interstitial hyperthermia. International Journal of Radiation Oncology Biology Physics, 1991, 20, 1117-1124. | 0.8 | 58 |
| 151 | Treatment planning for ferromagnetic seed heating. International Journal of Radiation Oncology Biology Physics, 1991, 21, 431-439. | 0.8 | 22 |
| 152 | Catheter Ablation of the Atrioventricular Junction Using a Helical Microwave Antenna: A Novel Means of Coupling Energy to the Endocardium. PACE - Pacing and Clinical Electrophysiology, 1991, 14, 2105-2113. | 1.2 | 68 |
| 153 | RTOG quality assurance guidelines for clinical trials using hyperthermia administered by ultrasound. International Journal of Radiation Oncology Biology Physics, 1991, 20, 1099-1107. | 0.8 | 37 |
| 154 | Normal brain response after interstitial microwave hyperthermia. International Journal of Hyperthermia, 1991, 7, 795-808. | 2.5 | 27 |
| 155 | RTOG quality assurance guidelines for clinical trials using hyperthermia. International Journal of Radiation Oncology Biology Physics, 1990, 18, 1249-1259. | 0.8 | 127 |
| 156 | Experimental assessment of phased-array heating of neck tumours. International Journal of Hyperthermia, 1990, 6, 453-474. | 2.5 | 22 |
| 157 | 31P magnetic resonance spectroscopy of animal uveal melanoma. Investigative Ophthalmology and Visual Science, 1990, 31, 1745-53. | 3.3 | 2 |
| 158 | Microwave hyperthermia for choroidal melanoma in rabbits. Investigative Ophthalmology and Visual Science, 1990, 31, 1754-60. | 3.3 | 16 |
| 159 | Comparative thermal dosimetry of interstitial microwave and radiofrequency-LCF hyperthermia. International Journal of Hyperthermia, 1989, 5, 307-318. | 2.5 | 32 |
| 160 | Thermal distribution studies of helical coil microwave antennas for interstitial hyperthermia. International Journal of Radiation Oncology Biology Physics, 1988, 15, 1209-1218. | 0.8 | 42 |
| 161 | Temperature gradients at two locations within the tooth during cavity preparation in vitro. Journal of Prosthetic Dentistry, 1988, 60, 684-688. | 2.8 | 6 |
| 162 | Temperature changes measured in vivo at the dentinoenamel junction and pulpodentin junction during cavity preparation in the Macaca fascicularis monkey. Journal of Endodontics, 1988, 14, 336-339. | 3.1 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Thermal dosimetry studies of the Helios ultrasound hyperthermia system., 1988,,. | | 0 |
| 164 | Temperature controlled microwave ring radiator for hyperthermia therapy. , 1988, , . | | 2 |
| 165 | Interstitial Helical Coil Microwave Antenna for Experimental Brain Hyperthermia. Neurosurgery, 1988, 23, 564-569. | 1.1 | 15 |
| 166 | Implantable helical coil microwave antenna for interstitial hyperthermia. International Journal of Hyperthermia, 1988, 4, 497-512. | 2.5 | 54 |
| 167 | CT body stereotaxic system for placement of needle arrays. International Journal of Radiation Oncology Biology Physics, 1987, 13, 121-128. | 0.8 | 4 |
| 168 | Interstitial microwave hyperthermia in a canine brain model. International Journal of Radiation Oncology Biology Physics, 1986, 12, 1887-1897. | 0.8 | 46 |
| 169 | Magnetic Induction Heating of Ferromagnetic Implants for Inducing Localized Hyperthermia in Deep-Seated Tumors. IEEE Transactions on Biomedical Engineering, 1984, BME-31, 235-251. | 4.2 | 175 |
| 170 | Observations on the Use of Ferromagnetic Implants for Inducing Hyperthermia. IEEE Transactions on Biomedical Engineering, 1984, BME-31, 76-90. | 4.2 | 142 |
| 171 | Possible hazards of patient anaesthesia during hyperthermia therapy. International Journal of Radiation Oncology Biology Physics, 1982, 8, 1077. | 0.8 | 2 |
| 172 | A Comparison of Skin Pressures Produced by Three Different Brands of Stretchable Tape. Hospital Topics, 1980, 58, 46-51. | 0.5 | 0 |
| 173 | An assessment of the deep heating capabilities of a rotating multi-transducer ultrasound hyperthermia system. , 0, , . | | 0 |
| 174 | Conformal array microwave applicator for superficial hyperthermia of large contoured surfaces. , 0, | | 10 |
| 175 | Dual concentric conductor arrays for microwave hyperthermia: theoretical study of design parameters. , 0, , . | | 3 |
| 176 | Progress toward radiometry controlled conformal microwave array hyperthermia applicator. , 0, , . | | 9 |