

Ricardo Boavida Ferreira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4802595/ricardo-boavida-ferreira-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

2,670
citations

29
h-index

48
g-index

104
ext. papers

3,087
ext. citations

5.2
avg, IF

4.9
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 99 | Lupin Protein Concentrate as a Novel Functional Food Additive That Can Reduce Colitis-Induced Inflammation and Oxidative Stress. <i>Nutrients</i> , 2022 , 14, 2102 | 6.7 | 0 |
| 98 | DCMC as a Promising Alternative to Bentonite in White Wine Stabilization. Impact on Protein Stability and Wine Aromatic Fraction. <i>Molecules</i> , 2021 , 26, | 4.8 | 2 |
| 97 | Combination of Trans-Resveratrol and Viniferin Induces a Hepatoprotective Effect in Rats with Severe Acute Liver Failure via Reduction of Oxidative Stress and MMP-9 Expression. <i>Nutrients</i> , 2021 , 13, | 6.7 | 1 |
| 96 | Extended Cheese Whey Fermentation Produces a Novel Casein-Derived Antibacterial Polypeptide That Also Inhibits Gelatinases MMP-2 and MMP-9. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 1 |
| 95 | Maximizing Blad-containing oligomer fungicidal activity in sweet cultivars of <i>Lupinus albus</i> seeds. <i>Industrial Crops and Products</i> , 2021 , 162, 113242 | 5.9 | 1 |
| 94 | An Up-Scalable and Cost-Effective Methodology for Isolating a Polypeptide Matrix Metalloproteinase-9 Inhibitor from Seeds. <i>Foods</i> , 2021 , 10, | 4.9 | 1 |
| 93 | Microbial Blends: Terminology Overview and Introduction of the Neologism "Skopobiota". <i>Frontiers in Microbiology</i> , 2021 , 12, 659592 | 5.7 | 2 |
| 92 | Technological Potential of a Lupin Protein Concentrate as a Nutraceutical Delivery System in Baked Cookies. <i>Foods</i> , 2021 , 10, | 4.9 | 4 |
| 91 | The Interaction between and Mycotoxigenic in Maize Flour. <i>Insects</i> , 2021 , 12, | 2.8 | 1 |
| 90 | White Rot Fungi () and Esca of Grapevine: Insights from Recent Microbiome Studies. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7, | 5.6 | 8 |
| 89 | A proposed lectin-mediated mechanism to explain the in Vivo antihyperglycemic activity of Econgulin from seeds. <i>Food Science and Nutrition</i> , 2021 , 9, 5980-5996 | 3.2 | 1 |
| 88 | Protein Components Inhibit MMP-2 and MMP-9 Gelatinolytic Activity In Vitro and In Vivo.. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 2 |
| 87 | Synthesis and characterization of dicarboxymethyl cellulose. <i>Cellulose</i> , 2020 , 27, 1965-1974 | 5.5 | 8 |
| 86 | Glycemic Response and Bioactive Properties of Gluten-Free Bread with Yoghurt or Curd-Cheese Addition. <i>Foods</i> , 2020 , 9, | 4.9 | 3 |
| 85 | Lupin Seed Protein Extract Can Efficiently Enrich the Physical Properties of Cookies Prepared with Alternative Flours. <i>Foods</i> , 2020 , 9, | 4.9 | 8 |
| 84 | Differential inhibition of gelatinase activity in human colon adenocarcinoma cells by Aloe vera and Aloe arborescens extracts. <i>BMC Complementary Medicine and Therapies</i> , 2020 , 20, 379 | 2.9 | 4 |
| 83 | Reduction of inflammation and colon injury by a Pennyroyal phenolic extract in experimental inflammatory bowel disease in mice. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 118, 109351 | 7.5 | 4 |

| | | | |
|----|---|-----|----|
| 82 | Reduction of Inflammation and Colon Injury by a Spearmint Phenolic Extract in Experimental Bowel Disease in Mice. <i>Medicines (Basel, Switzerland)</i> , 2019 , 6, | 4.1 | 7 |
| 81 | <i>Epicoccum layuense</i> a potential biological control agent of esca-associated fungi in grapevine. <i>PLoS ONE</i> , 2019 , 14, e0213273 | 3.7 | 22 |
| 80 | Characterization of the Wood Mycobiome of in a Vineyard Affected by Esca. Spatial Distribution of Fungal Communities and Their Putative Relation With Leaf Symptoms. <i>Frontiers in Plant Science</i> , 2019 , 10, 910 | 6.2 | 32 |
| 79 | New Lectins from Mediterranean Flora. Activity against HT29 Colon Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 8 |
| 78 | Fungicides and the Grapevine Wood Mycobiome: A Case Study on Tracheomycotic Ascomycete Reveals Potential for Two Novel Control Strategies. <i>Frontiers in Plant Science</i> , 2019 , 10, 1405 | 6.2 | 12 |
| 77 | Sulfur dioxide induced aggregation of wine thaumatin-like proteins: Role of disulfide bonds. <i>Food Chemistry</i> , 2018 , 259, 166-174 | 8.5 | 16 |
| 76 | Blad-containing oligomer: a novel fungicide used in crop protection as an alternative treatment for tinea pedis and tinea versicolor. <i>Journal of Medical Microbiology</i> , 2018 , 67, 198-207 | 3.2 | 5 |
| 75 | Fusion proteins towards fungi and bacteria in plant protection. <i>Microbiology (United Kingdom)</i> , 2018 , 164, 11-19 | 2.9 | 4 |
| 74 | Dyospiros kaki phenolics inhibit colitis and colon cancer cell proliferation, but not gelatinase activities. <i>Journal of Nutritional Biochemistry</i> , 2017 , 46, 100-108 | 6.3 | 23 |
| 73 | (Poly)phenol metabolites from <i>Arbutus unedo</i> leaves protect yeast from oxidative injury by activation of antioxidant and protein clearance pathways. <i>Journal of Functional Foods</i> , 2017 , 32, 333-346 ^{5.1} | 5.1 | 11 |
| 72 | Bioaccessible (poly)phenol metabolites from raspberry protect neural cells from oxidative stress and attenuate microglia activation. <i>Food Chemistry</i> , 2017 , 215, 274-83 | 8.5 | 40 |
| 71 | Is caffeic acid, as the major metabolite present in Moscatel wine protein haze hydrolysate, involved in protein haze formation?. <i>Food Research International</i> , 2017 , 98, 103-109 | 7 | 5 |
| 70 | Proteins in Soy Might Have a Higher Role in Cancer Prevention than Previously Expected: Soybean Protein Fractions Are More Effective MMP-9 Inhibitors Than Non-Protein Fractions, Even in Cooked Seeds. <i>Nutrients</i> , 2017 , 9, | 6.7 | 18 |
| 69 | Bridging the Gap to Non-toxic Fungal Control: Lupinus-Derived Blad-Containing Oligomer as a Novel Candidate to Combat Human Pathogenic Fungi. <i>Frontiers in Microbiology</i> , 2017 , 8, 1182 | 5.7 | 4 |
| 68 | The challenging SO ₂ -mediated chemical build-up of protein aggregates in wines. <i>Food Chemistry</i> , 2016 , 192, 460-9 | 8.5 | 15 |
| 67 | Blad-Containing Oligomer Fungicidal Activity on Human Pathogenic Yeasts. From the Outside to the Inside of the Target Cell. <i>Frontiers in Microbiology</i> , 2016 , 7, 1803 | 5.7 | 7 |
| 66 | Chemical characterization and bioactivity of phytochemicals from Iberian endemic <i>Santolina semidentata</i> and strategies for ex situ propagation. <i>Industrial Crops and Products</i> , 2015 , 74, 505-513 | 5.9 | 12 |
| 65 | A nontoxic polypeptide oligomer with a fungicide potency under agricultural conditions which is equal or greater than that of their chemical counterparts. <i>PLoS ONE</i> , 2015 , 10, e0122095 | 3.7 | 20 |

| | | | |
|----|---|-----|----|
| 64 | Differences in the Expression of Cold Stress-Related Genes and in the Swarming Motility Among Persistent and Sporadic Strains of <i>Listeria monocytogenes</i> . <i>Foodborne Pathogens and Disease</i> , 2015 , 12, 576-84 | 3.8 | 21 |
| 63 | Phenolic sulfates as new and highly abundant metabolites in human plasma after ingestion of a mixed berry fruit purée. <i>British Journal of Nutrition</i> , 2015 , 113, 454-63 | 3.6 | 89 |
| 62 | (Poly)phenols protect from ßsynuclein toxicity by reducing oxidative stress and promoting autophagy. <i>Human Molecular Genetics</i> , 2015 , 24, 1717-32 | 5.6 | 54 |
| 61 | Yap1 mediates tolerance to cobalt toxicity in the yeast <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 1977-86 | 4 | 21 |
| 60 | Is the exoproteome important for bacterial pathogenesis? Lessons learned from interstrain exoprotein diversity in <i>Listeria monocytogenes</i> grown at different temperatures. <i>OMICS A Journal of Integrative Biology</i> , 2014 , 18, 553-69 | 3.8 | 6 |
| 59 | Reference gene validation for quantitative RT-PCR during biotic and abiotic stresses in <i>Vitis vinifera</i> . <i>PLoS ONE</i> , 2014 , 9, e111399 | 3.7 | 28 |
| 58 | Bisphenol A disrupts transcription and decreases viability in aging vascular endothelial cells. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 15791-805 | 6.3 | 11 |
| 57 | Urinary metabolite profiling identifies novel colonic metabolites and conjugates of phenolics in healthy volunteers. <i>Molecular Nutrition and Food Research</i> , 2014 , 58, 1414-25 | 5.9 | 63 |
| 56 | Are vicilins another major class of legume lectins?. <i>Molecules</i> , 2014 , 19, 20350-73 | 4.8 | 11 |
| 55 | Elucidating phytochemical production in <i>Juniperus</i> sp.: seasonality and response to stress situations. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4044-52 | 5.7 | 6 |
| 54 | Daily polyphenol intake from fresh fruits in Portugal: contribution from berry fruits. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 1022-9 | 3.7 | 9 |
| 53 | EN-Acetylhexosaminidase involvement in ßconglutin mobilization in <i>Lupinus albus</i> . <i>Journal of Plant Physiology</i> , 2013 , 170, 1047-56 | 3.6 | 4 |
| 52 | Transcriptomic changes following the compatible interaction <i>Vitis vinifera</i> - <i>Erysiphe necator</i> . Paving the way towards an enantioselective role in plant defence modulation. <i>Plant Physiology and Biochemistry</i> , 2013 , 68, 71-80 | 5.4 | 23 |
| 51 | Analysis of phenolic compounds in Portuguese wild and commercial berries after multienzyme hydrolysis. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4053-62 | 5.7 | 47 |
| 50 | <i>Vitis vinifera</i> secondary metabolism as affected by sulfate depletion: diagnosis through phenylpropanoid pathway genes and metabolites. <i>Plant Physiology and Biochemistry</i> , 2013 , 66, 118-26 | 5.4 | 26 |
| 49 | Neuroprotective effects of digested polyphenols from wild blackberry species. <i>European Journal of Nutrition</i> , 2013 , 52, 225-36 | 5.2 | 53 |
| 48 | Comparative analysis of the exoproteomes of <i>Listeria monocytogenes</i> strains grown at low temperatures. <i>Foodborne Pathogens and Disease</i> , 2013 , 10, 428-34 | 3.8 | 8 |
| 47 | Valuing the Endangered Species <i>Antirrhinum lopesianum</i> : Neuroprotective Activities and Strategies for in vitro Plant Propagation. <i>Antioxidants</i> , 2013 , 2, 273-92 | 7.1 | 7 |

| | | | |
|----|---|-----|-----|
| 46 | Assessment of Potential Effects of Common Fining Agents Used for White Wine Protein Stabilization. <i>American Journal of Enology and Viticulture</i> , 2012 , 63, 574-578 | 2.2 | 29 |
| 45 | Bioactive compounds from endemic plants of Southwest Portugal: inhibition of acetylcholinesterase and radical scavenging activities. <i>Pharmaceutical Biology</i> , 2012 , 50, 239-46 | 3.8 | 11 |
| 44 | The neuroprotective potential of phenolic-enriched fractions from four Juniperus species found in Portugal. <i>Food Chemistry</i> , 2012 , 135, 562-70 | 8.5 | 25 |
| 43 | Missing pieces in protein deposition and mobilization inside legume seed storage vacuoles: calcium and magnesium ions. <i>Seed Science Research</i> , 2012 , 22, 249-258 | 1.3 | 3 |
| 42 | Multiple lectin detection by cell membrane affinity binding. <i>Carbohydrate Research</i> , 2012 , 352, 206-10 | 2.9 | 4 |
| 41 | Neuroprotective effect of blackberry (<i>Rubus</i> sp.) polyphenols is potentiated after simulated gastrointestinal digestion. <i>Food Chemistry</i> , 2012 , 131, 1443-1452 | 8.5 | 88 |
| 40 | Regulatory role for a conserved motif adjacent to the homeodomain of Hox10 proteins. <i>Development (Cambridge)</i> , 2012 , 139, 2703-10 | 6.6 | 9 |
| 39 | Comparison of different methods for DNA-free RNA isolation from SK-N-MC neuroblastoma. <i>BMC Research Notes</i> , 2011 , 4, 3 | 2.3 | 39 |
| 38 | Antioxidant capacity of Macaronesian traditional medicinal plants. <i>Molecules</i> , 2010 , 15, 2576-92 | 4.8 | 37 |
| 37 | A secretome-based methodology may provide a better characterization of the virulence of <i>Listeria monocytogenes</i> : preliminary results. <i>Talanta</i> , 2010 , 83, 457-63 | 6.2 | 17 |
| 36 | Antioxidant properties and neuroprotective capacity of strawberry tree fruit (<i>Arbutus unedo</i>). <i>Nutrients</i> , 2010 , 2, 214-29 | 6.7 | 72 |
| 35 | Protein haze formation in wines revisited. The stabilising effect of organic acids. <i>Food Chemistry</i> , 2010 , 122, 1067-1075 | 8.5 | 38 |
| 34 | The unique biosynthetic route from lupinus beta-conglutin gene to blad. <i>PLoS ONE</i> , 2010 , 5, e8542 | 3.7 | 18 |
| 33 | The complexity of protein haze formation in wines. <i>Food Chemistry</i> , 2009 , 112, 169-177 | 8.5 | 49 |
| 32 | Contribution of Yap1 towards <i>Saccharomyces cerevisiae</i> adaptation to arsenic-mediated oxidative stress. <i>Biochemical Journal</i> , 2008 , 414, 301-11 | 3.8 | 36 |
| 31 | Vicilin-type globulins follow distinct patterns of degradation in different species of germinating legume seeds. <i>Food Chemistry</i> , 2007 , 102, 323-329 | 8.5 | 11 |
| 30 | The diversity of pathogenesis-related proteins decreases during grape maturation. <i>Phytochemistry</i> , 2007 , 68, 416-25 | 4 | 31 |
| 29 | The role of plant defence proteins in fungal pathogenesis. <i>Molecular Plant Pathology</i> , 2007 , 8, 677-700 | 5.7 | 182 |

| | | | |
|----|---|------|-----|
| 28 | Exposure of <i>Lemna minor</i> to arsenite: expression levels of the components and intermediates of the ubiquitin/proteasome pathway. <i>Plant and Cell Physiology</i> , 2006 , 47, 1262-73 | 4.9 | 19 |
| 27 | Fungal Pathogens: The Battle for Plant Infection. <i>Critical Reviews in Plant Sciences</i> , 2006 , 25, 505-524 | 5.6 | 55 |
| 26 | Genome-wide analysis of transcript abundance and translation in <i>Arabidopsis</i> seedlings subjected to oxygen deprivation. <i>Annals of Botany</i> , 2005 , 96, 647-60 | 4.1 | 238 |
| 25 | Genome-wide Analysis of Transcript Abundance and Translation in <i>Arabidopsis</i> Seedlings Subjected to Oxygen Deprivation. <i>Annals of Botany</i> , 2005 , 96, 1142-1142 | 4.1 | 3 |
| 24 | Engineering grapevine for increased resistance to fungal pathogens without compromising wine stability. <i>Trends in Biotechnology</i> , 2004 , 22, 168-73 | 15.1 | 65 |
| 23 | Characterization of globulins from common vetch (<i>Vicia sativa</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 4913-20 | 5.7 | 24 |
| 22 | Characterization of the proteins from <i>Vigna unguiculata</i> seeds. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 1682-7 | 5.7 | 35 |
| 21 | Immunodetection of legume proteins resistant to small intestinal digestion in weaned piglets. <i>Journal of the Science of Food and Agriculture</i> , 2003 , 83, 1571-1580 | 4.3 | 18 |
| 20 | Environmental conditions during vegetative growth determine the major proteins that accumulate in mature grapes. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 4046-53 | 5.7 | 39 |
| 19 | Self-aggregation of legume seed storage proteins inside the protein storage vacuoles is electrostatic in nature, rather than lectin-mediated. <i>FEBS Letters</i> , 2003 , 534, 106-10 | 3.8 | 15 |
| 18 | Osmotin and thaumatin from grape: a putative general defense mechanism against pathogenic fungi. <i>Phytopathology</i> , 2003 , 93, 1505-12 | 3.8 | 109 |
| 17 | Legume Proteins of the Vicilin Family are More Immunogenic Than Those of the Legumin Family in Weaned Piglets. <i>Food and Agricultural Immunology</i> , 2002 , 14, 51-63 | 2.9 | 15 |
| 16 | The catabolism of ribulose biphosphate carboxylase from higher plants. A hypothesis. <i>Plant Science</i> , 2001 , 161, 55-65 | 5.3 | 13 |
| 15 | The wine proteins. <i>Trends in Food Science and Technology</i> , 2001 , 12, 230-239 | 15.3 | 149 |
| 14 | Protein degradation in C3 and C4 plants subjected to nutrient starvation. Particular reference to ribulose biphosphate carboxylase/oxygenase and glycolate oxidase. <i>Plant Science</i> , 2000 , 153, 15-23 | 5.3 | 22 |
| 13 | Storage proteins from <i>Lathyrus sativus</i> seeds. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 5432-97 | 5.7 | 25 |
| 12 | Preparation of polyclonal antibodies specific for wine proteins. <i>Journal of the Science of Food and Agriculture</i> , 1999 , 79, 772-778 | 4.3 | 17 |
| 11 | Calcium- and magnesium-dependent aggregation of legume seed storage proteins. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 3009-15 | 5.7 | 23 |

| | | | |
|----|--|-----|----|
| 10 | Protein degradation in C3 and C4 plants with particular reference to ribulose bisphosphate carboxylase and glycolate oxidase. <i>Journal of Experimental Botany</i> , 1998 , 49, 807-816 | 7 | 30 |
| 9 | Utilization of an Improved Methodology To Isolate Lupinus albus Conglutins in the Study of Their Sedimentation Coefficients. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 3908-3913 | 5-7 | 25 |
| 8 | Seed Proteins of Lupinus mutabilis. <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 3821-3825 | 5-7 | 42 |
| 7 | Improved method for the extraction of proteins from Eucalyptus leaves. Application in leaf response to temperature 1997 , 8, 279-285 | | 5 |
| 6 | Immunological exercises for beginners. <i>Biochemical Education</i> , 1996 , 24, 176-178 | | 1 |
| 5 | The seed storage proteins from Lupinus albus. <i>Phytochemistry</i> , 1994 , 37, 641-648 | 4 | 63 |
| 4 | Conversion of ribulose-1,5-bisphosphate carboxylase to an acidic and catalytically inactive form by extracts of osmotically stressed Lemna minor fronds. <i>Planta</i> , 1989 , 179, 448-55 | 4-7 | 32 |
| 3 | Effect of osmotic stress on protein turnover in Lemna minor fronds. <i>Planta</i> , 1989 , 179, 456-65 | 4-7 | 38 |
| 2 | Protein Degradation in Lemna with Particular Reference to Ribulose Bisphosphate Carboxylase: II. The Effect of Nutrient Starvation. <i>Plant Physiology</i> , 1987 , 83, 878-83 | 6.6 | 15 |
| 1 | Protein degradation in Lemna with particular reference to ribulose bisphosphate carboxylase: I. The effect of light and dark. <i>Plant Physiology</i> , 1987 , 83, 869-77 | 6.6 | 34 |