

# Peter J Crack

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4803673/publications.pdf>

Version: 2024-02-01

84  
papers

6,597  
citations

66315

42  
h-index

64755

79  
g-index

85  
all docs

85  
docs citations

85  
times ranked

10280  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Complexity of the cGAS-STING Pathway in CNS Pathologies. <i>Frontiers in Neuroscience</i> , 2021, 15, 621501.	1.4	28
2	Biomaterial Strategies for Restorative Therapies in Parkinson's Disease. <i>ACS Chemical Neuroscience</i> , 2021, 12, 4224-4235.	1.7	7
3	The use of bioactive matrices in regenerative therapies for traumatic brain injury. <i>Acta Biomaterialia</i> , 2020, 102, 1-12.	4.1	17
4	An altered glial phenotype in the NL3R451C mouse model of autism. <i>Scientific Reports</i> , 2020, 10, 14492.	1.6	17
5	Abrogation of type-I interferon signalling alters the microglial response to A $\beta$ . <i>Scientific Reports</i> , 2020, 10, 3153.	1.6	21
6	STING-Mediated Autophagy Is Protective against H <sub>2</sub> O <sub>2</sub> -Induced Cell Death. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7059.	1.8	7
7	Genetic Modulators of Traumatic Brain Injury in Animal Models and the Impact of Sex-Dependent Effects. <i>Journal of Neurotrauma</i> , 2020, 37, 706-723.	1.7	5
8	Migration and Differentiation of Neural Stem Cells Diverted From the Subventricular Zone by an Injectable Self-Assembling $\beta$ -Peptide Hydrogel. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019, 7, 315.	2.0	31
9	Targeting high-mobility group box protein 1 (HMGB1) in pediatric traumatic brain injury: Chronic neuroinflammatory, behavioral, and epileptogenic consequences. <i>Experimental Neurology</i> , 2019, 320, 112979.	2.0	38
10	The influence of neuroinflammation in Autism Spectrum Disorder. <i>Brain, Behavior, and Immunity</i> , 2019, 79, 75-90.	2.0	214
11	Cover Image, Volume 527, Issue 5. <i>Journal of Comparative Neurology</i> , 2019, 527, C1.	0.9	0
12	The involvement of microglia in Alzheimer's disease: a new dog in the fight. <i>British Journal of Pharmacology</i> , 2019, 176, 3533-3543.	2.7	27
13	Metal chaperones: a novel therapeutic strategy for brain injury?. <i>Brain Injury</i> , 2019, 33, 305-312.	0.6	5
14	Age-dependent release of high-mobility group protein-1 and cellular neuroinflammation after traumatic brain injury in mice. <i>Journal of Comparative Neurology</i> , 2019, 527, 1102-1117.	0.9	37
15	Type-I interferon pathway in neuroinflammation and neurodegeneration: focus on Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2018, 125, 797-807.	1.4	66
16	STING-mediated type-I interferons contribute to the neuroinflammatory process and detrimental effects following traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2018, 15, 323.	3.1	95
17	High-throughput screening for small molecule inhibitors of the type-I interferon signaling pathway. <i>Acta Pharmaceutica Sinica B</i> , 2018, 8, 889-899.	5.7	7
18	Inflammation in epileptogenesis after traumatic brain injury. <i>Journal of Neuroinflammation</i> , 2017, 14, 10.	3.1	194

#	ARTICLE	IF	CITATIONS
19	Oxidation of Iron under Physiologically Relevant Conditions in Biological Fluids from Healthy and Alzheimer's Disease Subjects. <i>ACS Chemical Neuroscience</i> , 2017, 8, 731-736.	1.7	3
20	Type-I interferons mediate the neuroinflammatory response and neurotoxicity induced by rotenone. <i>Journal of Neurochemistry</i> , 2017, 141, 75-85.	2.1	21
21	Type-I interferon signalling through IFNAR1 plays a deleterious role in the outcome after stroke. <i>Neurochemistry International</i> , 2017, 108, 472-480.	1.9	22
22	COPD and stroke: are systemic inflammation and oxidative stress the missing links?. <i>Clinical Science</i> , 2016, 130, 1039-1050.	1.8	138
23	The contribution of neuroinflammation to amyloid toxicity in Alzheimer's disease. <i>Journal of Neurochemistry</i> , 2016, 136, 457-474.	2.1	331
24	Type-I interferons contribute to the neuroinflammatory response and disease progression of the MPTP mouse model of Parkinson's disease. <i>Glia</i> , 2016, 64, 1590-1604.	2.5	71
25	Deletion of the type-1 interferon receptor in APPSWE/PS1 <sup>E9</sup> mice preserves cognitive function and alters glial phenotype. <i>Acta Neuropathologica Communications</i> , 2016, 4, 72.	2.4	58
26	The contribution of astrocytes and microglia to traumatic brain injury. <i>British Journal of Pharmacology</i> , 2016, 173, 692-702.	2.7	447
27	Evidence for the recruitment of autophagic vesicles in human brain after stroke. <i>Neurochemistry International</i> , 2016, 96, 62-68.	1.9	16
28	Perturbation of the transcriptome: implications of the innate immune system in Alzheimer's disease. <i>Current Opinion in Pharmacology</i> , 2016, 26, 47-53.	1.7	14
29	Ablation of Type-1 IFN Signaling in Hematopoietic Cells Confers Protection Following Traumatic Brain Injury. <i>ENeuro</i> , 2016, 3, ENEURO.0128-15.2016.	0.9	48
30	Soluble amyloid triggers a myeloid differentiation factor 88 and interferon regulatory factor 7 dependent neuronal type-1 interferon response in vitro. <i>Journal of Neuroinflammation</i> , 2015, 12, 71.	3.1	21
31	Robust Gene Dysregulation in Alzheimer's Disease Brains. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 587-597.	1.2	15
32	Effects of GDNF-Loaded Injectable Gelatin-Based Hydrogels on Endogenous Neural Progenitor Cell Migration. <i>Advanced Healthcare Materials</i> , 2014, 3, 761-774.	3.9	44
33	Anti-lysophosphatidic acid antibodies improve traumatic brain injury outcomes. <i>Journal of Neuroinflammation</i> , 2014, 11, 37.	3.1	80
34	Type-1 interferons contribute to oxygen glucose deprivation induced neuro-inflammation in BE(2)M17 human neuroblastoma cells. <i>Journal of Neuroinflammation</i> , 2014, 11, 43.	3.1	14
35	Nanofibrous scaffolds releasing a small molecule BDNF-mimetic for the re-direction of endogenous neuroblast migration in the brain. <i>Biomaterials</i> , 2014, 35, 2692-2712.	5.7	59
36	Ceruloplasmin and $\beta$ -amyloid precursor protein confer neuroprotection in traumatic brain injury and lower neuronal iron. <i>Free Radical Biology and Medicine</i> , 2014, 69, 331-337.	1.3	49

#	ARTICLE	IF	CITATIONS
37	Type-1 interferon signaling mediates neuro-inflammatory events in models of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014, 35, 1012-1023.	1.5	120
38	Glutathione Peroxidase-1 Reduces Influenza A Virus-Induced Lung Inflammation. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2013, 48, 17-26.	1.4	65
39	Neuroinflammation and oxidative stress: Co-conspirators in the pathology of Parkinson's disease. <i>Neurochemistry International</i> , 2013, 62, 803-819.	1.9	250
40	Weight-Bearing Locomotion in the Developing Opossum, <i>Monodelphis domestica</i> following Spinal Transection: Remodeling of Neuronal Circuits Caudal to Lesion. <i>PLoS ONE</i> , 2013, 8, e71181.	1.1	10
41	MyD88 Is a Critical Regulator of Hematopoietic Cell-Mediated Neuroprotection Seen after Stroke. <i>PLoS ONE</i> , 2013, 8, e57948.	1.1	18
42	Insulin-Regulated Aminopeptidase Deficiency Provides Protection against Ischemic Stroke in Mice. <i>Journal of Neurotrauma</i> , 2012, 29, 1243-1248.	1.7	21
43	Glutathione Peroxidase-1 Primes Pro-Inflammatory Cytokine Production after LPS Challenge In Vivo. <i>PLoS ONE</i> , 2012, 7, e33172.	1.1	30
44	Divergent Roles of Glutathione Peroxidase-1 (Gpx1) in Regulation of Leukocyte-Endothelial Cell Interactions in the Inflamed Cerebral Microvasculature. <i>Microcirculation</i> , 2011, 18, 12-23.	1.0	5
45	Compartment- and context-specific changes in tissue-type plasminogen activator (tPA) activity following brain injury and pharmacological stimulation. <i>Laboratory Investigation</i> , 2011, 91, 1079-1091.	1.7	39
46	Levosimendan preserves the contractile responsiveness of hypoxic human myocardium via mitochondrial KATP channel and potential pERK 1/2 activation. <i>European Journal of Pharmacology</i> , 2011, 655, 59-66.	1.7	22
47	A global transcriptomic view of the multifaceted role of glutathione peroxidase-1 in cerebral ischemic reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2011, 50, 736-748.	1.3	20
48	Synthesis of a hypoxia-targeted conjugate of the cardioprotective agent 3,4-dihydroxyflavonol and evaluation of its ability to reduce ischaemia/reperfusion injury. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 5102-5106.	1.0	11
49	Neural injury following stroke: are Toll-like receptors the link between the immune system and the CNS?. <i>British Journal of Pharmacology</i> , 2010, 160, 1872-1888.	2.7	106
50	Bacterial membrane vesicles deliver peptidoglycan to NOD1 in epithelial cells. <i>Cellular Microbiology</i> , 2010, 12, 372-385.	1.1	382
51	Glutathione peroxidase-1 protects against cigarette smoke-induced lung inflammation in mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010, 299, L425-L433.	1.3	76
52	The $\gamma$ 1 receptor agonist 4-PPBP elicits ERK1/2 phosphorylation in primary neurons: A possible mechanism of neuroprotective action. <i>Neuropharmacology</i> , 2010, 59, 416-424.	2.0	23
53	The Role of the Toll-Like Receptors in Neuropathology. <i>NeuroImmune Biology</i> , 2010, , 67-77.	0.2	0
54	The genomic profile of the cerebral cortex after closed head injury in mice: effects of minocycline. <i>Journal of Neural Transmission</i> , 2009, 116, 1-12.	1.4	36

#	ARTICLE	IF	CITATIONS
55	Reduction of cerebral infarct volume by apocynin requires pretreatment and is absent in Nox2-deficient mice. <i>British Journal of Pharmacology</i> , 2009, 156, 680-688.	2.7	119
56	Reactive Oxygen Species Enhance Insulin Sensitivity. <i>Cell Metabolism</i> , 2009, 10, 260-272.	7.2	509
57	A nonfibrin macromolecular cofactor for tPA-mediated plasmin generation following cellular injury. <i>Blood</i> , 2009, 114, 1937-1946.	0.6	46
58	Absence of glutathione peroxidase-1 exacerbates cerebral ischemia-reperfusion injury by reducing post-ischemic microvascular perfusion. <i>Journal of Neurochemistry</i> , 2008, 107, 241-252.	2.1	70
59	Modulation of Neuro-Inflammation and Vascular Response by Oxidative Stress Following Cerebral Ischemia-Reperfusion Injury. <i>Current Medicinal Chemistry</i> , 2008, 15, 1-14.	1.2	198
60	Toll-like receptors in the brain and their potential roles in neuropathology. <i>Immunology and Cell Biology</i> , 2007, 85, 476-480.	1.0	109
61	Potential Contribution of NF- $\kappa$ B in Neuronal Cell Death in the Glutathione Peroxidase-1 Knockout Mouse in Response to Ischemia-Reperfusion Injury. <i>Stroke</i> , 2006, 37, 1533-1538.	1.0	81
62	Suppressor of cytokine signaling 1 negatively regulates Toll-like receptor signaling by mediating Mal degradation. <i>Nature Immunology</i> , 2006, 7, 148-155.	7.0	468
63	Lack of glutathione peroxidase-1 exacerbates A $\beta$ -mediated neurotoxicity in cortical neurons. <i>Journal of Neural Transmission</i> , 2006, 113, 645-657.	1.4	71
64	Glutathione peroxidase-1 contributes to the protection of glutamine synthetase in astrocytes during oxidative stress. <i>Journal of Neural Transmission</i> , 2006, 113, 1145-1155.	1.4	24
65	Glutathione peroxidase 1 and a high cellular glutathione concentration are essential for effective organic hydroperoxide detoxification in astrocytes. <i>Glia</i> , 2006, 54, 873-879.	2.5	46
66	Glutathione peroxidase 1 and glutathione are required to protect mouse astrocytes from iron-mediated hydrogen peroxide toxicity. <i>Journal of Neuroscience Research</i> , 2006, 84, 578-586.	1.3	71
67	Diminished Akt phosphorylation in neurons lacking glutathione peroxidase-1 (Gpx1) leads to increased susceptibility to oxidative stress-induced cell death. <i>Journal of Neurochemistry</i> , 2005, 92, 283-293.	2.1	52
68	Reactive oxygen species and the modulation of stroke. <i>Free Radical Biology and Medicine</i> , 2005, 38, 1433-1444.	1.3	337
69	Targeted Disruption of SPI3 / Serpinb6 Does Not Result in Developmental or Growth Defects, Leukocyte Dysfunction, or Susceptibility to Stroke. <i>Molecular and Cellular Biology</i> , 2004, 24, 4075-4082.	1.1	49
70	IMPACT OF OXIDATIVE STRESS ON NEURONAL SURVIVAL. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004, 31, 397-406.	0.9	62
71	Fibroblasts derived from Gpx1 knockout mice display senescent-like features and are susceptible to H <sub>2</sub> O <sub>2</sub> -mediated cell death. <i>Free Radical Biology and Medicine</i> , 2004, 36, 53-64.	1.3	67
72	Akt phosphorylation and NF- $\kappa$ B activation are counterregulated under conditions of oxidative stress. <i>Experimental Cell Research</i> , 2004, 300, 463-475.	1.2	24

#	ARTICLE	IF	CITATIONS
73	Glutathione Peroxidase-1 Contributes to the Neuroprotection Seen in the Superoxide Dismutase-1 Transgenic Mouse in Response to Ischemia/Reperfusion Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 19-22.	2.4	55
74	Overexpression of the chromosome 21 transcription factor Ets2 induces neuronal apoptosis. <i>Neurobiology of Disease</i> , 2003, 14, 349-356.	2.1	49
75	An imbalance in antioxidant defense affects cellular function: the pathophysiological consequences of a reduction in antioxidant defense in the glutathione peroxidase-1 (Gpx1) knockout mouse. <i>Redox Report</i> , 2003, 8, 69-79.	1.4	85
76	Glutathione Peroxidase-1 Contributes to the Neuroprotection Seen in the Superoxide Dismutase-1 Transgenic Mouse in Response to Ischemia/Reperfusion Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, , 19-22.	2.4	19
77	A mouse model of spinal and bulbar muscular atrophy. <i>Human Molecular Genetics</i> , 2002, 11, 2103-2111.	1.4	72
78	Mice Lacking Glutathione Peroxidase-1 Activity Show Increased TUNEL Staining and an Accelerated Inflammatory Response in Brain Following a Cold-Induced Injury. <i>Experimental Neurology</i> , 2002, 177, 9-20.	2.0	44
79	Increased infarct size and exacerbated apoptosis in the glutathione peroxidase-1 (Gpx-1) knockout mouse brain in response to ischemia/reperfusion injury. <i>Journal of Neurochemistry</i> , 2001, 78, 1389-1399.	2.1	187
80	The association of metalloendopeptidase EC 3.4.24.15 at the extracellular surface of the AtT-20 cell plasma membrane. <i>Brain Research</i> , 1999, 835, 113-124.	1.1	62
81	Purification, characterisation and distribution of ovine neuronal nitric oxide synthase. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1998, 120, 727-733.	0.7	2
82	The involvement of nitric oxide in the secretion of $\hat{1}^2$ -endorphin from the pituitary intermediate lobe of the rat. <i>Brain Research</i> , 1997, 761, 113-120.	1.1	11
83	Characterisation of neurons with nitric oxide synthase immunoreactivity that project to prevertebral ganglia. <i>Journal of the Autonomic Nervous System</i> , 1995, 52, 107-116.	1.9	91
84	Thimerosal blocks stimulated but not basal release of endothelium-derived relaxing factor (EDRF) in dog isolated coronary artery. <i>British Journal of Pharmacology</i> , 1992, 107, 566-572.	2.7	16