

Keith Waters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4804161/publications.pdf>

Version: 2024-02-01

49
papers

3,151
citations

185998

28
h-index

197535

49
g-index

53
all docs

53
docs citations

53
times ranked

2580
citing authors

#	ARTICLE	IF	CITATIONS
1	Suicide following self-harm: Findings from the Multicentre Study of self-harm in England, 2000â€“2012. <i>Journal of Affective Disorders</i> , 2015, 175, 147-151.	2.0	261
2	Premature death after self-harm: a multicentre cohort study. <i>Lancet, The</i> , 2012, 380, 1568-1574.	6.3	246
3	Repetition of self-harm and suicide following self-harm in children and adolescents: findings from the Multicentre Study of Self-harm in England. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012, 53, 1212-1219.	3.1	226
4	UK legislation on analgesic packs: before and after study of long term effect on poisonings. <i>BMJ: British Medical Journal</i> , 2004, 329, 1076.	2.4	199
5	Incidence of suicide, hospital-presenting non-fatal self-harm, and community-occurring non-fatal self-harm in adolescents in England (the iceberg model of self-harm): a retrospective study. <i>Lancet Psychiatry,the</i> , 2018, 5, 167-174.	3.7	181
6	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000â€“2012: findings from the Multicentre Study of Self-harm in England. <i>BMJ Open</i> , 2016, 6, e010538.	0.8	159
7	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <i>British Journal of Psychiatry</i> , 2010, 196, 354-358.	1.7	155
8	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000â€“2007. <i>British Journal of Psychiatry</i> , 2010, 197, 493-498.	1.7	131
9	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. <i>Lancet Psychiatry,the</i> , 2019, 6, 1021-1030.	3.7	112
10	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. <i>PLoS ONE</i> , 2013, 8, e70434.	1.1	101
11	How do methods of non-fatal self-harm relate to eventual suicide?. <i>Journal of Affective Disorders</i> , 2012, 136, 526-533.	2.0	100
12	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. <i>British Journal of Psychiatry</i> , 2012, 200, 399-404.	1.7	93
13	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. <i>European Child and Adolescent Psychiatry</i> , 2012, 21, 369-377.	2.8	89
14	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. <i>The Lancet Child and Adolescent Health</i> , 2020, 4, 111-120.	2.7	87
15	Deliberate self-harm and antidepressant drugs. <i>British Journal of Psychiatry</i> , 2000, 177, 551-556.	1.7	80
16	Psychosocial assessment and repetition of self-harm: The significance of single and multiple repeat episode analyses. <i>Journal of Affective Disorders</i> , 2010, 127, 257-265.	2.0	71
17	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. <i>British Journal of Psychiatry</i> , 2010, 197, 212-218.	1.7	70
18	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. <i>BMJ Open</i> , 2016, 6, e009749.	0.8	70

#	ARTICLE	IF	CITATIONS
19	Self-harm during the early period of the COVID-19 pandemic in England: Comparative trend analysis of hospital presentations. <i>Journal of Affective Disorders</i> , 2021, 282, 991-995.	2.0	64
20	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. <i>Psychological Medicine</i> , 2012, 42, 2383-2394.	2.7	63
21	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry</i> , 2015, 2, 809-816.	3.7	55
22	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. <i>Psychological Medicine</i> , 2012, 42, 727-741.	2.7	51
23	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. <i>Emergency Medicine Journal</i> , 2015, 32, 793-799.	0.4	48
24	Self-harm and the COVID-19 pandemic: A study of factors contributing to self-harm during lockdown restrictions. <i>Journal of Psychiatric Research</i> , 2021, 137, 437-443.	1.5	46
25	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <i>Journal of Affective Disorders</i> , 2016, 191, 132-138.	2.0	39
26	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <i>BMC Public Health</i> , 2011, 11, 460.	1.2	38
27	Trends in prescribing and self-poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under-18s. <i>British Journal of Clinical Pharmacology</i> , 2009, 68, 618-629.	1.1	33
28	Switching methods of self-harm at repeat episodes: Findings from a multicentre cohort study. <i>Journal of Affective Disorders</i> , 2015, 180, 44-51.	2.0	32
29	Self-harm and life problems: findings from the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 183-192.	1.6	28
30	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. <i>Journal of Psychopharmacology</i> , 2018, 32, 654-662.	2.0	24
31	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e108.	1.8	23
32	Evaluation of a Resource for People Bereaved by Suicide. <i>Crisis</i> , 2012, 33, 254-264.	0.9	17
33	Impact of Withdrawal of the Analgesic Co-proxamol on Nonfatal Self-Poisoning in the UK. <i>Crisis</i> , 2011, 32, 81-87.	0.9	16
34	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. <i>PLoS ONE</i> , 2018, 13, e0204670.	1.1	15
35	Self-harm in midlife: analysis using data from the Multicentre Study of Self-harm in England. <i>British Journal of Psychiatry</i> , 2019, 215, 600-607.	1.7	15
36	Paracetamol self-poisoning: Epidemiological study of trends and patient characteristics from the multicentre study of self-harm in England. <i>Journal of Affective Disorders</i> , 2020, 276, 699-706.	2.0	15

#	ARTICLE	IF	CITATIONS
37	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013, 148, 435-439.	2.0	14
38	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. <i>Journal of Affective Disorders</i> , 2010, 123, 95-101.	2.0	12
39	A Descriptive Study of Feelings of Arrested Escape (Entrapment) and Arrested Anger in People Presenting to an Emergency Department Following an Episode of Self-Harm. <i>Frontiers in Psychiatry</i> , 2016, 7, 155.	1.3	9
40	High-Volume Repeaters of Self-Harm. <i>Crisis</i> , 2016, 37, 427-437.	0.9	9
41	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , 2014, 5, 205427041453332.	0.2	8
42	Self-harm in children and adolescents by ethnic group: an observational cohort study from the Multicentre Study of Self-Harm in England. <i>The Lancet Child and Adolescent Health</i> , 2021, 5, 782-791.	2.7	8
43	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. <i>BMC Psychiatry</i> , 2015, 15, 254.	1.1	7
44	Life problems in children and adolescents who self-harm: findings from the multicentre study of self-harm in England. <i>Child and Adolescent Mental Health</i> , 2022, 27, 352-360.	1.8	6
45	Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England. <i>BJPsych Open</i> , 2022, 8, e74.	0.3	6
46	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: A model-based retrospective analysis. <i>European Psychiatry</i> , 2022, 65, 1-32.	0.1	5
47	Trends and characteristics of deliberate self-harm hospital presentations in an English County. <i>International Journal of Psychiatry in Clinical Practice</i> , 2006, 10, 59-63.	1.2	4
48	Risk of suicide in patients who present to hospital after self-cutting according to site of injury: findings from the Multicentre Study of Self-harm in England. <i>Psychological Medicine</i> , 2023, 53, 1400-1408.	2.7	3
49	Self-harm in children 12 years and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 139-148.	1.6	1