## Claudiu Schirda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4806548/publications.pdf

Version: 2024-02-01

42 papers

2,164 citations

257101 24 h-index 276539 41 g-index

42 all docs 42 docs citations

42 times ranked 3136 citing authors

| #  | Article  | IF  | Citations |
|----|--|-----|-----------|
| 1  | Dynamics of hepatic steatosis resolution and changes in gut microbiome with weight loss in nonalcoholic fatty liver disease. Obesity Science and Practice, 2021, 7, 217-225.   | 1.0 | 5         |
| 2  | Fast, regional threeâ€dimensional hybrid (1Dâ€Hadamard 2Dâ€rosette) proton MR spectroscopic imaging in the human temporal lobes. NMR in Biomedicine, 2021, 34, e4507.  | 1.6 | 5         |
| 3  | Rates of Incidental Findings in Brain Magnetic Resonance Imaging in Children. JAMA Neurology, 2021, 78, 578.   | 4.5 | 28        |
| 4  | Baseline brain function in the preadolescents of the ABCD Study. Nature Neuroscience, 2021, 24, 1176-1186.   | 7.1 | 48        |
| 5  | Substance use patterns in 9-10 year olds: Baseline findings from the adolescent brain cognitive development (ABCD) study. Drug and Alcohol Dependence, 2021, 227, 108946.  | 1.6 | 19        |
| 6  | Correspondence Between Perceived Pubertal Development and Hormone Levels in 9-10 Year-Olds From the Adolescent Brain Cognitive Development Study. Frontiers in Endocrinology, 2020, 11, 549928.                      | 1.5 | 45        |
| 7  | Image processing and analysis methods for the Adolescent Brain Cognitive Development Study.<br>NeuroImage, 2019, 202, 116091.  | 2.1 | 539       |
| 8  | Decreased functional connectivity in the fronto-parietal network in children with mood disorders compared to children with dyslexia during rest: An fMRI study. NeuroImage: Clinical, 2018, 18, 582-590.             | 1.4 | 6         |
| 9  | Fast 3 <scp>D</scp> rosette spectroscopic imaging of neocortical abnormalities at 3 <scp>T</scp> : Assessment of spectral quality. Magnetic Resonance in Medicine, 2018, 79, 2470-2480.                              | 1.9 | 11        |
| 10 | Reward-related neural activity and structure predict future substance use in dysregulated youth. Psychological Medicine, 2017, 47, 1357-1369.  | 2.7 | 18        |
| 11 | Brain Regional Blood Flow and Working Memory Performance Predict Change in Blood Pressure Over 2 Years. Hypertension, 2017, 70, 1132-1141.   | 1.3 | 10        |
| 12 | Reading related white matter structures in adolescents are influenced more by dysregulation of emotion than behavior. NeuroImage: Clinical, 2017, 15, 732-740.   | 1.4 | 3         |
| 13 | Longitudinal Relationships Among Activity in Attention Redirection Neural Circuitry and Symptom Severity in Youth. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2017, 2, 336-345.                 | 1.1 | 8         |
| 14 | Using machine learning and surface reconstruction to accurately differentiate different trajectories of mood and energy dysregulation in youth. PLoS ONE, 2017, 12, e0180221.  | 1.1 | 0         |
| 15 | Harmonizing DTI measurements across scanners to examine the development of white matter microstructure in 803 adolescents of the NCANDA study. NeuroImage, 2016, 130, 194-213.                                       | 2.1 | 85        |
| 16 | In vivo brain rosette spectroscopic imaging (RSI) with LASER excitation, constant gradient strength readout, and automated LCModel quantification for all voxels. Magnetic Resonance in Medicine, 2016, 76, 380-390. | 1.9 | 18        |
| 17 | Predicting clinical outcome from reward circuitry function and white matter structure in behaviorally and emotionally dysregulated youth. Molecular Psychiatry, 2016, 21, 1194-1201.                                 | 4.1 | 32        |
| 18 | Can Emotional and Behavioral Dysregulation in Youth Be Decoded from Functional Neuroimaging?. PLoS ONE, 2016, 11, e0117603.  | 1.1 | 18        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Iterative projection onto convex sets for quantitative susceptibility mapping. Magnetic Resonance in Medicine, 2015, 73, 697-703.  | 1.9 | 3         |
| 20 | White Matter Structure in Youth With Behavioral and Emotional Dysregulation Disorders. JAMA Psychiatry, 2015, 72, 367.   | 6.0 | 32        |
| 21 | Decreased amygdala–insula resting state connectivity in behaviorally and emotionally dysregulated youth. Psychiatry Research - Neuroimaging, 2015, 231, 77-86.   | 0.9 | 61        |
| 22 | Parsing Dimensional vs Diagnostic Category–Related Patterns of Reward Circuitry Function in Behaviorally and Emotionally Dysregulated Youth in the Longitudinal Assessment of Manic Symptoms Study. JAMA Psychiatry, 2014, 71, 71. | 6.0 | 45        |
| 23 | Clinical cell therapy imaging using a perfluorocarbon tracer and fluorineâ€19 MRI. Magnetic Resonance in Medicine, 2014, 72, 1696-1701.  | 1.9 | 203       |
| 24 | Behavioral and emotional dysregulation trajectories marked by prefrontal–amygdala function in symptomatic youth. Psychological Medicine, 2014, 44, 2603-2615.  | 2.7 | 20        |
| 25 | Glutamate and GABA contributions to medial prefrontal cortical activity to emotion: Implications for mood disorders. Psychiatry Research - Neuroimaging, 2014, 223, 253-260.   | 0.9 | 34        |
| 26 | Clinical cell therapy imaging using a perfluorocarbon tracer and fluorine-19 MRI. Magnetic Resonance in Medicine, 2014, 72, spcone-spcone.   | 1.9 | 2         |
| 27 | Changes of Cine Cerebrospinal Fluid Dynamics in Patients with Multiple Sclerosis Treated with Percutaneous Transluminal Angioplasty: A Case-control Study. Journal of Vascular and Interventional Radiology, 2013, 24, 829-838.    | 0.2 | 31        |
| 28 | Emotional Face Processing in Pediatric Bipolar Disorder: Evidence for Functional Impairments in the Fusiform Gyrus. Journal of the American Academy of Child and Adolescent Psychiatry, 2013, 52, 1314-1325.e3.                    | 0.3 | 33        |
| 29 | White Matter Hyperintensities on $1.5$ and $3$ Tesla Brain MRI in Healthy Individuals. Journal of Biomedical Graphics and Computing, $2013,3,.$  | 0.2 | 5         |
| 30 | Gray matter SWI-filtered phase and atrophy are linked to disability in MS. Frontiers in Bioscience - Elite, 2013, E5, 525-532.   | 0.9 | 24        |
| 31 | Abnormal subcortical deep-gray matter susceptibility-weighted imaging filtered phase measurements in patients with multiple sclerosis. Neurolmage, 2012, 59, 331-339.  | 2.1 | 176       |
| 32 | Cine cerebrospinal fluid imaging in multiple sclerosis. Journal of Magnetic Resonance Imaging, 2012, 36, 825-834.  | 1.9 | 46        |
| 33 | Decreased brain venous vasculature visibility on susceptibility-weighted imaging venography in patients with multiple sclerosis is related to chronic cerebrospinal venous insufficiency. BMC Neurology, 2011, 11, 128.            | 0.8 | 50        |
| 34 | Hypoperfusion of brain parenchyma is associated with the severity of chronic cerebrospinal venous insufficiency in patients with multiple sclerosis: a cross-sectional preliminary report. BMC Medicine, 2011, 9, 22.              | 2.3 | 77        |
| 35 | Use of MR Venography for Characterization of the Extracranial Venous System in Patients with Multiple Sclerosis and Healthy Control Subjects. Radiology, 2011, 258, 562-570.   | 3.6 | 81        |
| 36 | Value of MR Venography for Detection of Internal Jugular Vein Anomalies in Multiple Sclerosis: A Pilot Longitudinal Study. American Journal of Neuroradiology, 2011, 32, 938-946.  | 1.2 | 63        |

| #  | Article   | IF  | CITATION |
|----|---|-----|----------|
| 37 | Use of neck magnetic resonance venography, Doppler sonography and selective venography for diagnosis of chronic cerebrospinal venous insufficiency: a pilot study in multiple sclerosis patients and healthy controls. International Angiology, 2010, 29, 127-39. | 0.4 | 66       |
| 38 | CSF dynamics and brain volume in multiple sclerosis are associated with extracranial venous flow anomalies: a pilot study. International Angiology, 2010, 29, 140-8.  | 0.4 | 24       |
| 39 | Chronic cerebrospinal venous insufficiency and iron deposition on susceptibility-weighted imaging in patients with multiple sclerosis: a pilot case-control study. International Angiology, 2010, 29, 158-75.   | 0.4 | 54       |
| 40 | Rosette spectroscopic imaging: Optimal parameters for aliasâ€free, high sensitivity spectroscopic imaging. Journal of Magnetic Resonance Imaging, 2009, 29, 1375-1385.  | 1.9 | 34       |
| 41 | Signal abnormalities on 1.5 and 3ÂTesla brain MRI in multiple sclerosis patients and healthy controls. A morphological and spatial quantitative comparison study. Neurolmage, 2009, 47, 1352-1362.  | 2.1 | 26       |
| 42 | The severity of chronic cerebrospinal venous insufficiency in patients with multiple sclerosis is related to altered cerebrospinal fluid dynamics. Functional Neurology, 2009, 24, 133-8.   | 1.3 | 76       |