
Ã~ystein Wendelbo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4807134/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cardiac surgery for infective endocarditis in patients with intravenous drug use. Interactive Cardiovascular and Thoracic Surgery, 2016, 22, 633-640.	1.1	56
2	Functional characterization of T lymphocytes derived from patients with acute myelogenous leukemia and chemotherapy-induced leukopenia. Cancer Immunology, Immunotherapy, 2004, 53, 740-7.	4.2	46
3	Cytokines, Adhesion Molecules, and Matrix Metalloproteases as Predisposing, Diagnostic, and Prognostic Factors in Venous Thrombosis. Frontiers in Medicine, 2018, 5, 147.	2.6	42
4	FEBRILE NEUTROPENIA IN ACUTE LEUKEMIA. EPIDEMIOLOGY, ETIOLOGY, PATHOPHYSIOLOGY AND TREATMENT. Mediterranean Journal of Hematology and Infectious Diseases, 2020, 12, e2020009.	1.3	41
5	T cells remaining after intensive chemotherapy for acute myelogenous leukemia show a broad cytokine release profile including high levels of interferon-Î ³ that can be further increased by a novel protein kinase C agonist PEP005. Cancer Immunology, Immunotherapy, 2007, 56, 913-925.	4.2	25
6	Infective endocarditis in Western Norway: a 20-year retrospective survey. Infectious Diseases, 2018, 50, 757-763.	2.8	18
7	Cellular immune responses in multiple myeloma patients with treatment-induced cytopenia early after high-dose chemotherapy and autologous peripheral blood stem cell transplantation. Leukemia Research, 2004, 28, 461-468.	0.8	15
8	Lipoteichoic acid derived from Enterococcus faecalis modulates the functional characteristics of both normal peripheral blood leukocytes and native human acute myelogenous leukemia blasts. European Journal of Haematology, 2004, 73, 340-350.	2.2	14
9	Circulating T cells in patients with untreated acute myelogenous leukemia are heterogeneous and can be activated through the CD3/TCR complex. Hematology, 2007, 12, 199-207.	1.5	14
10	Functional Evaluation of Proliferative T Cell Responses in Patients with Severe T Lymphopenia: Characterization of Optimal Culture Conditions and Standardized Activation Signals for a Simple Whole Blood Assay. Journal of Hematotherapy and Stem Cell Research, 2003, 12, 525-535.	1.8	13
11	Microcirculation and red cell transfusion in patients with sepsis. Transfusion and Apheresis Science, 2017, 56, 900-905.	1.0	11
12	Interleukin-7 (IL-7) in Patients Receiving Intensive Chemotherapy for Acute Myelogenous Leukemia: Studies of Systemic IL-7 Levels and IL-7 Responsiveness of Circulating T Lymphocytes. Journal of Interferon and Cytokine Research, 2002, 22, 1057-1065.	1.2	10
13	Cytokine profiling and postâ€ŧransfusion haemoglobin increment in patients with haematological diseases. Vox Sanguinis, 2018, 113, 657-668.	1.5	7
14	Outbreak of infection with high-level gentamicin-resistant Enterococcus faecalis (HLGRE) in a Norwegian hospital. Clinical Microbiology and Infection, 2003, 9, 662-669.	6.0	6
15	Non-curative surgery for aortoenteric fistula. Journal of Surgical Case Reports, 2017, 2017, rjx153.	0.4	5
16	A prospective observational study on effects of fever on red cell transfusion outcome. Vox Sanguinis, 2017, 112, 484-486.	1.5	4
17	Critical Upper Airway Obstruction as the First Symptom of Acute Myeloid Leukemia—An Anesthesiologic Reminder. Clinics and Practice, 2020, 10, 34-36.	1.4	2
18	Intermediate-High Risk Pulmonary Embolism: The Use of Riociguat and Inferior Vena Cava Filter in a Situation of Recurrent Embolism following Insufficient Anticoagulation and Fibrinolytic Therapy. Case Reports in Anesthesiology, 2020, 2020, 1-5.	0.4	1

#	Article	IF	CITATIONS
19	Endocan in Acute Leukemia: Current Knowledge and Future Perspectives. Biomolecules, 2022, 12, 492.	4.0	1