

# García-Abril, Antonio

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4808918/publications.pdf>

Version: 2024-02-01

40  
papers

724  
citations

516710

16  
h-index

552781

26  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1210  
citing authors

#	ARTICLE	IF	CITATIONS
1	The importance of protected habitats and LiDAR data availability for assessing scenarios of land uses in forest areas. <i>Land Use Policy</i> , 2022, 112, 105859.	5.6	1
2	Iterative Method of Discriminant Analysis to Classify Beech ( <i>Fagus sylvatica</i> L.) Forest. <i>Forests</i> , 2021, 12, 1128.	2.1	0
3	Proposal of new Natura 2000 network boundaries in Spain based on the value of importance for biodiversity and connectivity analysis for its improvement. <i>Ecological Indicators</i> , 2021, 129, 108024.	6.3	16
4	Comparison of two parameter recovery methods for the transformation of <i>Pinus sylvestris</i> yield tables into a diameter distribution model. <i>Annals of Forest Science</i> , 2021, 78, 1.	2.0	0
5	Impact model of urban development on steppic birds in natura 2000 spaces. <i>Land Use Policy</i> , 2020, 90, 104256.	5.6	4
6	Simulation of overflow thresholds in urban basins: Case study in Tuxtla Gutiérrez, Mexico. <i>River Research and Applications</i> , 2020, 36, 1307-1320.	1.7	3
7	Applications of ALS (Airborne Laser Scanning) data to Forest Inventory. Experiences with pine stands from mountainous environments in Spain. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 226, 012001.	0.3	1
8	Evaluating observed versus predicted forest biomass: R-squared, index of agreement or maximal information coefficient?. <i>European Journal of Remote Sensing</i> , 2019, 52, 345-358.	3.5	19
9	The Forest Observation System, building a global reference dataset for remote sensing of forest biomass. <i>Scientific Data</i> , 2019, 6, 198.	5.3	44
10	Evaluating European Conservation Areas and Proposal of New Zones of Conservation under the Habitats Directive. Application to Spanish Territories. <i>Sustainability</i> , 2019, 11, 398.	3.2	4
11	A simple approach to forest structure classification using airborne laser scanning that can be adopted across bioregions. <i>Forest Ecology and Management</i> , 2019, 433, 111-121.	3.2	22
12	Structural connectivity as an indicator of species richness and landscape diversity in Castilla y León (Spain). <i>Forest Ecology and Management</i> , 2019, 432, 286-297.	3.2	24
13	Estimation of forest biomass components using airborne LiDAR and multispectral sensors. <i>IForest</i> , 2019, 12, 207-213.	1.4	13
14	Measuring mosaic diversity based on land use map in the region of Madrid, Spain. <i>Land Use Policy</i> , 2018, 71, 329-334.	5.6	13
15	Most similar neighbor imputation of forest attributes using metrics derived from combined airborne LiDAR and multispectral sensors. <i>International Journal of Digital Earth</i> , 2018, 11, 1205-1218.	3.9	8
16	Validation of a Methodology for Confidence-Based Participatory Forest Management. <i>Forests</i> , 2018, 9, 399.	2.1	2
17	Influence of the resolution of forest cover maps in evaluating fragmentation and connectivity to assess habitat conservation status. <i>Ecological Indicators</i> , 2017, 79, 295-302.	6.3	40
18	Evaluating landscape connectivity in fragmented habitats: Cantabrian capercaillie ( <i>Tetrao urogallus</i> )	3.2	32

#	ARTICLE	IF	CITATIONS
19	Enhancing of accuracy assessment for forest above-ground biomass estimates obtained from remote sensing via hypothesis testing and overfitting evaluation. <i>Ecological Modelling</i> , 2017, 366, 15-26.	2.5	38
20	Sap flow, leaf-level gas exchange and spectral responses to drought in <i>Pinus sylvestris</i> , <i>Pinus pinea</i> and <i>Pinus halepensis</i> . <i>IForest</i> , 2017, 10, 204-214.	1.4	11
21	Fusion of airborne LiDAR and multispectral sensors reveals synergic capabilities in forest structure characterization. <i>GIScience and Remote Sensing</i> , 2016, 53, 723-738.	5.9	30
22	Remote sensing estimates and measures of uncertainty for forest variables at different aggregation levels. <i>Environmetrics</i> , 2016, 27, 225-238.	1.4	29
23	VIRTUAL LEARNING ENVIRONMENTS IN MASTER CLASSES: WEB CONFERENCING. , 2016, , .		0
24	Toward smart manufacturing using decision analytics. , 2014, , .		8
25	Comparison of estimation methods to obtain ideal distribution of forest tree height. <i>Computers and Electronics in Agriculture</i> , 2014, 108, 191-199.	7.7	3
26	Edaphic controls on ecosystem-level carbon allocation in two contrasting Amazon forests. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2014, 119, 1820-1830.	3.0	11
27	Characterizing forest structural types and shelterwood dynamics from Lorenz-based indicators predicted by airborne laser scanning. <i>Canadian Journal of Forest Research</i> , 2013, 43, 1063-1074.	1.7	55
28	Increasing the use of expert opinion in forest characterisation approaches based on LiDAR data. <i>Annals of Forest Science</i> , 2013, 70, 87-99.	2.0	3
29	Algorithm for improving the co-registration of LiDAR-derived digital canopy height models and field data. <i>Agroforestry Systems</i> , 2013, 87, 967-975.	2.0	3
30	Influence of Global Navigation Satellite System errors in positioning inventory plots for tree-height distribution studies This article is one of a selection of papers from <i>Extending Forest Inventory and Monitoring over Space and Time.. Canadian Journal of Forest Research</i> , 2011, 41, 11-23.	1.7	34
31	Soil fertility and GIS raster models for tropical agroforestry planning in economically depressed and contaminated Caribbean areas (coffee and kidney bean plantations). <i>Agroforestry Systems</i> , 2010, 79, 381-391.	2.0	6
32	A review of research on Chinese Tuber species. <i>Mycological Progress</i> , 2010, 9, 315-335.	1.4	41
33	Relationship between LiDAR-derived forest canopy height and Landsat images. <i>International Journal of Remote Sensing</i> , 2010, 31, 1261-1280.	2.9	52
34	New data on ectomycorrhizae and soils of the Chinese truffles <i>Tuber pseudoexcavatum</i> and <i>Tuber indicum</i> , and their impact on truffle cultivation. <i>Mycorrhiza</i> , 2008, 19, 7-14.	2.8	26
35	Object-based semi-automatic approach for forest structure characterization using lidar data in heterogeneous <i>Pinus sylvestris</i> stands. <i>Forest Ecology and Management</i> , 2008, 255, 3677-3685.	3.2	70
36	Ecological patterns of <i>Tuber melanosporum</i> and different <i>Quercus</i> Mediterranean forests: Quantitative production of truffles, burn sizes and soil studies. <i>Forest Ecology and Management</i> , 2007, 242, 288-296.	3.2	28

#	ARTICLE	IF	CITATIONS
37	Stand structure, competition and growth of Scots pine ( <i>Pinus sylvestris</i> L.) in a Mediterranean mountainous environment. <i>Annals of Forest Science</i> , 2007, 64, 825-830.	2.0	12
38	Problems of using rockroses in <i>Tuber melanosporum</i> culture: soil and truffle harvest associated with <i>Cistus laurifolius</i> . <i>Agroforestry Systems</i> , 2007, 70, 251-258.	2.0	4
39	Optimisation of spatial allocation of forestry activities within a forest stand. <i>Computers and Electronics in Agriculture</i> , 2005, 49, 159-174.	7.7	13
40	Analysis of structure from motion and airborne laser scanning features for the evaluation of forest structure. <i>European Journal of Forest Research</i> , 0, , .	2.5	1