

Xiao-Xiang Xu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4809940/xiao-xiang-xu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109
papers

3,063
citations

32
h-index

51
g-index

111
ext. papers

3,709
ext. citations

9.6
avg, IF

5.93
L-index

#	Paper	IF	Citations
109	Liberating photocarriers in mesoporous single-crystalline SrTaO ₂ N for efficient solar water splitting. <i>Applied Catalysis B: Environmental</i> , 2022 , 304, 120934	21.8	2
108	Mesoporous single-crystalline SrNbO ₂ N: Expediting charge transportation to advance solar water splitting. <i>Nano Energy</i> , 2022 , 95, 107059	17.1	2
107	Expediting H ₂ Evolution over MAPbI ₃ with a Nonnoble Metal Cocatalyst Mo ₂ C under Visible Light. <i>Energy Material Advances</i> , 2022 , 2022, 1-10	1	0
106	LaTaON Mesoporous Single Crystals for Efficient Photocatalytic Water Oxidation and Z-Scheme Overall Water Splitting. <i>ACS Nano</i> , 2021 ,	16.7	6
105	A novel electrochemically enhanced homogeneous PMS-heterogeneous CoFeO synergistic catalysis for the efficient removal of levofloxacin. <i>Journal of Hazardous Materials</i> , 2021 , 127651	12.8	2
104	MgTiO spinel modified by nitrogen doping as a Visible-Light-Active photocatalyst for antibacterial activity. <i>Chemical Engineering Journal</i> , 2021 , 410, 128410	14.7	7
103	Perovskite Oxynitride Solid Solutions of LaTaON-CaTaON with Greatly Enhanced Photogenerated Charge Separation for Solar-Driven Overall Water Splitting. <i>Advanced Science</i> , 2021 , 8, 2003343	13.6	10
102	Visible-light-driven photocatalytic water oxidation over LaNbON ₂ /BaMg ₂ /3Nb ₁ /3O ₃ solid solutions. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 2365-2372	6.8	2
101	Stable and efficient solar-driven photoelectrochemical water splitting into H and O based on a BaTaON photoanode decorated with CoO microflowers. <i>Chemical Communications</i> , 2021 , 57, 4412-4415	5.8	2
100	LaTaON ₂ BaTaO ₂ N solid solutions for photocatalytic water oxidation. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 3723-3732	6.8	1
99	Selective Cocatalyst Deposition on ZnTiO ₂ N Hollow Nanospheres with Efficient Charge Separation for Solar-Driven Overall Water Splitting. <i>Small</i> , 2021 , 17, e2100084	11	8
98	Roadmap on inorganic perovskites for energy applications. <i>JPhys Energy</i> , 2021 , 3, 031502	4.9	13
97	Visible-near-infrared-light-driven selective oxidation of alcohols over nanostructured Cu doped SrTiO ₃ in water under mild condition. <i>Journal of Catalysis</i> , 2021 , 399, 142-149	7.3	8
96	SrTiO ₃ -CaCr _{0.5} Nb _{0.5} O ₃ solid solutions as p-type photocatalysts for Z-scheme water splitting under visible light illumination. <i>Journal of Materials Science and Technology</i> , 2021 , 87, 46-53	9.1	0
95	Aurivillius compound Bi ₅ Ti ₃ CrO ₁₅ as a visible-light-active photocatalyst for hydrogen production from water. <i>Journal of Energy Chemistry</i> , 2021 , 62, 572-580	12	4
94	Steering accessible oxygen vacancies for alcohol oxidation over defective Nb ₂ O ₅ under visible light illumination. <i>Applied Catalysis B: Environmental</i> , 2021 , 298, 120584	21.8	8
93	A bias-free CuBi ₂ O ₄ /CuWO ₄ tandem cell for solar-driven water splitting. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 3863-3870	6.8	2

92	SrTaO ₂ N co-doped with La/Zr as promising photocatalysts for water reduction under visible light illumination. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2343-2351	6.8	3
91	The effect of single atom substitution (O, S or Se) on photocatalytic hydrogen evolution for triazine-based conjugated porous polymers. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 8887-8895	7.1	11
90	Gold nanocrystal anchored In ₂ O ₃ hollow nanospheres for N ₂ photofixation to ammonia. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2778-2782	6.8	3
89	Zr modified SrNbO ₂ N as an active photocatalyst for water oxidation under visible light illumination. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2629-2636	6.8	6
88	Ba-Modified LaTiO ₂ N as an Efficient Visible Light Active Photocatalyst for Water Oxidation. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 9641-9649	8.3	10
87	Nitrogen-doped LaZrTa ₃ O ₁₁ as a visible light-active photocatalyst for water-reduction and -oxidation reactions. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 2669-2675	6.8	
86	Mg modified BaTaO ₂ N as an efficient visible-light-active photocatalyst for water oxidation. <i>Journal of Catalysis</i> , 2020 , 383, 135-143	7.3	15
85	Au nanocrystals decorated TiO ₂ nanotubes for photocatalytic nitrogen fixation into ammonia. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 620-624	6.8	17
84	SrTaO ₂ N-CaTaO ₂ N solid solutions as efficient visible light active photocatalysts for water oxidation and reduction. <i>Applied Catalysis B: Environmental</i> , 2020 , 263, 118315	21.8	13
83	Ge-Modified GaN _{1-x} NO wurtzite solid solutions with high Zn content for efficient photocatalytic H ₂ evolution from water under visible light illumination. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 3443-3447	6.8	2
82	Efficient, broadband self-trapped white-light emission from haloplumbate-based metal-organic frameworks. <i>Chemical Communications</i> , 2020 , 56, 10078-10081	5.8	4
81	Layered Perovskite Compound NaLaTiO ₄ Modified by Nitrogen Doping as a Visible Light Active Photocatalyst for Water Splitting. <i>ACS Catalysis</i> , 2020 , 10, 9889-9898	13.1	12
80	LaTaON ₂ -SrZrO ₃ solid solutions with tunable band gap for photocatalytic water oxidation under visible light illumination. <i>Journal of Catalysis</i> , 2020 , 390, 57-66	7.3	6
79	Photocatalytic Hydrogen Evolution Based on Nitrogen-Containing Donor-Acceptor (D-A) Organic Conjugated Small Molecules. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 14253-14261	8.3	3
78	(NH ₄) ₃ PW ₁₂ O ₄₀ -H ₃ PO ₄ composites as efficient proton conductors at intermediate temperatures. <i>Journal of Materials Science and Technology</i> , 2020 , 37, 128-134	9.1	0
77	Fluorination over Cr doped layered perovskite Sr ₂ TiO ₄ for efficient photocatalytic hydrogen production under visible light illumination. <i>Journal of Energy Chemistry</i> , 2020 , 51, 30-38	12	9
76	Switching on wide visible light photocatalytic activity over Mg ₄ Ta ₂ O ₉ by nitrogen doping for water oxidation and reduction. <i>Journal of Catalysis</i> , 2019 , 377, 455-464	7.3	6
75	Double perovskite compounds A ₂ CuWO ₆ (A = Sr and Ba) with p-type semiconductivity for photocatalytic water oxidation under visible light illumination. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 2096-2103	6.8	15

74	In situ exsolution of silver nanoparticles on AgTaO ₃ -SrTiO ₃ solid solutions as efficient plasmonic photocatalysts for water splitting. <i>Applied Catalysis B: Environmental</i> , 2019 , 256, 117818	21.8	25
73	Enhanced intrinsic white-light emission upon near-UV excitation by crystal engineering of cationic lead bromide layered materials. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 7090-7095	7.1	6
72	Triggering efficient photocatalytic water oxidation reactions over BaNbO ₂ N by incorporating Ca at B site. <i>Journal of the American Ceramic Society</i> , 2019 , 102, 6194-6201	3.8	7
71	Preparation of 3D ordered mesoporous anatase TiO ₂ and their photocatalytic activity. <i>Rare Metals</i> , 2019 , 38, 453-458	5.5	19
70	Zr doped mesoporous LaTaON ₂ for efficient photocatalytic water splitting. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 5702-5711	13	35
69	Visible light active titanoniobate nanosheets for efficient photocatalytic H ₂ production from water. <i>Journal of Catalysis</i> , 2019 , 377, 409-418	7.3	10
68	Donor-acceptor type triazine-based conjugated porous polymer for visible-light-driven photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 257, 117935	21.8	49
67	In-situ High-Temperature XRD and FTIR for Calcite, Dolomite and Magnesite: Anharmonic Contribution to the Thermodynamic Properties. <i>Journal of Earth Science (Wuhan, China)</i> , 2019 , 30, 964-976	2.2	12
66	A wide visible light active photocatalyst Mg ₅ Ta ₄ O _{15-x} N _y for water oxidation and reduction. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 28173-28183	6.7	1
65	Visible light photocatalytic water oxidation over complex perovskites Sr ₃ BNb ₂ O ₉ (B = Mg, Ca and Sr) doped with nitrogen. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 3569-3576	6.8	3
64	Switching on efficient photocatalytic water oxidation reactions over CaNbO ₂ N by Mg modifications under visible light illumination. <i>Applied Catalysis B: Environmental</i> , 2019 , 245, 10-19	21.8	13
63	Layered lithium niobium (III) oxide LiNbO ₂ as a visible-light-driven photocatalyst for H ₂ evolution. <i>JPhys Energy</i> , 2019 , 1, 015001	4.9	3
62	Ultrathin 2D type-II p-n heterojunctions La ₂ Ti ₂ O ₇ /In ₂ S ₃ with efficient charge separations and photocatalytic hydrogen evolution under visible light illumination. <i>Applied Catalysis B: Environmental</i> , 2019 , 245, 733-742	21.8	64
61	Activating Layered Perovskite Compound Sr ₂ TiO ₄ via La/N Codoping for Visible Light Photocatalytic Water Splitting. <i>ACS Catalysis</i> , 2018 , 8, 3209-3221	13.1	58
60	Boosting photocatalytic water oxidation reactions over strontium tantalum oxynitride by structural laminations. <i>Applied Catalysis B: Environmental</i> , 2018 , 228, 10-18	21.8	46
59	Ruddlesden-Popper compound Sr ₂ TiO ₄ co-doped with La and Fe for efficient photocatalytic hydrogen production. <i>Journal of Catalysis</i> , 2018 , 359, 112-121	7.3	27
58	In situ fabrication of two-dimensional g-CN/BaTaO nanosheet heterostructures with efficient charge separations and photocatalytic hydrogen evolution under visible light illumination. <i>Dalton Transactions</i> , 2018 , 47, 4360-4367	4.3	19
57	Reduced 3d Transition Metal Oxides Work as Solid-State Sources of Solvated Electrons and Directly Inject Electrons into Water for H ₂ Production under Mild Thermal or IR Excitation. <i>Advanced Sustainable Systems</i> , 2018 , 2, 1700139	5.9	4

56	A new approach to inducing Ti ³⁺ in anatase TiO ₂ for efficient photocatalytic hydrogen production. <i>Chinese Journal of Catalysis</i> , 2018 , 39, 510-516	11.3	34
55	Activating BaTaO ₂ N by Ca modifications and cobalt oxide for visible light photocatalytic water oxidation reactions. <i>Applied Catalysis B: Environmental</i> , 2018 , 237, 373-381	21.8	36
54	Hollow CaTiO ₃ cubes modified by La/Cr co-doping for efficient photocatalytic hydrogen production. <i>Applied Catalysis B: Environmental</i> , 2018 , 225, 139-147	21.8	83
53	Enabling efficient visible light photocatalytic water splitting over SrTaO ₂ N by incorporating Sr in its B site. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20760-20768	13	20
52	Defect management and efficient photocatalytic water oxidation reaction over Mg modified SrNbO ₂ N. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10947-10957	13	27
51	One-pot photoreforming of cellulosic biomass waste to hydrogen by merging photocatalysis with acid hydrolysis. <i>Applied Catalysis A: General</i> , 2018 , 563, 73-79	5.1	34
50	Photocatalytic hydrogen production over solid solutions between BiFeO ₃ and SrTiO ₃ . <i>Applied Surface Science</i> , 2017 , 391, 535-541	6.7	46
49	Ruddlesden-Popper compounds in the double-perovskite family Sr ₂ FeTaO ₆ (SrO) _n (n = 0, 1 and 2) and their photocatalytic properties. <i>Applied Catalysis B: Environmental</i> , 2017 , 206, 35-43	21.8	26
48	Photocatalytic hydrogen production over Aurivillius compound Bi ₃ TiNbO ₉ and its modifications by Cr/Nb co-doping. <i>Applied Catalysis B: Environmental</i> , 2017 , 217, 342-352	21.8	46
47	Structural dependence of photocatalytic hydrogen production over La/Cr co-doped perovskite compound ATiO ₃ (A = Ca, Sr and Ba). <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 23539-23547	6.7	31
46	Efficient photocatalytic hydrogen production over La/Rh co-doped Ruddlesden-Popper compound Sr ₂ TiO ₄ . <i>Applied Catalysis B: Environmental</i> , 2017 , 210, 149-159	21.8	36
45	Efficient photocatalytic oxygen production over Ca-modified LaTiO ₂ N. <i>Journal of Catalysis</i> , 2017 , 346, 10-20	7.3	41
44	Ultrathin Lanthanum Tantalate Perovskite Nanosheets Modified by Nitrogen Doping for Efficient Photocatalytic Water Splitting. <i>ACS Nano</i> , 2017 , 11, 11441-11448	16.7	73
43	Fuel Cells and the Hydrogen Economy. <i>World Scientific Series in Current Energy Issues</i> , 2017 , 215-247	0.2	
42	Actualizing efficient photocatalytic water oxidation over SrTaO ₂ N by Na modification. <i>Catalysis Science and Technology</i> , 2017 , 7, 4640-4647	5.5	19
41	Ruddlesden-Popper compounds (SrO)(LaFeO ₃) _n (n = 1 and 2) as p-type semiconductors for photocatalytic hydrogen production. <i>Electrochimica Acta</i> , 2017 , 252, 138-146	6.7	19
40	Efficient and robust visible light photocatalytic H ₂ production based on CdSe quantum dots sensitized titania. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 19877-19884	6.7	6
39	Efficient photocatalytic hydrogen production over solid solutions Sr _{1-x} BixTi _{1-x} FexO ₃ (0 ≤ x ≤ 0.5). <i>Applied Catalysis B: Environmental</i> , 2017 , 200, 412-419	21.8	57

- 38 Fuel Cells and the Hydrogen Economy. *World Scientific Series in Current Energy Issues*, **2017**, 215-247 0.2
- 37 Homologous Compounds ZnInO ($n = 4, 5, \text{ and } 7$) Containing Laminated Functional Groups as Efficient Photocatalysts for Hydrogen Production. *ACS Applied Materials & Interfaces*, **2016**, 8, 28700-28708³³ 0.5 23
- 36 A Highly Active and Robust Copper-Based Electrocatalyst toward Hydrogen Evolution Reaction with Low Overpotential in Neutral Solution. *ACS Applied Materials & Interfaces*, **2016**, 8, 30205-30214⁵ 27
- 35 Quinary wurtzite Zn-Ga-Ge-N-O solid solutions and their photocatalytic properties under visible light irradiation. *Scientific Reports*, **2016**, 6, 19060 4.9 24
- 34 Efficient Photocatalytic Oxygen Production over Nitrogen-Doped Sr₄Nb₂O₉ under Visible-Light Irradiation. *ChemCatChem*, **2016**, 8, 615-623 5.2 41
- 33 Role of Oxygen Defects on the Photocatalytic Properties of Mg-Doped Mesoporous Ta₃N₅. *ChemSusChem*, **2016**, 9, 1403-12 8.3 63
- 32 Cation ordering/disordering effects upon photocatalytic activity of CrNbO₄, CrTaO₄, Sr₂CrNbO₆ and Sr₂CrTaO₆. *International Journal of Hydrogen Energy*, **2016**, 41, 1550-1558 6.7 28
- 31 Cu(II) Aliphatic Diamine Complexes for Both Heterogeneous and Homogeneous Water Oxidation Catalysis in Basic and Neutral Solutions. *ACS Catalysis*, **2016**, 6, 77-83 13.1 80
- 30 Efficient Photocatalytic Hydrogen Production over Rh-Doped Inverse Spinel Zn₂TiO₄. *ChemCatChem*, **2016**, 8, 2289-2295 5.2 38
- 29 Zr-Doped Mesoporous TaN Microspheres for Efficient Photocatalytic Water Oxidation. *ACS Applied Materials & Interfaces*, **2016**, 8, 35407-35418 9.5 45
- 28 One-step synthetic approach for core-shelled black anatase titania with high visible light photocatalytic performance. *Chemical Engineering Journal*, **2016**, 299, 120-125 14.7 32
- 27 Role of surface composition upon the photocatalytic hydrogen production of Cr-doped and La/Cr-codoped SrTiO₃. *Journal of Materials Science*, **2016**, 51, 6464-6473 4.3 37
- 26 Amorphous Semiconductor Nanowires Created by Site-Specific Heteroatom Substitution with Significantly Enhanced Photoelectrochemical Performance. *ACS Nano*, **2016**, 10, 7882-91 16.7 22
- 25 Structural dependence of the photocatalytic properties of double perovskite compounds A₂InTaO₆ (A = Sr or Ba) doped with nickel. *Physical Chemistry Chemical Physics*, **2016**, 18, 21491-9 3.6 27
- 24 Photocatalytic H₂ production from spinels ZnGa₂CrO₄ (000) solid solutions. *Journal of Solid State Chemistry*, **2015**, 230, 95-101 3.3 36
- 23 Photocatalytic Hydrogen Production over Chromium Doped Layered Perovskite Sr₂TiO₄. *Inorganic Chemistry*, **2015**, 54, 7445-53 5.1 70
- 22 Bismuth and chromium co-doped strontium titanates and their photocatalytic properties under visible light irradiation. *Physical Chemistry Chemical Physics*, **2015**, 17, 26320-9 3.6 52
- 21 Efficient charge separation based on type-II g-C₃N₄/TiO₂-B nanowire/tube heterostructure photocatalysts. *Dalton Transactions*, **2015**, 44, 13030-9 4.3 62

20	Visible light photocatalysis by in situ growth of plasmonic Ag nanoparticles upon AgTaO ₃ . <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 3672-3678	6.7	39
19	Surface ligand mediated growth of CuPt nanorods. <i>CrystEngComm</i> , 2014 , 16, 1714	3.3	9
18	An investigation of crystal structure, surface area and surface chemistry of strontium niobate and their influence on photocatalytic performance. <i>Dalton Transactions</i> , 2013 , 42, 7880-7	4.3	16
17	Photocatalytic H ₂ generation from spinels ZnFe ₂ O ₄ , ZnFeGaO ₄ and ZnGa ₂ O ₄ . <i>Catalysis Today</i> , 2013 , 199, 22-26	5.3	77
16	Fuel Cells and the Hydrogen Economy. <i>Materials and Energy</i> , 2013 , 427-454		
15	On the existence of A-site deficiency in perovskites and its relation to the electrochemical performance. <i>Advanced Materials</i> , 2012 , 24, 528-32	24	65
14	Syntheses and proton conductivity of mesoporous Nd ₂ O ₃ BiO ₂ and NdOClBiO ₂ composites. <i>Journal of Materials Science</i> , 2012 , 47, 2146-2154	4.3	10
13	A red metallic oxide photocatalyst. <i>Nature Materials</i> , 2012 , 11, 595-8	27	370
12	g-C ₃ N ₄ coated SrTiO ₃ as an efficient photocatalyst for H ₂ production in aqueous solution under visible light irradiation. <i>International Journal of Hydrogen Energy</i> , 2011 , 36, 13501-13507	6.7	202
11	A stable NH ₄ PO ₃ -glass proton conductor for intermediate temperature fuel cells. <i>Solid State Ionics</i> , 2011 , 192, 108-112	3.3	9
10	Intermediate temperature stable proton conductors based upon SnP ₂ O ₇ , including additional H ₃ PO ₄ . <i>Journal of Materials Chemistry</i> , 2010 , 20, 7827		32
9	A fuel cell operating between room temperature and 250 °C based on a new phosphoric acid based composite electrolyte. <i>Journal of Power Sources</i> , 2010 , 195, 6983-6987	8.9	11
8	Proton conductivity of potassium doped barium zirconates. <i>Journal of Solid State Chemistry</i> , 2010 , 183, 93-98	3.3	27
7	The chemical stability and conductivity of BaCe _{0.9} Y _x Nb _{0.1} O ₃ proton-conductive electrolyte for SOFC. <i>Materials Research Bulletin</i> , 2009 , 44, 1474-1480	5.1	28
6	Synthesis of Dendritic Nano-Sized Nickel for use as Anode Material in an Alkaline Membrane Fuel Cell. <i>Fuel Cells</i> , 2009 , 10, n/a-n/a	2.9	4
5	Proton conductivity of Al(H ₂ PO ₄) ₃ ·3H ₃ PO ₄ composites at intermediate temperature. <i>Solid State Ionics</i> , 2009 , 180, 343-350	3.3	17
4	A stable and thin BaCe _{0.7} Nb _{0.1} Gd _{0.2} O ₃ membrane prepared by simple all-solid-state process for SOFC. <i>Journal of Power Sources</i> , 2009 , 187, 403-406	8.9	31
3	A high performance intermediate temperature fuel cell based on a thick oxide-carbonate electrolyte. <i>Journal of Power Sources</i> , 2009 , 194, 967-971	8.9	45

- 2 Stability and conductivity study of NH₄PO₃BTfE composites at intermediate temperatures. *Journal of Alloys and Compounds*, **2009**, 480, 874-877 5.7 9
- 1 Mesoporous Monocrystalline TiO₂ and Its Solid-State Electrochemical Properties. *Chemistry of Materials*, **2009**, 21, 2540-2546 9.6 107