Saeed Karbasi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4811023/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Effects of cartilage acellular solubilised ECM on physicomechanical and biological properties of polycaprolactone/fibrin hybrid scaffold fabricated by 3D-printing and salt-leaching methods. Materials Technology, 2022, 37, 204-212. | 1.5 | 18 |
| 2 | Natural hydroxyapatite/diopside nanocomposite scaffold for bone tissue engineering applications: physical, mechanical, bioactivity and biodegradation evaluation. Materials Technology, 2022, 37, 36-48. | 1.5 | 10 |
| 3 | Fabrication and characterization of <scp>chitosanâ€gelatin</scp> / <scp>singleâ€walled</scp> carbon nanotubes electrospun composite scaffolds for cartilage tissue engineering applications. Polymers for Advanced Technologies, 2022, 33, 81-95. | 1.6 | 19 |
| 4 | Mechanical behaviour, hybridisation and osteoblast activities of novel baghdadite/ PCL-graphene nanocomposite scaffold: viability, cytotoxicity and calcium activity. Materials Technology, 2022, 37, 472-485. | 1.5 | 6 |
| 5 | Synthetic-based blended electrospun scaffolds in tissue engineering applications. Journal of Materials Science, 2022, 57, 4020-4079. | 1.7 | 34 |
| 6 | Recent advances in modification strategies of pre- and post-electrospinning of nanofiber scaffolds in tissue engineering. Reactive and Functional Polymers, 2022, 172, 105202. | 2.0 | 40 |
| 7 | Incorporation of inorganic bioceramics into electrospun scaffolds for tissue engineering applications: A review. Ceramics International, 2022, 48, 8803-8837. | 2.3 | 42 |
| 8 | Polycaprolactone-chitosan/multi-walled carbon nanotube: A highly strengthened electrospun nanocomposite scaffold for cartilage tissue engineering. International Journal of Biological Macromolecules, 2022, 209, 1801-1814. | 3.6 | 29 |
| 9 | Electrospun halloysite nanotube loaded polyhydroxybutyrate-starch fibers for cartilage tissue engineering. International Journal of Biological Macromolecules, 2022, 214, 301-311. | 3.6 | 19 |
| 10 | <i>In vitro</i> bioactivity of baghdadite-coated PCL –graphene nanocomposite scaffolds: mechanism of baghdadite and apatite formation. Materials Technology, 2021, 36, 761-770. | 1.5 | 6 |
| 11 | Evaluation of physical, mechanical and biological properties of β-tri-calcium phosphate/Poly-3-hydroxybutyrate nano composite scaffold for bone tissue engineering application. Materials Technology, 2021, 36, 237-249. | 1.5 | 13 |
| 12 | Modified poly(3-hydroxybutyrate)-based scaffolds in tissue engineering applications: A review. International Journal of Biological Macromolecules, 2021, 166, 986-998. | 3.6 | 67 |
| 13 | Poly(methyl methacrylate) bone cement, its rise, growth, downfall and future. Polymer International, 2021, 70, 1182-1201. | 1.6 | 36 |
| 14 | Poly(methyl methacrylate)-Based Composite Bone Cements With Different Types of Reinforcement Agents. , 2021, , 867-886. | | 0 |
| 15 | Recent advances on akermanite calciumâ€silicate ceramic for biomedical applications. International Journal of Applied Ceramic Technology, 2021, 18, 1901-1920. | 1.1 | 22 |
| 16 | 3â€Dimensional Printing of Hydrogelâ€Based Nanocomposites: A Comprehensive Review on the Technology Description, Properties, and Applications. Advanced Engineering Materials, 2021, 23, 2100477. | 1.6 | 25 |
| 17 | Evaluation of the effects of starch on polyhydroxybutyrate electrospun scaffolds for bone tissue engineering applications. International Journal of Biological Macromolecules, 2021, 191, 500-513. | 3.6 | 45 |
| 18 | Preparation and characterization of poly ε -caprolactone-gelatin/multi-walled carbon nanotubes electrospun scaffolds for cartilage tissue engineering applications. International Journal of Polymeric Materials and Polymeric Biomaterials, 2020, 69, 326-337. | 1.8 | 52 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Biological evaluation of the effects of Hyaluronic acid on Poly (3-hydroxybutyrate) based Electrospun Nanocomposite scaffolds for cartilage tissue engineering application. Materials Technology, 2020, 35, 141-151. | 1.5 | 20 |
| 20 | Physical, mechanical and biological evaluation of poly (3-hydroxybutyrate)-chitosan/MWNTs as a novel electrospun scaffold for cartilage tissue engineering applications. Polymer-Plastics Technology and Materials, 2020, 59, 417-429. | 0.6 | 25 |
| 21 | Incorporation of multi-walled carbon nanotubes into electrospun PCL/gelatin scaffold: the influence on the physical, chemical and thermal properties and cell response for tissue engineering. Materials Technology, 2020, 35, 39-49. | 1.5 | 21 |
| 22 | Evaluation of physical, mechanical, and biodegradation of chitosan/graphene oxide composite as bone substitutes. Polymer-Plastics Technology and Materials, 2020, 59, 430-440. | 0.6 | 24 |
| 23 | Evaluation of physical, mechanical and biological properties of bioglass/titania scaffold coated with poly (3-hydroxybutyrate)-chitosan for bone tissue engineering applications. Materials Technology, 2020, 35, 75-91. | 1.5 | 20 |
| 24 | Biodegradation and cellular evaluation of aligned and random poly (3-hydroxybutyrate)/chitosan electrospun scaffold for nerve tissue engineering applications. Materials Technology, 2020, 35, 92-101. | 1.5 | 22 |
| 25 | Baghdadite/Polycaprolactone nanocomposite scaffolds: preparation, characterisation, and in vitro biological responses of human osteoblast-like cells (Saos-2 cell line). Materials Technology, 2020, 35, 421-432. | 1.5 | 12 |
| 26 | Evaluation of the effects of chitosan/multiwalled carbon nanotubes composite on physical, mechanical and biological properties of polymethyl methacrylate-based bone cements. Materials Technology, 2020, 35, 267-280. | 1.5 | 19 |
| 27 | Polymethyl Methacrylate-Based Bone Cements Containing Carbon Nanotubes and Graphene Oxide: An Overview of Physical, Mechanical, and Biological Properties. Polymers, 2020, 12, 1469. | 2.0 | 52 |
| 28 | Herbal Remedies as Potential in Cartilage Tissue Engineering: An Overview of New Therapeutic Approaches and Strategies. Molecules, 2020, 25, 3075. | 1.7 | 23 |
| 29 | Physical, mechanical and biological performance of PHB-Chitosan/MWCNTs nanocomposite coating deposited on bioglass based scaffold: Potential application in bone tissue engineering. International Journal of Biological Macromolecules, 2020, 152, 645-662. | 3.6 | 56 |
| 30 | Evaluation of the effects of keratin on physical, mechanical and biological properties of poly (3-hydroxybutyrate) electrospun scaffold: Potential application in bone tissue engineering. European Polymer Journal, 2020, 124, 109502. | 2.6 | 64 |
| 31 | Incorporation of chitosan/graphene oxide nanocomposite in to the PMMA bone cement: Physical, mechanical and biological evaluation. International Journal of Biological Macromolecules, 2020, 149, 783-793. | 3.6 | 61 |
| 32 | Magnetic CoFe2O4 nanoparticles doped with metal ions: A review. Ceramics International, 2020, 46, 18391-18412. | 2.3 | 155 |
| 33 | In Vitro and In Vivo Evaluation of Poly (3-hydroxybutyrate)/Carbon Nanotubes Electrospun Scaffolds for Periodontal Ligament Tissue Engineering. Journal of Dentistry, 2020, 21, 18-30. | 0.1 | 8 |
| 34 | Fabrication, characterization and examination of <i>in vitro</i> of baghdadite nanoparticles for biomedical applications. Materials Research Express, 2019, 6, 095411. | 0.8 | 10 |
| 35 | Evaluation of the effects of β-tricalcium phosphate on physical, mechanical and biological properties of Poly (3-hydroxybutyrate)/chitosan electrospun scaffold for cartilage tissue engineering applications. Materials Technology, 2019, 34, 615-625. | 1.5 | 36 |
| 36 | Evaluation of the effects of hyaluronic acid on poly (3-hydroxybutyrate)/chitosan/carbon nanotubes electrospun scaffold: structure and mechanical properties. Polymer-Plastics Technology and Materials, 2019, 58, 2031-2040. | 0.6 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of nano-bioactive glass on structural, mechanical and bioactivity properties of Poly (3-hydroxybutyrate) electrospun scaffold for bone tissue engineering applications. Materials Technology, 2019, 34, 540-548. | 1.5 | 41 |
| 38 | In vitro and in vivo performance of a propolis-coated polyurethane wound dressing with high porosity and antibacterial efficacy. Colloids and Surfaces B: Biointerfaces, 2019, 178, 177-184. | 2.5 | 76 |
| 39 | Evaluation of physical, mechanical and biological properties of poly 3-hydroxybutyrate-chitosan-multiwalled carbon nanotube/silk nano-micro composite scaffold for cartilage tissue engineering applications. International Journal of Biological Macromolecules, 2019, 132, 822-835. | 3.6 | 66 |
| 40 | Potential of an electrospun composite scaffold of poly (3-hydroxybutyrate)-chitosan/alumina nanowires in bone tissue engineering applications. Materials Science and Engineering C, 2019, 99, 1075-1091. | 3.8 | 106 |
| 41 | A novel bilayer drug-loaded wound dressing of PVDF and PHB/Chitosan nanofibers applicable for post-surgical ulcers. International Journal of Polymeric Materials and Polymeric Biomaterials, 2019, 68, 772-777. | 1.8 | 54 |
| 42 | Chitosan/MWCNTs composite as bone substitute: Physical, mechanical, bioactivity, and biodegradation evaluation. Polymer Composites, 2019, 40, E1622. | 2.3 | 53 |
| 43 | Evaluation of mechanical properties and cell viability of poly (3-hydroxybutyrate)-chitosan/Al ₂ O ₃ nanocomposite scaffold for cartilage tissue engineering. Journal of Medical Signals and Sensors, 2019, 9, 111. | 0.5 | 29 |
| 44 | Preparation and evaluation of poly glycerol sebacate/poly hydroxy butyrate coreâ€shell electrospun nanofibers with sequentially release of ciprofloxacin and simvastatin in wound dressings. Polymers for Advanced Technologies, 2018, 29, 1795-1803. | 1.6 | 41 |
| 45 | Effect of Polyhydroxybutyrate/Chitosan/Bioglass nanofiber scaffold on proliferation and differentiation of stem cells from human exfoliated deciduous teeth into odontoblast-like cells. Materials Science and Engineering C, 2018, 89, 128-139. | 3.8 | 35 |
| 46 | Evaluation of the effects of multiwalled carbon nanotubes on electrospun poly(3-hydroxybutirate) scaffold for tissue engineering applications. Journal of Porous Materials, 2018, 25, 259-272. | 1.3 | 53 |
| 47 | Assessing the physical and mechanical properties of poly 3â€hydroxybutyrateâ€chitosanâ€multiâ€walled carbon nanotube/silk nano–micro composite scaffold for longâ€ŧerm healing tissue engineering applications. Micro and Nano Letters, 2018, 13, 829-834. | 0.6 | 7 |
| 48 | Cytotoxicity assessment of polyhydroxybutyrate/chitosan/nano- bioglass nanofiber scaffolds by stem cells from human exfoliated deciduous teeth stem cells from dental pulp of exfoliated deciduous tooth. Dental Research Journal, 2018, 15, 136. | 0.2 | 13 |
| 49 | Poly(hydroxybutyrate)/chitosan Aligned Electrospun Scaffold as a Novel Substrate for Nerve Tissue Engineering. Advanced Biomedical Research, 2018, 7, 44. | 0.2 | 36 |
| 50 | Characterization of Silk/Poly 3-Hydroxybutyrate-chitosan-multi-walled Carbon Nanotube Micro-nano Scaffold: A New Hybrid Scaffold for Tissue Engineering Applications. Journal of Medical Signals and Sensors, 2018, 8, 46. | 0.5 | 10 |
| 51 | Characterization of Silk/Poly 3-Hydroxybutyrate-chitosan-multi-walled Carbon Nanotube Micro-nano Scaffold: A New Hybrid Scaffold for Tissue Engineering Applications. Journal of Medical Signals and Sensors, 2018, 8, 46-52. | 0.5 | 2 |
| 52 | Cytotoxicity assessment of polyhydroxybutyrate/chitosan/nano- bioglass nanofiber scaffolds by stem cells from human exfoliated deciduous teeth stem cells from dental pulp of exfoliated deciduous tooth. Dental Research Journal, 2018, 15, 136-145. | 0.2 | 4 |
| 53 | Evaluation of structural, mechanical, and cellular behavior of electrospun poly-3-hydroxybutyrate scaffolds loaded with glucosamine sulfate to develop cartilage tissue engineering. International Journal of Polymeric Materials and Polymeric Biomaterials, 2017, 66, 589-602. | 1.8 | 16 |
| 54 | Polyhydroxybutyrate/chitosan/bioglass nanocomposite as a novel electrospun scaffold: fabrication and characterization. Journal of Porous Materials, 2017, 24, 1447-1460. | 1.3 | 44 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Effects of multi-wall carbon nanotubes on structural and mechanical properties of poly(3-hydroxybutyrate)/chitosan electrospun scaffolds for cartilage tissue engineering. Bulletin of Materials Science, 2017, 40, 1247-1253. | 0.8 | 52 |
| 56 | An Investigation into the Corrosion Behavior of MgO/ZrO2 Nanocomposite Coatings Prepared by Plasma Electrolytic Oxidation on the AZ91 Magnesium Alloy. Journal of Materials Engineering and Performance, 2017, 26, 4255-4264. | 1.2 | 15 |
| 57 | Tissue engineering: Dentin – pulp complex regeneration approaches (A review). Tissue and Cell, 2017, 49, 552-564. | 1.0 | 52 |
| 58 | Evaluation of PCL/chitosan electrospun nanofibers for liver tissue engineering. International Journal of Polymeric Materials and Polymeric Biomaterials, 2017, 66, 149-157. | 1.8 | 96 |
| 59 | Electrospinning of aligned medical grade polyurethane nanofibres and evaluation of cell–scaffold interaction using SHED stem cells. Micro and Nano Letters, 2017, 12, 412-417. | 0.6 | 2 |
| 60 | Evaluation of physical and mechanical properties of B-tri-calcium phosphate/poly-3-hydroxybutyrate nanocomposite scaffold for bone tissue engineering application. Scientia Iranica, 2017, 24, 1654-1668. | 0.3 | 6 |
| 61 | Optimizing the mechanical properties of a bi-layered knitted/nanofibrous esophageal prosthesis using artificial intelligence. E-Polymers, 2016, 16, 359-371. | 1.3 | 6 |
| 62 | Electrospun poly(hydroxybutyrate)/chitosan blend fibrous scaffolds for cartilage tissue engineering. Journal of Applied Polymer Science, 2016, 133, . | 1.3 | 98 |
| 63 | Evaluation of the effects of nano-TiO2 on bioactivity and mechanical properties of nano bioglass-P3HB composite scaffold for bone tissue engineering. Journal of Materials Science: Materials in Medicine, 2016, 27, 2. | 1.7 | 19 |
| 64 | Effect of Multi-wall Carbon Nanotubes(MWNTs) on Structural and Mechanical Properties of Poly(3-hydroxybutirate) Electrospun Scaffolds for Tissue Engineering Applications. Scientia Iranica, 2016, 23, 3145-3152. | 0.3 | 14 |
| 65 | Evaluate the growth and adhesion of osteoblast cells on nanocomposite scaffold of hydroxyapatite/titania coated with poly hydroxybutyrate. Advanced Biomedical Research, 2016, 5, 156. | 0.2 | 15 |
| 66 | Preparation and characterization of poly (hydroxy butyrate)/chitosan blend scaffolds for tissue engineering applications. Advanced Biomedical Research, 2016, 5, 177. | 0.2 | 24 |
| 67 | Evaluation of structural and mechanical properties of electrospun nano-micro hybrid of poly hydroxybutyrate-chitosan/silk scaffold for cartilage tissue engineering. Advanced Biomedical Research, 2016, 5, 180. | 0.2 | 27 |
| 68 | Nano/Micro Hybrid Scaffold of PCL or P3HB Nanofibers Combined with Silk Fibroin for Tendon and Ligament Tissue Engineering. Journal of Applied Biomaterials and Functional Materials, 2015, 13, 156-168. | 0.7 | 59 |
| 69 | Improving the Mechanical Properties of Wire-Rope Silk Scaffold by Artificial Neural Network in Tendon and Ligament Tissue Engineering. Journal of Engineered Fibers and Fabrics, 2015, 10, 155892501501000. | 0.5 | 3 |
| 70 | Nanobiocomposite of poly(lactideâ€ <i>co</i> â€glycolide)/chitosan electrospun scaffold can promote proliferation and transdifferentiation of <scp>S</scp> chwannâ€like cells from human adiposeâ€derived stem cells. Journal of Biomedical Materials Research - Part A, 2015, 103, 2628-2634. | 2.1 | 27 |
| 71 | Evaluation of mechanical property and bioactivity of nano-bioglass 45S5 scaffold coated with poly-3-hydroxybutyrate. Journal of Materials Science: Materials in Medicine, 2015, 26, 62. | 1.7 | 24 |
| 72 | Characterization of PLGA/Chitosan Electrospun Nano-Biocomposite Fabricated by Two Different Methods. International Journal of Polymeric Materials and Polymeric Biomaterials, 2015, 64, 64-75. | 1.8 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Cell Attachment and Proliferation of Human Adipose-Derived Stem Cells on PLGA/Chitosan Electrospun Nano-Biocomposite. Cell Journal, 2015, 17, 429-37. | 0.2 | 17 |
| 74 | Application of intelligent neural network method for prediction of mechanical behavior of wire-rope scaffold in tissue engineering. Journal of the Textile Institute, 2014, 105, 264-274. | 1.0 | 11 |
| 75 | Investigation on bioactivity and cytotoxicity of mesoporous nano-composite MCM-48/hydroxyapatite for ibuprofen drug delivery. Ceramics International, 2014, 40, 7355-7362. | 2.3 | 61 |
| 76 | Extremely low-frequency electromagnetic field influences the survival and proliferation effect of human adipose derived stem cells. Advanced Biomedical Research, 2014, 3, 25. | 0.2 | 24 |
| 77 | Comparison of acellular and cellular bioactivity of poly 3-hydroxybutyrate/hydroxyapatite nanocomposite and poly 3-hydroxybutyrate scaffolds. Biotechnology and Bioprocess Engineering, 2013, 18, 587-593. | 1.4 | 22 |
| 78 | Effects of Some Parameters on Particle Size Distribution of Chitosan Nanoparticles Prepared by Ionic Gelation Method. Journal of Cluster Science, 2013, 24, 891-903. | 1.7 | 102 |
| 79 | Mechanical Evaluation of nHAp Scaffold Coated with Poly-3-Hydroxybutyrate for Bone Tissue Engineering. Journal of Nanoscience and Nanotechnology, 2013, 13, 1555-1562. | 0.9 | 9 |
| 80 | The Influence of Bioglass Nanoparticles on the Biodegradation and Biocompatibility of Poly (3-Hydroxybutyrate) Scaffolds. International Journal of Artificial Organs, 2012, 35, 1015-1024. | 0.7 | 15 |
| 81 | Physical and mechanical properties of a poly-3-hydroxybutyrate-coated nanocrystalline hydroxyapatite scaffold for bone tissue engineering. Journal of Porous Materials, 2012, 19, 667-675. | 1.3 | 34 |
| 82 | The influence of bioglass nanoparticles on the biodegradation and biocompatibility of poly (3-hydroxybutyrate) scaffolds. International Journal of Artificial Organs, 2012, 35, 1015-1024. | 0.7 | 10 |
| 83 | Does the tissue engineering architecture of poly(3â€hydroxybutyrate) scaffold affects cell–material interactions?. Journal of Biomedical Materials Research - Part A, 2012, 100A, 1907-1918. | 2.1 | 45 |
| 84 | Preparation, chemistry and physical properties of bone-derived hydroxyapatite particles having a negative zeta potential. Materials Chemistry and Physics, 2012, 132, 446-452. | 2.0 | 50 |
| 85 | Influence of calcinated and non calcinated nanobioglass particles on hardness and bioactivity of sol–gel-derived TiO2–SiO2 nano composite coatings on stainless steel substrates. Journal of Materials Science: Materials in Medicine, 2011, 22, 829-838. | 1.7 | 10 |
| 86 | Direct cytotoxicity evaluation of 63S bioactive glass and bone-derived hydroxyapatite particles using yeast model and human chondrocyte cells by microcalorimetry. Journal of Materials Science: Materials in Medicine, 2011, 22, 2293-2300. | 1.7 | 16 |
| 87 | Bonding Strength, Hardness and Bioactivity of Nano Bioglass-Titania Nano Composite Coating Deposited on NiTi Nails. Current Nanoscience, 2011, 7, 568-575. | 0.7 | 8 |
| 88 | Preparation of a novel biodegradable nanocomposite scaffold based on poly (3-hydroxybutyrate)/bioglass nanoparticles for bone tissue engineering. Journal of Materials Science: Materials in Medicine, 2010, 21, 2125-2132. | 1.7 | 59 |
| 89 | Scaffold percolative efficiency: in vitro evaluation of the structural criterion for electrospun mats. Journal of Materials Science: Materials in Medicine, 2010, 21, 2989-2998. | 1.7 | 15 |
| 90 | Experimental investigation of the governing parameters in the electrospinning of poly(3â€hydroxybutyrate) scaffolds: Structural characteristics of the pores. Journal of Applied Polymer Science, 2010, 118, 2682-2689. | 1.3 | 24 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Biocompatibility evaluation of bioglass nanoparticles to chondrocyte cells by isothermal microcalorimetry. , 2010, , . | | 1 |
| 92 | Preparing nanocomposite fibrous scaffolds of P3HB/nHA for bone tissue engineering. , 2010, , . | | 4 |
| 93 | Fabrication and Morphological Characterization of Poly (3Hydroxy Butyrate)/Nano Hydroxyapetite Nanocomposite Scaffold for Bone Tissue Engineering. IFMBE Proceedings, 2010, , 833-836. | 0.2 | 2 |
| 94 | Mechanical Property of Poly (3-hydroxybutyrate)/Bioglass Nanocomposite Scaffolds for Bone Tissue Engineering. IFMBE Proceedings, 2010, , 1238-1241. | 0.2 | 2 |
| 95 | Influence of Poly (Lactide-Co-Glycolide) Type and Gamma Irradiation on the Betamethasone Acetate Release from the In Situ Forming Systems. Current Drug Delivery, 2009, 6, 184-191. | 0.8 | 9 |
| 96 | A Comparative Study of Articular Chondrocytes Metabolism on a Biodegradable Polyesterurethane Scaffold and Alginate in Different Oxygen Tension and pH. IFMBE Proceedings, 2009, , 1248-1251. | 0.2 | 1 |
| 97 | Swelling behavior and cell viability of dehydrothermally crosslinked poly(vinyl alcohol) hydrogel grafted withN-vinyl pyrrolidone or acrylic acid using ?-radiation. Journal of Applied Polymer Science, 2004, 91, 2862-2868. | 1.3 | 22 |