

Johannes Geier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4812333/publications.pdf>

Version: 2024-02-01

168
papers

6,824
citations

53751

45
h-index

79644

73
g-index

187
all docs

187
docs citations

187
times ranked

1802
citing authors

#	ARTICLE	IF	CITATIONS
1	Contact allergy to topical diclofenac with systemic tolerance. Contact Dermatitis, 2022, 86, 41-43.	0.8	0
2	Very late reactions in the patch test with fragrance mix I and oak moss absolute (<i>Evernia</i> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T Dermatitis, 2022, 86, 54-57.	0.8	0
3	Is benzyl alcohol a significant contact sensitizer?. Journal of the European Academy of Dermatology and Venereology, 2022, 36, 866-872.	1.3	3
4	Contact sensitization to essential oils: <sc>IVDK</sc> data of the years 2010â€“2019. Contact Dermatitis, 2022, 87, 71-80.	0.8	8
5	German S1 guideline: Contact dermatitis. JDDG - Journal of the German Society of Dermatology, 2022, 20, 712-734.	0.4	10
6	S1â€“Leitlinie Kontaktekzem. JDDG - Journal of the German Society of Dermatology, 2022, 20, 711-734.	0.4	4
7	Patch test results with the European baseline series and additions thereof in the ESSCA network, 2015â€“2018. Contact Dermatitis, 2021, 84, 109-120.	0.8	44
8	Improving povidoneâ€“iodine and iodine preparations for patch testing. Contact Dermatitis, 2021, 84, 332-337.	0.8	5
9	Developing a cosmetic series: Results from the <sc>ESSCA</sc> network, 2009â€“2018. Contact Dermatitis, 2021, 84, 82-94.	0.8	10
10	Formaldehyde 2% is not a useful means of detecting allergy to formaldehyde releasersâ€“ results of the <sc>ESSCA</sc> network, 2015â€“2018. Contact Dermatitis, 2021, 84, 95-102.	0.8	15
11	Patch test results with caine mix <sc>III</sc> and its three constituents in consecutive patients of the <sc>IVDK</sc>. Contact Dermatitis, 2021, 84, 481-483.	0.8	4
12	A negative breakdown test in a fragrance mix Iâ€“positive patient does not rule out contact allergy to its fragrance constituents. Contact Dermatitis, 2021, 84, 407-418.	0.8	11
13	Contact sensitizations to disinfectants containing alcohols or quaternary ammonium compounds are rarely of clinical relevance. Contact Dermatitis, 2021, 85, 211-214.	0.8	5
14	Patch test results in patients with suspected contact allergy to shoes: Retrospective <sc>IVDK</sc> data analysis 2009â€“2018. Contact Dermatitis, 2021, 85, 297-306.	0.8	6
15	Occupational contact dermatitis in painters and varnishers: Data from the <sc>Information Network of Departments of Dermatology</sc> (<sc>IVDK</sc>), 2000 to 2019. Contact Dermatitis, 2021, 85, 494-502.	0.8	8
16	Contact sensitization to propolis in the Information Network of Departments of Dermatology (<sc>IVDK</sc>) 2013 to 2019 and market survey of propolis commerce in Germany. Contact Dermatitis, 2021, 85, 722-724.	0.8	2
17	Contact Allergy to Metalworking Fluids. , 2021, , 1067-1082.		1
18	The methylisothiazolinone epidemic goes along with changing patients' characteristics â€“ After cosmetics, industrial applications are the focus. Contact Dermatitis, 2020, 82, 87-93.	0.8	30

#	ARTICLE	IF	CITATIONS
19	Assessment of occupational exposure and spectrum of contact sensitization in metalworkers with occupational dermatitis: results of a cohort study within the <scp>OCCUDERM</scp> project. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 1536-1544.	1.3	11
20	A survey of members of the European Surveillance System on Contact Allergy and the EU project "StanDerm" to identify allergens tested in cosmetic series across Europe. Contact Dermatitis, 2020, 82, 195-200.	0.8	5
21	Effectiveness of secondary prevention in metalworkers with work-related skin diseases and comparison with participants of a tertiary prevention program: A prospective cohort study. Contact Dermatitis, 2020, 83, 497-506.	0.8	6
22	Contact sensitization in metalworkers: Data from the information network of departments of dermatology (<scp>IVDK</scp>), 2010-2018. Contact Dermatitis, 2020, 83, 487-496.	0.8	15
23	Relevance of contact sensitizations in occupational dermatitis patients with special focus on patch testing of workplace materials. Contact Dermatitis, 2020, 83, 475-486.	0.8	14
24	Health education decreases incidence of hand eczema in metal work apprentices: Results of a controlled intervention study. Contact Dermatitis, 2020, 82, 350-360.	0.8	24
25	Trends and current spectrum of contact allergy in Central Europe: results of the Information Network of Departments of Dermatology (IVDK) 2007-2018*. British Journal of Dermatology, 2020, 183, 857-865.	1.4	36
26	Leather and Shoes. , 2020, , 877-889.		1
27	Contact Allergy to Metalworking Fluids. , 2020, , 1-17.		0
28	The frequency of specific contact allergies is reduced in patients with psoriasis. British Journal of Dermatology, 2019, 180, 315-320.	1.4	15
29	Adding sorbitan sesquioleate to the European baseline series: Necessary, reasonable, or unavoidable?. Contact Dermatitis, 2019, 81, 221-225.	0.8	20
30	S3 guidelines: Epicutaneous patch testing with contact allergens and drugs " Short version, Part 1. JDDG - Journal of the German Society of Dermatology, 2019, 17, 1076-1093.	0.4	81
31	Contact urticaria: Frequency, elicitors and cofactors in three cohorts (Information Network of) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.8	26
32	A case-control analysis of skin contact allergy in children and adolescents. Pediatric Allergy and Immunology, 2019, 30, 632-637.	1.1	11
33	Clinicians vs. epidemiologists: patch testing with methyl dibromo glutaronitrile as a controversial issue. Journal of the European Academy of Dermatology and Venereology, 2019, 33, e242-e244.	1.3	23
34	S3 Guidelines: Epicutaneous patch testing with contact allergens and drugs " Short version, Part 2. JDDG - Journal of the German Society of Dermatology, 2019, 17, 1187-1207.	0.4	44
35	Tertiary prevention of occupational skin diseases: Prevalence of allergic contact dermatitis and pattern of patch test results. Contact Dermatitis, 2019, 80, 35-44.	0.8	33
36	Contact allergy to 2-amino-2-methyl-1-propanol in a metalworking fluid. Contact Dermatitis, 2019, 80, 323-324.	0.8	11

#	ARTICLE	IF	CITATIONS
37	Contact sensitization to plants of the Compositae family: Data of the Information Network of Departments of Dermatology (IVDK) from 2007 to 2016. Contact Dermatitis, 2019, 80, 222-227.	0.8	17
38	Contact dermatitis and sensitization in professional musicians. Contact Dermatitis, 2019, 80, 273-278.	0.8	10
39	Metalworking Fluids. , 2019, , 1-17.		1
40	Die häufigsten Kontaktallergene der Jahre 2015 â€“ 2017: Daten des Informationsverbundes Dermatologischer Kliniken. Dermatologie in Beruf Und Umwelt, 2019, 67, 3-11.	0.5	13
41	Contact sensitization to lanolin alcohols and Amerchol® L101 â€“ analysis of IVDK data. Contact Dermatitis, 2018, 78, 367-369.	0.8	14
42	Factors associated with <i>p</i> -phenylenediamine sensitization: data from the Information Network of Departments of Dermatology, 2008â€“2013. Contact Dermatitis, 2018, 78, 199-207.	0.8	26
43	Contact sensitization in dental technicians with occupational contact dermatitis. Data of the Information Network of Departments of Dermatology (IVDK) 2001â€“2015. Contact Dermatitis, 2018, 78, 266-273.	0.8	34
44	Sensitization to diphenylmethaneâ€¦diisocyanate isomers by a single accidental exposure. Contact Dermatitis, 2018, 78, 90-92.	0.8	5
45	Empfehlungen der Arbeitsgruppe â€žPhotopatchtestâ€œ der Deutschen Kontaktallergieâ€¦Gruppe (DKG) zur DurchfÃ¼hrung des Photopatchtests. JDDG - Journal of the German Society of Dermatology, 2018, 16, 1363-1364.	0.4	10
46	Recommendations for photopatch testing by the Photopatch Test Working Group of the German Contact Dermatitis Research Group (DKG). JDDG - Journal of the German Society of Dermatology, 2018, 16, 1363-1364.	0.4	13
47	In Memoriam Professor Dr. rer. nat. BjÃ¶rn Manfred Hausen â€“ geboren am 11.Ã10.Ã1940 in Gotenhafen / WestpreuÃŸen, gestorben am 14.Ã12.Ã2017 in Stade. JDDG - Journal of the German Society of Dermatology, 2018, 16, 677-678.	0.4	0
48	Contact dermatitis caused by diltiazem cream and crossâ€¦reactivity with other calcium channel blockers. Contact Dermatitis, 2018, 79, 244-246.	0.8	8
49	The current spectrum of contact sensitization in patients with chronic leg ulcers or stasis dermatitisâ€¦new data from the <i>I</i> nformation <i>N</i> etwork of <i>D</i> epartments of <i>D</i> ermatology (<i>IVDK</i>). Contact Dermatitis, 2017, 77, 151-158.	0.8	47
50	Contact sensitization in patients with suspected textile allergy. Data of the <i>I</i> nformation <i>N</i> etwork of <i>D</i> epartments of <i>D</i> ermatology (<i>IVDK</i>) 2007â€“2014. Contact Dermatitis, 2017, 77, 143-150.	0.8	25
51	Patch testing with rubber series in <i>E</i> urope: a critical review and recommendation. Contact Dermatitis, 2017, 76, 195-203.	0.8	21
52	In search of a better patch test concentration for povidoneâ€¦iodine. Contact Dermatitis, 2017, 77, 346-347.	0.8	8
53	Occupational contact sensitization in female geriatric nurses: Data of the Information Network of Departments of Dermatology (<i>IVDK</i>) 2005â€“2014. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 469-476.	1.3	13
54	Occupational contact allergy in bricklayers, tile setters etc. Current spectrum of sensitization and recent time trends. Allergologie Select, 2017, 1, 127-140.	1.6	12

#	ARTICLE	IF	CITATIONS
55	Wie ist eine positive Epikutantestreaktion auf 4,4-Diaminodiphenylmethan zu beurteilen?. <i>Dermatologie in Beruf Und Umwelt</i> , 2017, 65, 146-157.	0.5	1
56	Allergic contact dermatitis caused by ethylhexylglycerin in both an ointment and a skin aerosol. <i>Contact Dermatitis</i> , 2016, 74, 181-182.	0.8	4
57	Occupational contact allergy to the epoxy resin hardener 2-methylpentane-1,5-diamine. <i>Contact Dermatitis</i> , 2016, 74, 115-116.	0.8	7
58	Patch testing with didecyldimethylammonium chloride. <i>Contact Dermatitis</i> , 2016, 74, 374-376.	0.8	12
59	Patch test results with rubber series in the European Surveillance System on Contact Allergies (ESSCA), 2013/14. <i>Contact Dermatitis</i> , 2016, 75, 345-352.	0.8	39
60	Contact allergy to sulfites: clinical and occupational relevance – new data from the German Contact Dermatitis Research Group and the Information Network of Departments of Dermatology (IVDK). <i>JDDG - Journal of the German Society of Dermatology</i> , 2016, 14, 938-941.	0.4	8
61	Sensitization to reactive diluents and hardeners in epoxy resin systems. IVDK data 2002–2011. Part II: concomitant reactions. <i>Contact Dermatitis</i> , 2016, 74, 94-101.	0.8	15
62	Sensitization to reactive diluents and hardeners in epoxy resin systems. IVDK data 2002–2011. Part I: reaction frequencies. <i>Contact Dermatitis</i> , 2016, 74, 83-93.	0.8	21
63	Contact sensitization in prurigo patients. <i>Contact Dermatitis</i> , 2016, 75, 173-179.	0.8	6
64	Aktuelles zu den Epikutantestreihen der Deutschen Kontaktallergie-Gruppe. <i>Dermatologie in Beruf Und Umwelt</i> , 2016, 64, 70-75.	0.5	8
65	Reactivity to sorbitan sesquioleate affects reactivity to fragrance mix I. <i>Contact Dermatitis</i> , 2015, 73, 296-304.	0.8	22
66	Fragrance mix I and II: results of breakdown tests. <i>Flavour and Fragrance Journal</i> , 2015, 30, 264-274.	1.2	30
67	Occupational contact allergy in nurses: results from the Information Network of Departments of Dermatology 2003–2012. <i>Contact Dermatitis</i> , 2015, 72, 164-171.	0.8	54
68	Contact allergy to acrylates and methacrylates in consumers and nail artists – data of the Information Network of Departments of Dermatology, 2004–2013. <i>Contact Dermatitis</i> , 2015, 72, 224-228.	0.8	75
69	Contact sensitization to fragrance mix I and II, to Myroxylon pereirae resin and oil of turpentine: multifactorial analysis of risk factors based on data of the IVDK network. <i>Flavour and Fragrance Journal</i> , 2015, 30, 255-263.	1.2	15
70	Epidemiological data on airborne contact dermatitis – results of the IVDK. <i>Contact Dermatitis</i> , 2015, 73, 239-247.	0.8	48
71	DKG statement on the use of metal alloy discs for patch testing in suspected intolerance to metal implants. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 1001-1004.	0.4	12
72	Risk of sensitization to fragrances estimated on the basis of patch test data and exposure, according to volume used and a sample of 5451 cosmetic products. <i>Flavour and Fragrance Journal</i> , 2015, 30, 208-217.	1.2	21

#	ARTICLE	IF	CITATIONS
73	Concomitant reactivity to methylisothiazolinone, benzisothiazolinone, and octylisothiazolinone. International Network of Departments of Dermatology data, 2009â€“2013. Contact Dermatitis, 2015, 72, 337-339.	0.8	45
74	Contact sensitization in patients with suspected cosmetic intolerance: results of the <scp>IVDK</scp> 2006â€“2011. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 1071-1081.	1.3	44
75	Kontaktsensibilisierung gegen Konservierungsmittel. Allergologie, 2015, 38, 336-345.	0.1	3
76	Psoriasis predisposition and occupational triggering factors in the appraisal of occupational medical experts. JDDG - Journal of the German Society of Dermatology, 2014, 12, 519-529.	0.4	19
77	Contact sensitization to cobalt â€“ multifactorial analysis of risk factors based on longâ€“term data of the Information Network of Departments of Dermatology. Contact Dermatitis, 2014, 71, 326-337.	0.8	36
78	Neue Entwicklungen zum Thema Epikutantest â€“ aktuelle Daten aus der Deutschen Kontaktallergieâ€“Gruppe (DKG) und Informationsverbund Dermatologischer Kliniken (IVDK). JDDG - Journal of the German Society of Dermatology, 2014, 12, 583-593.	0.4	5
79	Current trends in patch testing â€“ new data from the German Contact Dermatitis Research Group (DKG) and the Information Network of Departments of Dermatology (IVDK). JDDG - Journal of the German Society of Dermatology, 2014, 12, 583-592.	0.4	62
80	Contact allergy to ingredients of hair cosmeticsâ€“â€“a comparison of female hairdressers and clients based on <scp>IVDK</scp> 2007â€“2012 data. Contact Dermatitis, 2014, 71, 13-20.	0.8	65
81	Contact hypersensitivity to triclosan. Annals of Allergy, Asthma and Immunology, 2014, 113, 119-120.	0.5	10
82	Kontaktsensibilisierungen bei Kfz-Mechanikern mit Berufsdermatose. IVDK-Daten der Jahre 2008 â€“ 2012. Dermatologie in Beruf Und Umwelt, 2014, 62, 141-152.	0.5	4
83	Hand Eczema in the Construction Industry. , 2014, , 219-225.		0
84	Hand Eczema from Metalworking Fluids. , 2014, , 159-167.		0
85	Airborne allergic contact dermatitis caused by didecyldimethylammonium chloride in a geriatric nurse. Contact Dermatitis, 2013, 68, 123-125.	0.8	18
86	Monitoring contact sensitization to <i>p</i>-phenylenediamine (<scp>PPD</scp>) by patch testing with <scp>PPD</scp> 0.3% in petrolatum. Contact Dermatitis, 2013, 69, 26-31.	0.8	20
87	Risk factors associated with methylisothiazolinone contact sensitization. Contact Dermatitis, 2013, 69, 231-238.	0.8	109
88	Kontaktallergie gegen Bestandteile von KÃ¼hlschmierstoffen. IVDK-Daten der Jahre 2005 Ã€Ã€“ 2009. Dermatologie in Beruf Und Umwelt, 2013, 61, 137-149.	0.5	13
89	Recent increase in allergic reactions to methylchloroisothiazolinone/methylisothiazolinone: is methylisothiazolinone the culprit?. Contact Dermatitis, 2012, 67, 334-341.	0.8	128
90	Methylchloroisothiazolinone/methylisothiazolinone contact sensitization: diverging trends in subgroups of IVDK patients in a period of 19 years. Contact Dermatitis, 2012, 67, 125-129.	0.8	39

#	ARTICLE	IF	CITATIONS
91	Airborne allergic contact dermatitis in a parquet fitter. Contact Dermatitis, 2012, 67, 106-108.	0.8	10
92	Is hydroxyisohexyl 3-cyclohexene carboxaldehyde sensitization declining in central Europe?. Contact Dermatitis, 2012, 67, 47-49.	0.8	12
93	Occupational contact allergy caused by rubber gloves – nothing has changed. Contact Dermatitis, 2012, 67, 149-156.	0.8	85
94	Surveillance of contact allergies: methods and results of the Information Network of Departments of Dermatology (IVDK). Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 847-857.	2.7	119
95	Auswirkungen berufsbedingter Kontaktallergien gegen Methylisothiazolinon (MI), Benzisothiazolinon (BIT) und/oder Octylisothiazolinon (OIT) bei der BK 5101. Dermatologie in Beruf Und Umwelt, 2012, 60, 10-17.	0.5	4
96	Contact allergy to preservatives. Analysis of IVDK data 1996-2009. British Journal of Dermatology, 2011, 164, 1316-1325.	1.4	137
97	Nickel allergy is still frequent in young German females - probably because of insufficient protection from nickel-releasing objects. Contact Dermatitis, 2011, 64, 142-150.	0.8	63
98	Late reactions to patch test preparations with reduced concentrations of p-phenylenediamine: a multicentre investigation of the German Contact Dermatitis Research Group. Contact Dermatitis, 2011, 64, 196-202.	0.8	22
99	Contact allergy in the cleaning industry: analysis of contact allergy surveillance data of the Information Network of Departments of Dermatology. Contact Dermatitis, 2011, 65, 159-166.	0.8	34
100	Occupational contact allergy in the building trade in Germany: influence of preventive measures and changing exposure. International Archives of Occupational and Environmental Health, 2011, 84, 403-411.	1.1	113
101	Metalworking Fluids. , 2011, , 681-694.		6
102	Patch testing with fragrance mix II: results of the IVDK 2005-2008. Contact Dermatitis, 2010, 63, 262-269.	0.8	51
103	Contact allergy to fragrances: current patch test results (2005-2008) from the Information Network of Departments of Dermatology. Contact Dermatitis, 2010, 63, 254-261.	0.8	85
104	Contact allergy to essential oils: current patch test results (2000-2008) from the Information Network of Departments of Dermatology (IVDK). Contact Dermatitis, 2010, 63, 277-283.	0.8	78
105	Bewertung von Epikutantestreaktionen auf Problemallergene mit vermehrt fraglichen oder schwach positiven Reaktionen. Dermatologie in Beruf Und Umwelt, 2010, 58, 34-38.	0.5	28
106	Occupational airborne allergic contact dermatitis in a concrete repair worker. Contact Dermatitis, 2009, 60, 50-51.	0.8	12
107	Chromated metal products may be hazardous to patients with chromate allergy. Contact Dermatitis, 2009, 60, 199-202.	0.8	22
108	Skin sensitizing properties of the ethanolamines mono-, di-, and triethanolamine. Data analysis of a multicentre surveillance network (IVDK*) and review of the literature. Contact Dermatitis, 2009, 60, 243-255.	0.8	51

#	ARTICLE	IF	CITATIONS
109	Patch testing with benzoyl peroxide: reaction profile and interpretation of positive patch test reactions. Contact Dermatitis, 2009, 61, 209-216.	0.8	26
110	Begründung für die Beurteilung der Auswirkung einer Allergie gegenüber Formaldehyd im Rahmen der MfE-Bewertung. Dermatologie in Beruf Und Umwelt, 2009, 57, 81-85.	0.5	2
111	Positive patch test reactions to formaldehyde releasers indicating contact allergy to formaldehyde. Contact Dermatitis, 2008, 58, 175-177.	0.8	12
112	Changes of the patch test population (MOAHLFA index) in long-term participants of the Information Network of Departments of Dermatology*, 1999-2006. Contact Dermatitis, 2008, 59, 56-57.	0.8	28
113	Is the irritant benzalkonium chloride a contact allergen? A contribution to the ongoing debate from a clinical perspective. Contact Dermatitis, 2008, 58, 359-363.	0.8	61
114	Patch testing with contact allergens. JDDG - Journal of the German Society of Dermatology, 2008, 6, 770-775.	0.4	155
115	FS04.5-Iodopropynylbutyl carbamate (IPBC) 0.2% is suggested for patch testing of patients with eczema possibly related to preservatives. Contact Dermatitis, 2008, 50, 138-138.	0.8	0
116	P66-Occupational contact dermatitis from glues. Contact Dermatitis, 2008, 50, 203-203.	0.8	0
117	Contact allergy to hairdressing allergens in female hairdressers and clients - current data from the IVDK, 2003-2006. JDDG - Journal of the German Society of Dermatology, 2007, 5, 993-1000.	0.4	80
118	Sensitization to 26 fragrances to be labelled according to current European regulation.. Contact Dermatitis, 2007, 57, 1-10.	0.8	205
119	Are concomitant patch test reactions to epoxy resin and BIS-GMA indicative of cross-reactivity?. Contact Dermatitis, 2007, 57, 376-380.	0.8	15
120	Patch testing with myristyl alcohol. Contact Dermatitis, 2006, 55, 366-367.	0.8	7
121	Patch testing with components of water-based metalworking fluids: results of a multicentre study with a second series. Contact Dermatitis, 2006, 55, 322-329.	0.8	54
122	Late reactions to the patch-test preparations para-phenylenediamine and epoxy resin: a prospective multicentre investigation of the German Contact Dermatitis Research Group. British Journal of Dermatology, 2006, 154, 665-670.	1.4	68
123	Both mercaptobenzothiazole and mercapto mix should be part of the standard series. Contact Dermatitis, 2006, 55, 314-316.	0.8	18
124	Berufsspezifische Epikutantestung bei Malern und Lackierern - Empfehlungen der Arbeitsgruppe -Berufs-Testreihen-der Deutschen Kontaktallergie-Gruppe. Dermatologie in Beruf Und Umwelt, 2006, 54, 47-52.	0.5	19
125	Simultaneous sodium lauryl sulphate testing improves the diagnostic validity of allergic patch tests. Results from a prospective multicentre study of the German Contact Dermatitis Research Group (Deutsche Kontaktallergie-Gruppe, DKG). British Journal of Dermatology, 2005, 152, 709-719.	1.4	70
126	Patch testing with p-toluene diamine preparations of different ages*+. Contact Dermatitis, 2005, 53, 75-79.	0.8	5

#	ARTICLE	IF	CITATIONS
127	Patch testing with phenylmercuric acetate. Contact Dermatitis, 2005, 53, 117-118.	0.8	11
128	Contact allergy to neomycin sulfate: results of a multifactorial analysis. Pharmacoepidemiology and Drug Safety, 2005, 14, 725-733.	0.9	59
129	Diagnostic quality of the patch test preparation monoethanolamine 2% pet.. Contact Dermatitis, 2005, 52, 171-173.	0.8	6
130	Interne Qualitätssicherung von Epikutantest-Daten des multizentrischen Projektes "Informationsverbund Dermato-logischer Kliniken" (IVDK). Dermatologie in Beruf Und Umwelt, 2005, 53, 107-114.	0.5	78
131	Contact allergy to fragrances: frequencies of sensitization from 1996 to 2002. Results of the IVDK*. Contact Dermatitis, 2004, 50, 65-76.	0.8	163
132	Patch test results with the metalworking fluid series of the German Contact Dermatitis Research Group (DKG). Contact Dermatitis, 2004, 51, 118-130.	0.8	116
133	Patch testing with metalworking fluids from the patient's workplace. Contact Dermatitis, 2004, 51, 172-179.	0.8	40
134	An attempt to improve diagnostics of contact allergy due to epoxy resin systems. First results of the multicentre study EPOX 2002. Contact Dermatitis, 2004, 51, 263-272.	0.8	71
135	Contact sensitizations in metalworkers with occupational dermatitis exposed to water-based metalworking fluids: results of the research project "FaSt?". International Archives of Occupational and Environmental Health, 2004, 77, 543-551.	1.1	96
136	The positivity ratio - another parameter to assess the diagnostic quality of a patch test preparation. Contact Dermatitis, 2003, 48, 280-282.	0.8	123
137	Patch testing with zinc dibenzylthiocarbamate. A multicentre study of the Information Network of Departments of Dermatology* and the German Contact Dermatitis Research Group. Contact Dermatitis, 2003, 48, 209-211.	0.8	2
138	Contact sensitization to N-(cyclohexylthio)phthalimide. Contact Dermatitis, 2003, 48, 1-6.	0.8	13
139	Occupational rubber glove allergy: results of the Information Network of Departments of Dermatology (IVDK), 1995-2001. Contact Dermatitis, 2003, 48, 39-44.	0.8	108
140	Patch testing with the irritant sodium lauryl sulfate (SLS) is useful in interpreting weak reactions to contact allergens as allergic or irritant. Contact Dermatitis, 2003, 48, 99-107.	0.8	77
141	Patch testing with components of water-based metalworking fluids. Contact Dermatitis, 2003, 49, 85-90.	0.8	43
142	Contact allergy to ingredients of hair cosmetics in female hairdressers and clients - an 8-year analysis of IVDK* data. Contact Dermatitis, 2003, 49, 236-240.	0.8	115
143	Contact sensitization to N-(cyclohexylthio)phthalimide. Contact Dermatitis, 2003, 48, 1-6.	0.8	8
144	Another Look at Allergies to Fragrances: Frequencies of Sensitisation to the Fragrance Mix and Its Constituents. Exogenous Dermatology, 2002, 1, 231-237.	0.5	32

#	ARTICLE	IF	CITATIONS
145	The spectrum of allergic (cross-)sensitivity in clinical patch testing with 'para amino' compounds. Allergy: European Journal of Allergy and Clinical Immunology, 2002, 57, 319-322.	2.7	89
146	Contact allergy to diglycolamine in a water-based metalworking fluid. Contact Dermatitis, 2002, 46, 121-121.	0.8	11
147	Type IV allergy in the food processing industry: sensitization profiles in bakers, cooks and butchers. Contact Dermatitis, 2002, 46, 228-235.	0.8	23
148	Patch tests with thiurams at 0.25% pet. and 1% pet. are of equal diagnostic value. Contact Dermatitis, 2002, 46, 258-261.	0.8	9
149	Lyrall [®] has been included in the patch test standard series in Germany. Contact Dermatitis, 2002, 46, 295-297.	0.8	53
150	Patch test reactions to Biobans in metalworkers are often weak and not reproducible. Contact Dermatitis, 2002, 47, 27-31.	0.8	32
151	Epidemiology of contact allergy: an estimation of morbidity employing the clinical epidemiology and drug-utilization research (CE-DUR) approach. Contact Dermatitis, 2002, 47, 32-39.	0.8	172
152	Epikutantest-Reaktionen auf Paraben-Mixe und ihre Aufschl ¹ / ₄ sselungen. Studien der Deutschen Kontaktallergie-Gruppe (DKG) und des Informationsverbundes dermatologischer Kliniken (IVDK), 1990 -2000. Allergologie, 2002, 25, 194-202.	0.1	13
153	Diagnostic screening for contact allergy to mercaptobenzothiazole derivatives. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 2002, 13, 66-70.	0.4	10
154	Contact allergy to Disperse Blue 106 and Disperse Blue 124 in German and Austrian patients, 1995 to 1999. Contact Dermatitis, 2001, 44, 173-177.	0.8	47
155	Contact allergy to terephthalic acid diglycidylester in a powder coating. Contact Dermatitis, 2001, 44, 35-36.	0.8	8
156	Patch test results with tixocortol pivalate and budesonide in Germany and Austria. Contact Dermatitis, 2001, 44, 308-319.	0.8	12
157	Downward Trend of Sensitization to Glyceryl Monothioglycolate in German Hairdressers<footref rid="foot01">¹</footref>. Dermatology, 2000, 200, 132-133.	0.9	30
158	The association between size of test chamber and patch test reaction: a statistical reanalysis. Contact Dermatitis, 1999, 40, 14-18.	0.8	24
159	Patch test reactions at D4, D5 and D6. Contact Dermatitis, 1999, 40, 119-126.	0.8	62
160	Patch testing with preservatives, antimicrobials and industrial biocides. Results from a multicentre study. British Journal of Dermatology, 1998, 138, 467-476.	1.4	256
161	Contact Allergies in Healthcare Workers. Results from the IVDK. Acta Dermato-Venereologica, 1998, 78, 358-363.	0.6	139
162	Epidemiology of contact dermatitis. The information network of departments of dermatology (IVDK) in Germany. European Journal of Dermatology, 1998, 8, 36-40.	0.3	100

#	ARTICLE	IF	CITATIONS
163	National rates and regional differences in sensitization to allergens of the standard series. Contact Dermatitis, 1997, 37, 200-209.	0.8	320
164	Patch test results in schoolchildren. Contact Dermatitis, 1997, 37, 286-293.	0.8	121
165	Patch testing with cadmium chloride. Contact Dermatitis, 1996, 34, 73-74.	0.8	11
166	Evaluation of patch test results with denture material series. Contact Dermatitis, 1996, 34, 191-195.	0.8	58
167	Evaluation of patch test results by use of the reaction index. An analysis of data recorded by the Information Network of Departments of Dermatology (IVDK) *. Contact Dermatitis, 1995, 33, 375-380.	0.8	72
168	Sensitivity of patch tests with rubber mixes: Results of the Information Network of Departments of Dermatology from 1990 to 1993*1. American Journal of Contact Dermatitis: Official Journal of the American Contact Dermatitis Society, 1995, 6, 143-149.	0.4	49