

# HuuTung Nguyen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/481245/publications.pdf>

Version: 2024-02-01

84  
papers

1,727  
citations

201658

27  
h-index

330122

37  
g-index

93  
all docs

93  
docs citations

93  
times ranked

2349  
citing authors

#	ARTICLE	IF	CITATIONS
1	&alpha;-Glucosidase Inhibition Properties of Cucurbitane-Type Triterpene Glycosides from the Fruits of <i>Momordica charantia</i> . Chemical and Pharmaceutical Bulletin, 2010, 58, 720-724.	1.3	72
2	Dietary Crocin Inhibits Colitis and Colitis-Associated Colorectal Carcinogenesis in Male ICR Mice. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-13.	1.2	71
3	Inhibition of TNF- $\alpha$ -mediated NF- $\kappa$ B Transcriptional Activity in HepG2 Cells by Dammarane-type Saponins from <i>Panax ginseng</i> Leaves. Journal of Ginseng Research, 2012, 36, 146-152.	5.7	63
4	A new monoterpene glycoside from the roots of <i>Paeonia lactiflora</i> increases the differentiation of osteoblastic MC3T3-E1 cells. Archives of Pharmacal Research, 2007, 30, 1179-1185.	6.3	53
5	Dammarane-Type Saponins from the Flower Buds of <i>Panax ginseng</i> and Their Intracellular Radical Scavenging Capacity. Journal of Agricultural and Food Chemistry, 2010, 58, 868-874.	5.2	53
6	Anti-influenza diarylheptanoids from the bark of <i>Alnus japonica</i> . Bioorganic and Medicinal Chemistry Letters, 2010, 20, 1000-1003.	2.2	52
7	Anti-Proliferative Activities and Apoptosis Induction by Triterpenes Derived from <i>Eriobotrya japonica</i> in Human Leukemia Cell Lines. International Journal of Molecular Sciences, 2013, 14, 4106-4120.	4.1	45
8	Two New Dammarane-Type Saponins from the Leaves of <i>Panax ginseng</i> . Chemical and Pharmaceutical Bulletin, 2009, 57, 1412-1414.	1.3	42
9	Antioxidative and Hepatoprotective Diarylheptanoids from the Bark of <i>Alnus japonica</i> . Planta Medica, 2010, 76, 626-629.	1.3	42
10	<i>In vitro</i> antiprotozoan activity and mechanisms of action of selected hanaian medicinal plants against <i>Trypanosoma</i> , <i>Leishmania</i> , and <i>Plasmodium</i> parasites. Phytotherapy Research, 2018, 32, 1617-1630.	5.8	42
11	Dammarane-type saponins from the flower buds of <i>Panax ginseng</i> and their effects on human leukemia cells. Bioorganic and Medicinal Chemistry Letters, 2010, 20, 309-314.	2.2	41
12	Cytotoxic and anti-inflammatory cembranoids from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . Bioorganic and Medicinal Chemistry, 2011, 19, 2625-2632.	3.0	40
13	Total Peroxyl Radical-Scavenging Capacity of the Chemical Components from the Stems of <i>Acer tegmentosum</i> Maxim. Journal of Agricultural and Food Chemistry, 2008, 56, 10510-10514.	5.2	39
14	Steamed Ginseng-Leaf Components Enhance Cytotoxic Effects on Human Leukemia HL-60 Cells. Chemical and Pharmaceutical Bulletin, 2010, 58, 1111-1115.	1.3	38
15	Pharmacological Effects of Ginseng on Liver Functions and Diseases: A Minireview. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-7.	1.2	38
16	An anti-influenza component of the bark of <i>Alnus japonica</i> . Archives of Pharmacal Research, 2010, 33, 363-367.	6.3	37
17	Gender Differences in the Clinical Characteristics and Atrioventricular Nodal Conduction Properties in Patients With Atrioventricular Nodal Reentrant Tachycardia. Journal of Cardiovascular Electrophysiology, 2010, 21, 1114-1119.	1.7	37
18	Anti-inflammatory Triterpenoid Saponins from the Stem Bark of <i>Kalopanax pictum</i> . Journal of Natural Products, 2011, 74, 1908-1915.	3.0	37

#	ARTICLE	IF	CITATIONS
19	Anti-inflammatory Activity of Constituents Isolated from Aerial Part of <i>Angelica acutiloba</i> Kitagawa. <i>Phytotherapy Research</i> , 2015, 29, 1956-1963.	5.8	37
20	C29 sterols with a cyclopropane ring at C-25 and 26 from the Vietnamese marine sponge <i>lanthella</i> sp. and their anticancer properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4584-4588.	2.2	35
21	Inhibitors of Osteoclast Formation from Rhizomes of <i>Cibotium barometz</i> . <i>Journal of Natural Products</i> , 2009, 72, 1673-1677.	3.0	32
22	Total Peroxynitrite Scavenging Capacity of Phenylethanoid and Flavonoid Glycosides from the Flowers of <i>Buddleja officinalis</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2009, 32, 1952-1956.	1.4	32
23	Chemical Constituents from the Leaves of <i>Manglietia phuthoensis</i> and Their Effects on Osteoblastic MC3T3-E1 Cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 1270-1275.	1.3	30
24	Lupane Triterpene Glycosides from Leave of <i>Acanthopanax koreanum</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 986-989.	1.3	30
25	Antitrypanosomal Activities and Mechanisms of Action of Novel Tetracyclic Iridoids from <i>Morinda lucida</i> Benth. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 3283-3290.	3.2	30
26	New anti-trypanosomal active tetracyclic iridoid isolated from <i>Morinda lucida</i> Benth.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 3030-3033.	2.2	29
27	Naphthoquinone Components from <i>Alkanna tinctoria</i> (L.) Tausch Show Significant Antiproliferative Effects on Human Colorectal Cancer Cells. <i>Phytotherapy Research</i> , 2013, 27, 66-70.	5.8	28
28	New Triterpenoid Saponins from <i>Glochidion eriocarpum</i> and Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 102-105.	1.3	27
29	Antiproliferative and apoptotic effects of compounds from the flower of <i>Mammea siamensis</i> (Miq.) T. Anders. on human cancer cell lines. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 158-162.	2.2	26
30	Inhibitory effect of ginsenosides from steamed ginseng-leaves and flowers on the LPS-stimulated IL-12 production in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2011, 34, 681-685.	6.3	24
31	A new iridoid and effect on the rat aortic vascular smooth muscle cell proliferation of isolated compounds from <i>Buddleja officinalis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 3462-3466.	2.2	24
32	Chemical components from the Vietnamese soft coral <i>Lobophytum</i> sp.. <i>Archives of Pharmacal Research</i> , 2010, 33, 503-508.	6.3	23
33	Structure-activity relationship of lupane-triterpene glycosides from <i>Acanthopanax koreanum</i> on spleen lymphocyte IL-2 and IFN- $\beta$ . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4927-4931.	2.2	22
34	Bioactive Triterpenes from the Root of <i>Salvia miltiorrhiza</i> Bunge. <i>Phytotherapy Research</i> , 2017, 31, 1457-1460.	5.8	22
35	New anthracene glycosides from <i>Rhodomyrtus tomentosa</i> stimulate osteoblastic differentiation of MC3T3-E1 cells. <i>Archives of Pharmacal Research</i> , 2009, 32, 515-520.	6.3	20
36	Cytotoxic and PPARs transcriptional activities of sterols from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 2845-2849.	2.2	19

#	ARTICLE	IF	CITATIONS
37	Isolation and chemopreventive evaluation of novel naphthoquinone compounds from <i>Alkanna tinctoria</i> . <i>Anti-Cancer Drugs</i> , 2013, 24, 1058-1068.	1.4	19
38	Antiproliferative and Pro-Apoptotic Activity of Diarylheptanoids Isolated from the Bark of <i>Alnus japonica</i> in Human Leukemia Cell Lines. <i>The American Journal of Chinese Medicine</i> , 2015, 43, 757-767.	3.8	19
39	Antiproliferative activity and apoptosis induction by trijuganone C isolated from the root of <i>Salvia miltiorrhiza</i> Bunge (Danshen). <i>Phytotherapy Research</i> , 2018, 32, 657-666.	5.8	19
40	Inhibition of TNF- $\alpha$ -Mediated NF- $\kappa$ B Transcriptional Activity by Dammarane-Type Ginsenosides from Steamed Flower Buds of <i>Panax ginseng</i> in HepG2 and SK-Hep1 Cells. <i>Biomolecules and Therapeutics</i> , 2014, 22, 55-61.	2.4	19
41	Dammarane-Type Glycosides from the Steamed Flower-Buds of <i>Panax ginseng</i> . <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 1381-1384.	1.9	19
42	New minor glycoside components from saffron. <i>Journal of Natural Medicines</i> , 2013, 67, 672-676.	2.3	17
43	Two activators of <i>in vitro</i> fertilization in mice from licorice. <i>Biochemical and Biophysical Research Communications</i> , 2015, 467, 447-450.	2.1	17
44	Lupane-Type Triterpene Glycosides from the Leaves of <i>Acanthopanax koreanum</i> and Their <i>In Vitro</i> Cytotoxicity. <i>Planta Medica</i> , 2010, 76, 189-194.	1.3	16
45	Quassinoids from the root of <i>Eurycoma longifolia</i> and their antiproliferative activity on human cancer cell lines. <i>Pharmacognosy Magazine</i> , 2017, 13, 459.	0.6	15
46	New Neolignan Component from <i>Camellia amplexicaulis</i> and Effects on Osteoblast Differentiation. <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 65-68.	1.3	13
47	Eastern Blotting Analysis and Isolation of Two New Dammarane-Type Saponins from American Ginseng. <i>Chemical and Pharmaceutical Bulletin</i> , 2012, 60, 1329-1333.	1.3	13
48	<i>In vitro</i> anti-Leishmania activity of tetracyclic iridoids from <i>Morinda lucida</i> , benth. <i>Tropical Medicine and Health</i> , 2016, 44, 25.	2.8	13
49	The old pharmaceutical oleoresin labdanum of <i>Cistus creticus</i> L. exerts pronounced <i>in vitro</i> anti-dengue virus activity. <i>Journal of Ethnopharmacology</i> , 2020, 257, 112316.	4.1	13
50	New Dammarane Saponins from the Steamed Ginseng Leaves. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 2094-2096.	1.9	13
51	Phenolic components from the leaves of <i>Panax ginseng</i> and their effects on HL-60 human leukemia cells. <i>Food Science and Biotechnology</i> , 2010, 19, 271-274.	2.6	12
52	Oleanolic Triterpene Saponins from the Roots of <i>Panax bipinnatifidus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1417-1420.	1.3	12
53	Inhibitory activity of <i>Plantago major</i> L. on angiotensin I-converting enzyme. <i>Archives of Pharmacal Research</i> , 2011, 34, 419-423.	6.3	12
54	Anti-Trypanosomal Activity of Diarylheptanoids Isolated from the Bark of <i>Alnus japonica</i> . <i>The American Journal of Chinese Medicine</i> , 2014, 42, 1245-1260.	3.8	12

#	ARTICLE	IF	CITATIONS
55	Kayeassamin a isolated from the flower of <i>Mammea siamensis</i> triggers apoptosis by activating caspase-3/-8 in hl-60 human leukemia cells. <i>Pharmacognosy Research (discontinued)</i> , 2016, 8, 244.	0.6	12
56	Cucurbitane-type triterpene glycosides from the fruits of <i>Momordica charantia</i> . <i>Magnetic Resonance in Chemistry</i> , 2010, 48, 392-396.	1.9	11
57	The Impact of Age on the Electrophysiological Characteristics and Different Arrhythmia Patterns in Patients with Wolff-Parkinson-White Syndrome. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 274-279.	1.7	10
58	Ginsenosides from the Leaves and Flower Buds of <i>Panax ginseng</i> and their Pharmacological Effects. <i>Current Bioactive Compounds</i> , 2012, 8, 159-166.	0.5	10
59	The Anticancer Effect of (1S,2S,3E,7E,11E)-3,7,11, 15-Cembratetraen-17,2-olide(LS-1) through the Activation of TGF- $\beta$ 2 Signaling in SNU-C5/5-FU, Fluorouracil-Resistant Human Colon Cancer Cells. <i>Marine Drugs</i> , 2015, 13, 1340-1359.	4.6	9
60	Dammarane-type Saponins from the Black Ginseng. <i>Bulletin of the Korean Chemical Society</i> , 2010, 31, 3423-3426.	1.9	8
61	Determination of the absolute configuration of the novel anti-trypanosomal iridoid molucidin isolated from <i>Morinda lucida</i> by X-ray analysis. <i>Tetrahedron Letters</i> , 2015, 56, 7158-7160.	1.4	6
62	Two new oleanane-type saponins from <i>Elaeocarpus hainanensis</i> Oliv. growing in Vietnam. <i>Phytochemistry Letters</i> , 2018, 27, 174-177.	1.2	6
63	Inhibitory effect of ginsenosides from ginseng leaves and flowers on the LPS-stimulated IL-12 production in bone marrow-derived dendritic cells. <i>Food Science and Biotechnology</i> , 2010, 19, 1119-1122.	2.6	5
64	A new diarylheptanoid from the bark of <i>Alnus japonica</i> . <i>Journal of Asian Natural Products Research</i> , 2010, 12, 921-924.	1.4	5
65	Oregonin from the Bark of <i>Alnus japonica</i> Restrained Ischemia-Induced Mesentery Oxidative Stress by Inhibiting NADPH Oxidase Activation. <i>Microcirculation</i> , 2014, 21, 688-695.	1.8	5
66	Majonoside-R2 extracted from Vietnamese ginseng protects H9C2 cells against hypoxia/reoxygenation injury via modulating mitochondrial function and biogenesis. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021, 36, 127814.	2.2	5
67	The Effect of (1S,2S,3E,7E,11E)-3,7,11,15-Cembratetraen-17,2-Olide (LS-1) from <i>Lobophyllum</i> sp. on the Apoptosis Induction of SNU-C5 Human Colorectal Cancer Cells. <i>Biomolecules and Therapeutics</i> , 2016, 24, 623-629.	2.4	5
68	Buddlejasaponins from the flowers of <i>Buddleja officinalis</i> . <i>Chemistry of Natural Compounds</i> , 2011, 47, 467-469.	0.8	4
69	Establishment of a quantitative and qualitative analysis and isolation method for tetracyclic iridoids from <i>Morinda lucida</i> Bentham leaves. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 164, 475-480.	2.8	4
70	A new C29-sterol with a cyclopropane ring at C-25 and 26 from the Vietnamese marine sponge <i>lanthella</i> sp.. <i>Archives of Pharmacal Research</i> , 2009, 32, 1695-1698.	6.3	3
71	Preparation of Knockout Extract by Immunoaffinity Column and Its Application. <i>Antibodies</i> , 2012, 1, 294-307.	2.5	3
72	Bioactive Phenolic Compounds from the Roots of Danshen ( <i>Salvia miltiorrhiza</i> ). <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.5	2

#	ARTICLE	IF	CITATIONS
73	A New Oleanane Type Saponin from the Aerial Parts of <i>Elaeocarpus hainanensis</i> . <i>Records of Natural Products</i> , 2020, 14, 301-306.	1.3	2
74	Preventing Dementia Using Saffron, The Kampo Medicine, Kamiuntanto, and Their Combination, Kamiuntantokabankoka. <i>Frontiers in Pharmacology</i> , 2021, 12, 779821.	3.5	2
75	Triterpenoids from Aerial Parts of <i>Glochidion eriocarpum</i> . <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	1
76	Anti-Inflammatory Compounds from Vietnamese <i>Piper bavinum</i> . <i>Journal of Chemistry</i> , 2020, 2020, 1-7.	1.9	1
77	Chemopreventive Activity of Naphthoquinones from <i>Alkanna tinctoria</i> (L.) Tausch in Human Colorectal Cancer Cells. <i>Journal of Gastroenterology and Hepatology Research</i> , 2016, 5, 2115-2121.	0.2	1
78	Study on Chemical Constituents from the Roots of <i>Panax bipinnatifidus</i> Seem. Collected in Sapa, Laocai. <i>VNU Journal of Science Medical and Pharmaceutical Sciences</i> , 2017, 33, .	0.0	1
79	Phytochemical profile of the aerial parts of <i>Rehmannia glutinosa liboschitz var. purpurea</i> Makino. <i>Pharmacognosy Magazine</i> , 2020, 16, 128.	0.6	1
80	Investigation of Ginsenoside Rb1 from <i>Acanthopanax koreanum</i> by Eastern Blotting and ELISA Analyses. <i>Pharmaceutical Analytical Chemistry Open Access</i> , 2016, 2, .	0.5	0
81	In Vitro Fertilization Activators for Future. , 2017, , .		0
82	Bioactivities of <i>Eriobotrya japonica</i> (Thunb.) Lindl. Leaf and Its Triterpenes. <i>Journal of Pharmacognosy &amp; Natural Products</i> , 2017, 03, .	0.4	0
83	Identification of Anti-Inflammatory Constituents from Vietnamese <i>Piper hymenophyllum</i> . <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 312-316.	1.4	0
84	Angkorensides A and B – Two anti-inflammatory acyl glycosides from <i>Gardenia angkorensis</i> . <i>Phytochemistry Letters</i> , 2022, 49, 211-214.	1.2	0