

Sungjoon Lim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4813291/sungjoon-lim-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

195
papers

3,720
citations

34
h-index

52
g-index

220
ext. papers

4,756
ext. citations

3.6
avg, IF

6.56
L-index

#	Paper	IF	Citations
195	Thermally reconfigurable helical shape memory alloy based metamaterial. <i>Electronics Letters</i> , 2022 , 58, 8	1.1	1
194	Multi-functional thermal-mechanical anisotropic metasurface with shape memory alloy actuators. <i>Materials and Design</i> , 2022 , 216, 110569	8.1	1
193	Hydrodynamic metasurface for programming electromagnetic beam scanning on the Azimuth and elevation planes.. <i>Microsystems and Nanoengineering</i> , 2022 , 8, 43	7.7	1
192	Mechanical and Self-Deformable Spatial Modulation Beam Steering and Splitting Metasurface (Advanced Optical Materials 19/2021). <i>Advanced Optical Materials</i> , 2021 , 9, 2170077	8.1	
191	DNA-inspired frequency reconfigurable origami antenna using segmented rotation technique. <i>Smart Materials and Structures</i> , 2021 , 30, 015004	3.4	4
190	A rotary transformable kirigami-inspired metasurface for broadband electromagnetic absorption using additive manufacturing technology. <i>Smart Materials and Structures</i> , 2021 , 30, 075002	3.4	1
189	Mechanical and Self-Deformable Spatial Modulation Beam Steering and Splitting Metasurface. <i>Advanced Optical Materials</i> , 2021 , 9, 2100821	8.1	1
188	. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 1140-1145	4.9	7
187	Review on recent origami inspired antennas from microwave to terahertz regime. <i>Materials and Design</i> , 2021 , 198, 109345	8.1	9
186	Annular Surface Plasmon Polariton-Based Frequency-Scanning Leaky-Wave Antenna for Full Azimuth Coverage. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	2
185	Batteryless and Self-Reconfigurable Multimode RF Network using All-Passive Energy Smart-Sensing. <i>IEEE Access</i> , 2021 , 9, 45683-45694	3.5	
184	Dynamic phase control with printing and fluidic materials Interaction by inkjet printing an RF sensor directly on a stereolithographic 3D printed microfluidic structure. <i>Lab on A Chip</i> , 2021 , 21, 4364-4378	7.3	2
183	Control of rejection frequency and density of output spectrum by programming nonuniform two channels with ternary fluidic system. <i>Smart Materials and Structures</i> , 2021 , 30, 035028	3.4	2
182	Millimeter-Wave-Based Spoof Localized Surface Plasmonic Resonator for Sensing Glucose Concentration. <i>Biosensors</i> , 2021 , 11,	5.9	3
181	High-Gain Conical-Beam Planar Antenna for Millimeter-Wave Drone Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	4
180	Four-Dimensional Printed Shape Memory Metasurface to Memorize Absorption and Reflection Functions. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	2
179	Additively manufactured electromagnetic based planar pressure sensor using substrate integrated waveguide technology. <i>Additive Manufacturing</i> , 2020 , 34, 101225	6.1	3

178	Design and Analysis of Active Metamaterial Modulated by RF Power Level. <i>Scientific Reports</i> , 2020 , 10, 8703	4.9	3
177	. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 7255-7265	4.9	5
176	Frequency reconfigurable antenna actuated by three-storey tower kirigami. <i>Extreme Mechanics Letters</i> , 2020 , 39, 100833	3.9	5
175	Transformation from 2D meta-pixel to 3D meta-pixel using auxetic kirigami for programmable multifunctional electromagnetic response. <i>Extreme Mechanics Letters</i> , 2020 , 36, 100670	3.9	16
174	Gain-Enhanced Metamaterial Absorber-Loaded Monopole Antenna for Reduced Radar Cross-Section and Back Radiation. <i>Materials</i> , 2020 , 13,	3.5	4
173	Hybrid (3D and inkjet) printed electromagnetic pressure sensor using metamaterial absorber. <i>Additive Manufacturing</i> , 2020 , 35, 101405	6.1	8
172	. <i>IEEE Access</i> , 2020 , 8, 9513-9519	3.5	5
171	Reconfigurable Metasurfaces for Frequency Selective Absorption. <i>Advanced Optical Materials</i> , 2020 , 8, 1902182	8.1	13
170	60 GHz Compact Larger Beam Scanning Range PCB Leaky-Wave Antenna Using HMSIW for Millimeter-Wave Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 5816-5826	4.9	18
169	Electromechanically Deployable High-Gain Pop-Up Antenna Using Shape Memory Alloy and Kirigami Technology. <i>IEEE Access</i> , 2020 , 8, 225210-225218	3.5	1
168	Tunable Higher Order Mode-Based Dual-Beam CRLH Microstrip Leaky-Wave Antenna for V-Band Backward Broadside Forward Radiation Coverage. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 6912-6922	4.9	5
167	Inkjet printed kirigami inspired split ring resonator for disposable, low cost strain sensor applications. <i>Smart Materials and Structures</i> , 2020 , 29, 015016	3.4	9
166	Low-cost and miniaturized metamaterial absorber using 3D printed swastika symbol. <i>Microwave and Optical Technology Letters</i> , 2020 , 62, 1709-1715	1.2	9
165	Two-Dimensional Electromechanically Transformable Metasurface with Beam Scanning Capability Using Four Independently Controllable Shape Memory Alloy Axes. <i>Advanced Optical Materials</i> , 2020 , 8, 2001180	8.1	3
164	A multiple liquid metal switching mechanism in a single flow microfluidic channel as a reconfigurable bandpass filter. <i>Physics of Fluids</i> , 2020 , 32, 102002	4.4	5
163	Beam-Steering Metasurface: Two-Dimensional Electromechanically Transformable Metasurface with Beam Scanning Capability Using Four Independently Controllable Shape Memory Alloy Axes (Advanced Optical Materials 22/2020). <i>Advanced Optical Materials</i> , 2020 , 8, 2070087	8.1	1
162	Stretchable screen-printed metasurfaces for wireless strain sensing applications. <i>Extreme Mechanics Letters</i> , 2020 , 41, 100998	3.9	4
161	All-Dielectric Transparent Metamaterial Absorber With Encapsulated Water. <i>IEEE Access</i> , 2020 , 8, 175998-176004	3.5	4

160	Low Loss Substrate-Integrated Waveguide Using 3D-Printed Non-Uniform Honeycomb-Shaped Material. <i>IEEE Access</i> , 2020 , 8, 191090-191099	3.5	0
159	Complementary Split-Ring Resonator (CSRR)-Loaded Sensor Array to Detect Multiple Cracks: Shapes, Sizes, and Positions on Metallic Surface. <i>IEEE Access</i> , 2020 , 8, 151804-151816	3.5	11
158	Dynamically Self-Reconfigurable Multifunctional All-Passive Metasurface. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 42393-42402	9.5	9
157	Simplified Approach to Detect Dielectric Constant Using a Low-Cost Microfluidic Quarter Mode Substrate-Integrated Waveguide. <i>Sensors</i> , 2020 , 20,	3.8	2
156	Electrically Conformal Antenna Array With Planar Multipole Structure for 2-D Wide Angle Beam Steering. <i>IEEE Access</i> , 2020 , 8, 157261-157269	3.5	4
155	Metamaterial Inspired Radio Frequency-Based Touchpad Sensor System. <i>IEEE Transactions on Instrumentation and Measurement</i> , 2020 , 69, 1344-1352	5.2	19
154	. <i>IEEE Access</i> , 2019 , 7, 87907-87915	3.5	15
153	Bi-Directional Loop Antenna Array Using Magic Cube Origami. <i>Sensors</i> , 2019 , 19,	3.8	4
152	Mechanically actuated frequency reconfigurable metamaterial absorber. <i>Sensors and Actuators A: Physical</i> , 2019 , 299, 111619	3.9	8
151	Active Frequency Selective Surface to Switch Between Absorption and Transmission Band With Additional Frequency Tuning Capability. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 6059-6067	4.9	24
150	Liquid-metal-fluidically polarization reconfigurable microstrip patch antenna. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 2306-2314	1.2	3
149	Recent advances in noninvasive flexible and wearable wireless biosensors. <i>Biosensors and Bioelectronics</i> , 2019 , 141, 111422	11.8	52
148	Wide frequency switchable microwave resonator by injecting eutectic gallium indium into microfluidic defected ground structure. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 2405-2409	1.2	
147	A Compact Crossed Inverted-V Antenna with a Common Reflector for Polarization Diversity in the IoT. <i>Electronics (Switzerland)</i> , 2019 , 8, 637	2.6	4
146	A Beam-Steering Antenna With a Fluidically Programmable Metasurface. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 3704-3711	4.9	34
145	Switchable Bandpass/Bandstop Filter Using Liquid Metal Alloy as Fluidic Switch. <i>Sensors</i> , 2019 , 19,	3.8	7
144	Recent progress in angle-insensitive narrowband and broadband metamaterial absorbers. <i>EPJ Applied Metamaterials</i> , 2019 , 6, 12	0.8	5
143	Thermally Beam-Direction- and Beamwidth-Switchable Monopole Antenna Using Origami Reflectors With Smart Shape Memory Polymer Hinges. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 1696-1700	3.8	6

142	Ultrawideband Electromagnetic Absorber Using Sandwiched Broadband Metasurfaces. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 1887-1891	3.8	24
141	Frequency-Reconfigurable Antenna Inspired by Origami Flasher. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 1691-1695	3.8	11
140	Four-Mode Programmable Metamaterial Using Ternary Foldable Origami. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 28554-28561	9.5	17
139	A Miniaturized Bandpass Frequency Selective Surface Exploiting Three-Dimensional Printing Technique. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 1322-1326	3.8	13
138	Bioinspired DNA Origami Quasi-Yagi Helical Antenna with Beam Direction and Beamwidth Switching Capability. <i>Scientific Reports</i> , 2019 , 9, 14312	4.9	5
137	Optically Transparent Metamaterial Absorber Using Inkjet Printing Technology. <i>Materials</i> , 2019 , 12,	3.5	2
136	Low-Loss and Light Substrate Integrated Waveguide Using 3D Printed Honeycomb Structure. <i>Materials</i> , 2019 , 12,	3.5	4
135	Novel Multifunctional Reconfigurable Active Frequency Selective Surface. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 1709-1718	4.9	34
134	A Deployable Quasi-Yagi Monopole Antenna Using Three Origami Magic Spiral Cubes. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2019 , 18, 147-151	3.8	15
133	Planar quasi-isotropic antenna for drone communication. <i>Microwave and Optical Technology Letters</i> , 2018 , 60, 1290-1295	1.2	4
132	Angle- and polarization-insensitive broadband metamaterial absorber using resistive fan-shaped resonators. <i>Applied Physics Letters</i> , 2018 , 112, 021605	3.4	59
131	Design of Metamaterial Absorber using Eight-Resistive-Arm Cell for Simultaneous Broadband and Wide-Incidence-Angle Absorption. <i>Scientific Reports</i> , 2018 , 8, 6633	4.9	36
130	Fluidically Reconfigurable Multifunctional Frequency-Selective Surface With Miniaturization Characteristic. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2018 , 66, 3857-3865	4.1	27
129	A Multifunctional Reconfigurable Frequency-Selective Surface Using Liquid-Metal Alloy. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 4953-4957	4.9	29
128	Liquid-Metal-Fluidically Switchable Metasurface for Broadband and Polarization-Insensitive Absorption. <i>IEEE Access</i> , 2018 , 6, 40854-40859	3.5	11
127	Fluidically Switchable Metasurface for Wide Spectrum Absorption. <i>Scientific Reports</i> , 2018 , 8, 10169	4.9	13
126	Microfluidic High-Q Circular Substrate-Integrated Waveguide (SIW) Cavity for Radio Frequency (RF) Chemical Liquid Sensing. <i>Sensors</i> , 2018 , 18,	3.8	29
125	Review of Recent Metamaterial Microfluidic Sensors. <i>Sensors</i> , 2018 , 18,	3.8	104

124	Simultaneous Detection of Two Chemicals Using a TE-Mode Substrate-Integrated Waveguide Resonator. <i>Sensors</i> , 2018 , 18,	3.8	20
123	TM Quarter-Mode Substrate-Integrated Waveguide Resonator for Dual Detection of Chemicals. <i>Sensors</i> , 2018 , 18,	3.8	16
122	Miniaturized Metamaterial Absorber Using Three-Dimensional Printed Stair-Like Jerusalem Cross. <i>IEEE Access</i> , 2018 , 6, 43654-43659	3.5	20
121	Recent advances in the metamaterial-inspired biosensors. <i>Biosensors and Bioelectronics</i> , 2018 , 117, 398-4028	4.2	22
120	Bistate Frequency Selective Surface based on Microfluidic Technology 2018 ,		1
119	Broadband Frequency Reconfigurable Metamaterial Absorber using Switchable Ground Plane 2018 ,		2
118	Subwavelength Metamaterial Unit Cell for Low-Frequency Electromagnetic Absorber Applications. <i>Scientific Reports</i> , 2018 , 8, 16774	4.9	16
117	Meta-Dome for Broadband Radar Absorbing Structure. <i>Scientific Reports</i> , 2018 , 8, 17893	4.9	12
116	Microfluidically Frequency-Reconfigurable Quasi-Yagi Dipole Antenna. <i>Sensors</i> , 2018 , 18,	3.8	6
115	Review of Recent Phased Arrays for Millimeter-Wave Wireless Communication. <i>Sensors</i> , 2018 , 18,	3.8	68
114	Microfluidically Polarization-Switchable Metasurfaced Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 2255-2259	3.8	26
113	Planar Inverted-F Antenna (PIFA) Using Microfluidic Impedance Tuner. <i>Sensors</i> , 2018 , 18,	3.8	9
112	Thermal Frequency Reconfigurable Electromagnetic Absorber Using Phase Change Material. <i>Sensors</i> , 2018 , 18,	3.8	15
111	Perforated Lightweight Broadband Metamaterial Absorber Based on 3-D Printed Honeycomb. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 2379-2383	3.8	31
110	Low-Cost and Lightweight 3D-Printed Split-Ring Resonator for Chemical Sensing Applications. <i>Sensors</i> , 2018 , 18,	3.8	17
109	Frequency-Tunable Electromagnetic Absorber by Mechanically Controlling Substrate Thickness. <i>International Journal of Antennas and Propagation</i> , 2018 , 2018, 1-7	1.2	3
108	Low-cost metamaterial absorber using three-dimensional circular truncated cone. <i>Microwave and Optical Technology Letters</i> , 2018 , 60, 1622-1630	1.2	14
107	Broadband frequency-reconfigurable metamaterial absorber using switchable ground plane. <i>Scientific Reports</i> , 2018 , 8, 9226	4.9	15

106	Microfluidic Biosensor Based on Microwave Substrate-Integrated Waveguide Cavity Resonator. <i>Journal of Sensors</i> , 2018 , 2018, 1-13	2	29
105	Low-Cost Circularly Polarized Origami Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 2026-2029	3.8	22
104	Military field deployable antenna using origami 2017 ,		4
103	Inkjet-printed 3D Hilbert-curve fractal antennas for VHF band. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 1698-1704	1.2	4
102	Textile metamaterial absorber using screen printed chanel logo. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 1424-1427	1.2	11
101	A Stretchable Electromagnetic Absorber Fabricated Using Screen Printing Technology. <i>Sensors</i> , 2017 , 17,	3.8	14
100	Review of Batteryless Wireless Sensors Using Additively Manufactured Microwave Resonators. <i>Sensors</i> , 2017 , 17,	3.8	3
99	Bandwidth-enhanced and Wide-angle-of-incidence Metamaterial Absorber using a Hybrid Unit Cell. <i>Scientific Reports</i> , 2017 , 7, 14814	4.9	33
98	Electronically Switchable Broadband Metamaterial Absorber. <i>Scientific Reports</i> , 2017 , 7, 4891	4.9	34
97	Wide Incidence Angle-Insensitive Metamaterial Absorber for Both TE and TM Polarization using Eight-Circular-Sector. <i>Scientific Reports</i> , 2017 , 7, 3204	4.9	51
96	A Novel High-Gain Tetrahedron Origami. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2017 , 16, 848-858	3.8	17
95	Frequency switchable origami magic cube antenna 2017 ,		1
94	Review of Recent Inkjet-Printed Capacitive Tactile Sensors. <i>Sensors</i> , 2017 , 17,	3.8	64
93	Transformation from a Single Antenna to a Series Array Using Push/Pull Origami. <i>Sensors</i> , 2017 , 17,	3.8	7
92	Frequency-Switchable Microfluidic CSRR-Loaded QMSIW Band-Pass Filter Using a Liquid Metal Alloy. <i>Sensors</i> , 2017 , 17,	3.8	14
91	Dual-Band Band-Pass Filter with Fixed Low Band and Fluidically-Tunable High Band. <i>Sensors</i> , 2017 , 17,	3.8	12
90	A Dual Band Frequency Reconfigurable Origami Magic Cube Antenna for Wireless Sensor Network Applications. <i>Sensors</i> , 2017 , 17,	3.8	15
89	Angular- and Polarization-Insensitive Metamaterial Absorber Using Subwavelength Unit Cell in Multilayer Technology. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2016 , 15, 414-417	3.8	63

88	Fabrication of microstrip patch antenna using novel hybrid printing technology. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 2602-2606	1.2	2
87	Paper-Based Capacitive Touchpad Using Home Inkjet Printer. <i>Journal of Display Technology</i> , 2016 , 12, 1411-1416		11
86	Inkjet-Printed Electromagnet-Based Touchpad Using Spiral Resonators. <i>Journal of Microelectromechanical Systems</i> , 2016 , 25, 947-953	2.5	16
85	Incident Angle- and Polarization-Insensitive Metamaterial Absorber using Circular Sectors. <i>Scientific Reports</i> , 2016 , 6, 27155	4.9	72
84	Wideband-Switchable Metamaterial Absorber Using Injected Liquid Metal. <i>Scientific Reports</i> , 2016 , 6, 31823	4.9	52
83	Microfluidic Eighth-Mode Substrate-Integrated-Waveguide Antenna for Compact Ethanol Chemical Sensor Application. <i>IEEE Transactions on Antennas and Propagation</i> , 2016 , 64, 3218-3222	4.9	58
82	Electromagnetic-based ethanol chemical sensor using metamaterial absorber. <i>Sensors and Actuators B: Chemical</i> , 2016 , 222, 173-180	8.5	44
81	Stretchable Metamaterial Absorber Using Liquid Metal-Filled Polydimethylsiloxane (PDMS). <i>Sensors</i> , 2016 , 16,	3.8	24
80	Stretchable Complementary Split Ring Resonator (CSRR)-Based Radio Frequency (RF) Sensor for Strain Direction and Level Detection. <i>Sensors</i> , 2016 , 16,	3.8	31
79	Review of Electromagnetic-Based Crack Sensors for Metallic Materials (Recent Research and Future Perspectives). <i>Metals</i> , 2016 , 6, 172	2.3	14
78	A Fluidically Tunable Metasurface Absorber for Flexible Large-Scale Wireless Ethanol Sensor Applications. <i>Sensors</i> , 2016 , 16,	3.8	43
77	Complementary Split-Ring Resonator-Loaded Microfluidic Ethanol Chemical Sensor. <i>Sensors</i> , 2016 , 16,	3.8	114
76	Microwave Chemical Sensor Using Substrate-Integrated-Waveguide Cavity [corrected]. <i>Sensors</i> , 2016 , 16,	3.8	25
75	A Stretchable Radio-Frequency Strain Sensor Using Screen Printing Technology. <i>Sensors</i> , 2016 , 16,	3.8	13
74	Dipole- and loop-mode switchable origami paper antenna. <i>Microwave and Optical Technology Letters</i> , 2016 , 58, 668-672	1.2	7
73	High-efficiency and compact metamaterial-inspired 900 MHz rectifier. <i>Journal of Microwave Power and Electromagnetic Energy</i> , 2016 , 50, 168-181	1.4	5
72	Angle- and Polarization-Insensitive Metamaterial Absorber using Via Array. <i>Scientific Reports</i> , 2016 , 6, 39686	4.9	55
71	Frequency-tunable metamaterial absorber using a varactor-loaded fishnet-like resonator. <i>Applied Optics</i> , 2016 , 55, 4113-8	0.2	40

70	Flexible subterahertz metamaterial absorber fabrication using inkjet printing technology. <i>Applied Physics B: Lasers and Optics</i> , 2016 , 122, 1	1.9	16
69	Silver Nanoparticle-Based Inkjet-Printed Metamaterial Absorber on Flexible Paper. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1718-1721	3.8	29
68	Leaky-wave antenna design using quarter-mode substrate-integrated waveguide. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 1234-1236	1.2	12
67	Compact right-angled triangle-shaped eighth-mode substrate-integrated waveguide antenna. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 690-694	1.2	7
66	Frequency-Tunable Compact Antenna Using Quarter-Mode Substrate Integrated Waveguide. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1606-1609	3.8	25
65	. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1598-1601	3.8	15
64	Flexible liquid metal-filled metamaterial absorber on polydimethylsiloxane (PDMS). <i>Optics Express</i> , 2015 , 23, 21375-83	3.3	34
63	Microfluidic tunable inkjet-printed metamaterial absorber on paper. <i>Optics Express</i> , 2015 , 23, 110-20	3.3	37
62	Flexible inkjet-printed metamaterial absorber for coating a cylindrical object. <i>Optics Express</i> , 2015 , 23, 5898-906	3.3	34
61	Frequency-switchable half-mode substrate-integrated waveguide antenna injecting eutectic gallium indium (EGaIn) liquid metal alloy. <i>Journal of Electromagnetic Waves and Applications</i> , 2015 , 29, 2207-2215	1.3	8
60	A Study of Ultra-Thin Single Layer Frequency Selective Surface Microwave Absorbers With Three Different Bandwidths Using Double Resonance. <i>IEEE Transactions on Antennas and Propagation</i> , 2015 , 63, 221-230	4.9	61
59	Novel ethanol chemical sensor using microfluidic metamaterial 2015 ,		10
58	Frequency-Switchable Metamaterial Absorber Injecting Eutectic Gallium-Indium (EGaIn) Liquid Metal Alloy. <i>Sensors</i> , 2015 , 15, 28154-65	3.8	39
57	Reusable EGaIn-Injected Substrate-Integrated-Waveguide Resonator for Wireless Sensor Applications. <i>Sensors</i> , 2015 , 15, 28563-73	3.8	5
56	Pattern Switchable Antenna System Using Inkjet-Printed Directional Bow-Tie for Bi-Direction Sensing Applications. <i>Sensors</i> , 2015 , 15, 31171-9	3.8	10
55	A Novel Fluid-Reconfigurable Advanced and Delayed Phase Line Using Inkjet-Printed Microfluidic Composite Right/Left-Handed Transmission Line. <i>IEEE Microwave and Wireless Components Letters</i> , 2015 , 25, 142-144	2.6	15
54	Foldable thin electro-textile antenna array for 4 × 4 multiple-input multiple-output mobile router applications. <i>Journal of Electromagnetic Waves and Applications</i> , 2015 , 29, 375-385	1.3	9
53	Electrically Small Dual-Band Reconfigurable Complementary Split-Ring Resonator (CSRR)-Loaded Eighth-Mode Substrate Integrated Waveguide (EMSIW) Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 2368-2373	4.9	29

52	Directivity and Diversity Dual-Mode Stacked Antenna Array Using Directors of Yagi-Uda Antenna as Monopole Antennas. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 575-578	3.8	10
51	Review of reconfigurable substrate-integrated-waveguide antennas. <i>Journal of Electromagnetic Waves and Applications</i> , 2014 , 28, 1815-1833	1.3	15
50	2.4-GHz High-Efficiency Rectenna Using an In-Phase Partially Reflective Surface and High-Order Harmonic Reject Bandpass Filter. <i>Electromagnetics</i> , 2014 , 34, 463-473	0.8	4
49	Polarization-Independent and Ultrawideband Metamaterial Absorber Using a Hexagonal Artificial Impedance Surface and a Resistor-Capacitor Layer. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 2652-2658	4.9	134
48	Electronically switchable metasurface for absorption and reflection modes 2014 ,		1
47	Ultrawideband compact U-shaped antenna with inserted narrow strip and inverted T-shaped slot. <i>Microwave and Optical Technology Letters</i> , 2014 , 56, 2265-2269	1.2	4
46	Millimeter-Wave Continuous Transverse Stub (CTS) Antenna Array Using Substrate Integrated Waveguide (SIW) Technology. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 5497-5503	4.9	19
45	High-Q and miniaturized complementary split ring resonator-loaded substrate integrated waveguide microwave sensor for crack detection in metallic materials. <i>Sensors and Actuators A: Physical</i> , 2014 , 214, 25-30	3.9	50
44	Electrically small dual-band substrate-integrated-waveguide antenna with fixed low-frequency and tunable high-frequency bands. <i>IEICE Electronics Express</i> , 2014 , 11, 20140007-20140007	0.5	3
43	Enhanced-Gain Planar Substrate-Integrated Waveguide Cavity-Backed Slot Antenna with Rectangular Slot Window on Superstrate. <i>ETRI Journal</i> , 2014 , 36, 1062-1065	1.4	2
42	Novel Capacitor-Loaded Substrate-Integrated-Waveguide Structure and Its Electronically Controlled Leaky-Wave Antenna Application. <i>Electromagnetics</i> , 2014 , 34, 585-592	0.8	9
41	Active metasurface for controlling reflection and absorption properties. <i>Applied Physics Express</i> , 2014 , 7, 112204	2.4	23
40	Flexible inkjet-printed metamaterial paper absorber 2014 ,		4
39	Miniaturized Circular Polarized TE T_{10} -Mode Substrate-Integrated-Waveguide Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 658-661	3.8	18
38	High-directivity on-glass window antenna using a see-through reflector. <i>IET Microwaves, Antennas and Propagation</i> , 2014 , 8, 1294-1298	1.6	
37	Low-Profile Pattern-Reconfigurable Antenna with Vertical and Horizontal Shorting Lines in Grounded CPW Technology. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2014 , 13, 1589-1592	3.8	8
36	Electrically Small Eighth-Mode Substrate-Integrated Waveguide (EMSIW) Antenna With Different Resonant Frequencies Depending on Rotation of Complementary Split Ring Resonator. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 4933-4939	4.9	52
35	Electric and Magnetic Mode-Switchable Dual Antenna for Null Compensation. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2013 , 12, 300-303	3.8	5

34	Compact Frequency-Reconfigurable Half-Mode Substrate-Integrated Waveguide Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2013 , 12, 951-954	3.8	18
33	Tunable Band-Pass Filters Based on Varactor-Loaded Complementary Split-Ring Resonators on Half-Mode Substrate Integrated Waveguide. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 2458-2460	1.2	1
32	Ultra-wideband tunable resonator based on varactor-loaded complementary split-ring resonators on a substrate-integrated waveguide for microwave sensor applications. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2013 , 60, 657-60	3.2	6
31	Silicon-based substrate-integrated waveguide-based tunable band-pass filter using interdigital MEMS capacitor 2013 ,		2
30	Two-dimensional near-field focusing screen using nonuniform rectangular holes. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 391-393	1.2	
29	SRR- and CSRR-loaded ultra-wideband (UWB) antenna with tri-band notch capability. <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 2190-2197	1.3	16
28	Monopole-Like and Boresight Pattern Reconfigurable Antenna. <i>IEEE Transactions on Antennas and Propagation</i> , 2013 , 61, 5854-5859	4.9	103
27	Compact magnetic coupled resonator with high efficiency during misaligned wireless power transmission. <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 1942-1948	1.3	4
26	Low-profile planar roof-mounted vehicle antenna for monopole vertical polarization reception. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 91-94	1.2	3
25	High efficient misaligned wireless power transfer using magnetic resonant coupling and additional capacitor 2012 ,		2
24	Pattern reconfigurable antenna for adaptive multi-input multi-output switching applications 2012 ,		1
23	Circular/Linear Polarization Reconfigurable Antenna on Simplified RF-MEMS Packaging Platform in K-Band. <i>IEEE Transactions on Antennas and Propagation</i> , 2012 , 60, 5039-5045	4.9	47
22	Switchable electromagnetic metamaterial reflector/absorber 2012 ,		4
21	Complementary Split Ring Resonator (CSRR)-Loaded Substrate Integrated Waveguide (SIW) Metamaterial Antenna. <i>IEICE Transactions on Communications</i> , 2012 , E95-B, 304-307	0.5	2
20	Frequency reconfigurable zeroth-order resonant antenna using RF MEMS switch. <i>Microwave and Optical Technology Letters</i> , 2012 , 54, 1266-1269	1.2	1
19	Low-Profile Automotive Antenna for Omnidirectional Vertical Polarized Signal Reception. <i>Electromagnetics</i> , 2012 , 32, 481-494	0.8	2
18	Miniaturized Half-Mode Substrate Integrated Waveguide Bandpass Filter Loaded with Double-Sided Complementary Split-Ring Resonators. <i>Electromagnetics</i> , 2012 , 32, 200-208	0.8	3
17	Small Zeroth-Order Resonant Antennas on Spiral-Slotted Ground Plane. <i>Electromagnetics</i> , 2012 , 32, 145-154	1.54	3

16	Compact Coplanar Waveguide (CPW)-Fed Zeroth-Order Resonant Antennas With Extended Bandwidth and High Efficiency on Vialess Single Layer. <i>IEEE Transactions on Antennas and Propagation</i> , 2011 , 59, 363-372	4.9	124
15	Novel Co-planar Waveguide (CPW)-Fed Small Antenna with Circular Polarization. <i>IEICE Transactions on Communications</i> , 2011 , E94-B, 2141-2144	0.5	
14	Multi-Beam Leaky-Wave Antenna: Design, Analysis, and Experiments. <i>Electromagnetics</i> , 2011 , 31, 247-257.8	4	
13	Multibeam leaky-wave antenna using slot and metasurface. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 2759-2762	1.2	
12	Polarization reconfigurable antenna on RF-MEMS packaging platform 2009 ,		3
11	A novel broadband co-planar waveguide (CPW) zeroth order resonant antenna 2009 ,		1
10	Frequency reconfigurable metamaterial resonant antenna 2009 ,		5
9	Switchable Composite Right/Left-Handed (S-CRLH) Transmission Line Using MEMS Switches. <i>IEEE Microwave and Wireless Components Letters</i> , 2009 , 19, 804-806	2.6	7
8	Metamaterial-based electronically controlled transmission-line structure as a novel leaky-wave antenna with tunable radiation angle and beamwidth. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2005 , 53, 161-173	4.1	137
7	Metamaterial-based electronically controlled transmission-line structure as a novel leaky-wave antenna with tunable radiation angle and beamwidth. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2004 , 52, 2678-2690	4.1	177
6	A reflectodirective system using a composite right/left-handed (CRLH) leaky-wave antenna and heterodyne mixing. <i>IEEE Microwave and Wireless Components Letters</i> , 2004 , 14, 183-185	2.6	37
5	Electronically scanned composite right/left handed microstrip leaky-wave antenna. <i>IEEE Microwave and Wireless Components Letters</i> , 2004 , 14, 277-279	2.6	90
4	Novel arbitrary angle leaky-wave reflector using heterodyne mixing		2
3	Electronically-controlled metamaterial-based transmission line as a continuous-scanning leaky-wave antenna		5
2	Rotational Kirigami Tessellation Metasurface for Tunable Chirality. <i>Advanced Materials Technologies</i> , 2016 , 106	7.06	
1	Three-dimensional printed and fluidic dielectric material optically transparent metasurface for switchable absorption and reflection functionality in microwave frequency region. <i>Waves in Random and Complex Media</i> , 2015 , 1-15	1.9	0