

# Horst Werner Korf

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4813805/publications.pdf>

Version: 2024-02-01

254  
papers

10,635  
citations

28190

55  
h-index

51492

86  
g-index

264  
all docs

264  
docs citations

264  
times ranked

9117  
citing authors

#	ARTICLE	IF	CITATIONS
1	Klaus Unsicker: in honor of his eightieth birthday. <i>Cell and Tissue Research</i> , 2022, 387, 1-7.	1.5	0
2	Multimodal investigation of the association between shift work and the brain in a population-based sample of older adults. <i>Scientific Reports</i> , 2022, 12, 2969.	1.6	3
3	The Role of the Melatonergic System in Circadian and Seasonal Rhythms—Insights From Different Mouse Strains. <i>Frontiers in Physiology</i> , 2022, 13, 883637.	1.3	10
4	Time-dependent changes in proliferation, DNA damage and clock gene expression in hepatocellular carcinoma and healthy liver of a transgenic mouse model. <i>International Journal of Cancer</i> , 2021, 148, 226-237.	2.3	9
5	Arcuate nucleus, median eminence, and hypophysial pars tuberalis. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2021, 180, 227-251.	1.0	14
6	Relationship between locomotor activity rhythm and corticosterone levels during HCC development, progression, and treatment in a mouse model. <i>Journal of Pineal Research</i> , 2021, 70, e12724.	3.4	7
7	Does timing matter in radiotherapy of hepatocellular carcinoma? An experimental study in mice. <i>Cancer Medicine</i> , 2021, 10, 7712-7725.	1.3	9
8	Seasonal Variations of Locomotor Activity Rhythms in Melatonin-Proficient and -Deficient Mice under Seminatural Outdoor Conditions. <i>Journal of Biological Rhythms</i> , 2020, 35, 58-71.	1.4	10
9	Diurnal regulation of sphingolipids in blood. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 304-311.	1.2	10
10	Editorial “ Special issue of the 28th Conference of European Comparative Endocrinologists (CECE-2016) – Golden Jubilee of the European Society for Comparative Endocrinology (ESCE). <i>General and Comparative Endocrinology</i> , 2018, 258, 1-3.	0.8	0
11	Leopoldina Symposium “Seasonal Rhythms”, Leuven Belgium, 25. 8. 2016. <i>General and Comparative Endocrinology</i> , 2018, 258, 213-214.	0.8	1
12	Signaling pathways to and from the hypophysial pars tuberalis, an important center for the control of seasonal rhythms. <i>General and Comparative Endocrinology</i> , 2018, 258, 236-243.	0.8	62
13	Synchronizing effects of melatonin on diurnal and circadian rhythms. <i>General and Comparative Endocrinology</i> , 2018, 258, 215-221.	0.8	113
14	Dynamics of core body temperature cycles in long-term measurements under real life conditions in women. <i>Chronobiology International</i> , 2018, 35, 8-23.	0.9	24
15	Exercise time cues (zeitgebers) for human circadian systems can foster health and improve performance: a systematic review. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000443.	1.4	72
16	Differential Regulation of Cell Proliferation and Apoptosis by Melatonin Receptor Subtype-Signaling in the Adult Murine Brain. <i>Neuroendocrinology</i> , 2018, 107, 158-166.	1.2	1
17	Impaired Photic Entrainment of Spontaneous Locomotor Activity in Mice Overexpressing Human Mutant $\pm$ -Synuclein. <i>International Journal of Molecular Sciences</i> , 2018, 19, 1651.	1.8	19
18	Selective targeting of tumor associated macrophages in different tumor models. <i>PLoS ONE</i> , 2018, 13, e0193015.	1.1	20

#	ARTICLE	IF	CITATIONS
19	Impact of melatonin receptor signaling on Zeitgeber time-dependent changes in cell proliferation and apoptosis in the adult murine hippocampus. <i>Hippocampus</i> , 2017, 27, 495-506.	0.9	18
20	Quantifying Filopodia in Cultured Astrocytes by an Algorithm. <i>Neurochemical Research</i> , 2017, 42, 1795-1809.	1.6	10
21	Hypoxia Causes Downregulation of Dicer in Hepatocellular Carcinoma, Which Is Required for Upregulation of Hypoxia-Inducible Factor 1 $\alpha$ and Epithelial-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2017, 23, 3896-3905.	3.2	33
22	Involvement of the cerebellum in Parkinson disease and dementia with Lewy bodies. <i>Annals of Neurology</i> , 2017, 81, 898-903.	2.8	44
23	Identification of an endocannabinoid system in the rat pars tuberalis—a possible interface in the hypothalamic-pituitary-adrenal system?. <i>Cell and Tissue Research</i> , 2017, 368, 115-123.	1.5	6
24	Alzheimer's Disease: Characterization of the Brain Sites of the Initial Tau Cytoskeletal Pathology Will Improve the Success of Novel Immunological Anti-Tau Treatment Approaches. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 683-696.	1.2	22
25	Andreas Oksche. <i>Journal of Biological Rhythms</i> , 2017, 32, 99-100.	1.4	0
26	Impact of Ataxin-2 knock out on circadian locomotor behavior and PER immunoreaction in the SCN of mice. <i>Chronobiology International</i> , 2017, 34, 129-137.	0.9	25
27	Melatonin Receptor 1 Deficiency Affects Feeding Dynamics and Pro-Opiomelanocortin Expression in the Arcuate Nucleus and Pituitary of Mice. <i>Neuroendocrinology</i> , 2017, 105, 35-43.	1.2	18
28	On the distribution of intranuclear and cytoplasmic aggregates in the brainstem of patients with spinocerebellar ataxia type 2 and 3. <i>Brain Pathology</i> , 2017, 27, 345-355.	2.1	36
29	The Role of the Melatonergic System in Light-Entrained Behavior of Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 530.	1.8	21
30	Hierarchical Distribution of the Tau Cytoskeletal Pathology in the Thalamus of Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2016, 49, 905-915.	1.2	24
31	Precortical Phase of Alzheimer's Disease ( $\text{AD}$ )-Related Tau Cytoskeletal Pathology. <i>Brain Pathology</i> , 2016, 26, 371-386.	2.1	112
32	Huntington's disease ( $\text{HD}$ ): the neuropathology of a multisystem neurodegenerative disorder of the human brain. <i>Brain Pathology</i> , 2016, 26, 726-740.	2.1	144
33	<i>Circadian Physiology</i> , 2016, , 2203-2239.		1
34	Polyglutamine aggregation in Huntington's disease and spinocerebellar ataxia type 3: similar mechanisms in aggregate formation. <i>Neuropathology and Applied Neurobiology</i> , 2016, 42, 153-166.	1.8	40
35	Heat Shock Factor 1 Deficiency Affects Systemic Body Temperature Regulation. <i>Neuroendocrinology</i> , 2016, 103, 605-615.	1.2	5
36	Melatonin receptor deficiency decreases and temporally shifts <i>ecto-5'-nucleotidase</i> mRNA levels in mouse prosencephalon. <i>Cell and Tissue Research</i> , 2016, 365, 147-156.	1.5	7

#	ARTICLE	IF	CITATIONS
37	The Brainstem Tau Cytoskeletal Pathology of Alzheimer's Disease: A Brief Historical Overview and Description of its Anatomical Distribution Pattern, Evolutional Features, Pathogenetic and Clinical Relevance. <i>Current Alzheimer Research</i> , 2016, 13, 1178-1197.	0.7	56
38	Huntington's Disease (HD): Neurodegeneration of Brodmann's Primary Visual Area 17 (BA17). <i>Brain Pathology</i> , 2015, 25, 701-711.	2.1	25
39	The Brainstem Pathologies of Parkinson's Disease and Dementia with Lewy Bodies. <i>Brain Pathology</i> , 2015, 25, 121-135.	2.1	214
40	Owls and Larks in Mice. <i>Frontiers in Neurology</i> , 2015, 6, 101.	1.1	17
41	Expression of ectonucleotidases in the prosencephalon of melatonin-proficient C3H and melatonin-deficient C57Bl mice: spatial distribution and time-dependent changes. <i>Cell and Tissue Research</i> , 2015, 362, 163-176.	1.5	11
42	Impact of Melatonin on Zeitgeber Time-Dependent Changes in Cell Proliferation and Apoptosis in the Adult Murine Hypothalamic-Hypophyseal System. <i>Neuroendocrinology</i> , 2015, 102, 311-326.	1.2	7
43	Fine Astrocyte Processes Contain Very Small Mitochondria: Glial Oxidative Capability May Fuel Transmitter Metabolism. <i>Neurochemical Research</i> , 2015, 40, 2402-2413.	1.6	49
44	Irradiation with X-rays phase-advances the molecular clockwork in liver, adrenal gland and pancreas. <i>Chronobiology International</i> , 2015, 32, 27-36.	0.9	5
45	Improving Drug Penetrability with iRGD Leverages the Therapeutic Response to Sorafenib and Doxorubicin in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2015, 75, 3147-3154.	0.4	56
46	Rhythmic control of endocannabinoids in the rat pineal gland. <i>Chronobiology International</i> , 2015, 32, 869-874.	0.9	6
47	No parkinsonism in SCA2 and SCA3 despite severe neurodegeneration of the dopaminergic substantia nigra. <i>Brain</i> , 2015, 138, 3316-3326.	3.7	54
48	Intraneuronal Transport and Defense Mechanisms with Possible Pathogenetic Relevance in Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 91-100.	1.0	0
49	The Neuropathological Grading of Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 7-23.	1.0	4
50	The Cerebral Cortex in Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 25-39.	1.0	1
51	The Neuropathology of Huntington's Disease: Classical Findings, Recent Developments and Correlation to Functional Neuroanatomy. <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , .	1.0	31
52	Notes on the history of the Dr. Senckenbergische Anatomie in Frankfurt/Main. Part I. Development of student numbers, body procurement, and gross anatomy courses from 1914 to 2013. <i>Annals of Anatomy</i> , 2015, 201, 99-110.	1.0	6
53	Notes on the history of the Dr. Senckenbergische Anatomie in Frankfurt/Main. Part II. The Dr. Senckenbergische Anatomie during the Third Reich and its body supply. <i>Annals of Anatomy</i> , 2015, 201, 111-119.	1.0	4
54	Detection of hepatocellular carcinoma in transgenic mice by Gd-DTPA- and rhodamine 123-conjugated human serum albumin nanoparticles in T1 magnetic resonance imaging. <i>Journal of Controlled Release</i> , 2015, 199, 63-71.	4.8	29

#	ARTICLE	IF	CITATIONS
55	Chronotype and stability of spontaneous locomotor activity rhythm in BMAL1-deficient mice. <i>Chronobiology International</i> , 2015, 32, 81-91.	0.9	19
56	Pathological Nerve Cell Alterations in Huntington's Disease (HD) and Their Possible Role for the Demise of Nerve Cells. <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 119-123.	1.0	1
57	Degeneration of Select Motor and Limbic Nuclei of the Thalamus in Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 41-53.	1.0	1
58	Consistent and Widespread Degeneration of the Cerebellum in Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 55-66.	1.0	1
59	Elucidation of the Role of the Premotor Oculomotor Brainstem Nuclei in the Pathogenesis of Oculomotor Dysfunctions in Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 67-82.	1.0	0
60	Widespread Brainstem Neurodegeneration in Huntington's Disease (HD). <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2015, , 83-90.	1.0	1
61	2-Arachidonoyl glycerol sensitizes the pars distalis and enhances forskolin-stimulated prolactin secretion in Syrian hamsters. <i>Chronobiology International</i> , 2014, 31, 337-342.	0.9	11
62	First pathoanatomical investigation of the brain of a <sc>SCA</sc>19 patient. <i>Neuropathology and Applied Neurobiology</i> , 2014, 40, 640-644.	1.8	8
63	Chronotypes and rhythm stability in mice. <i>Chronobiology International</i> , 2014, 31, 27-36.	0.9	30
64	<sc>H</sc>untington's <sc>D</sc>isease (<sc>HD</sc>): Degeneration of Select Nuclei, Widespread Occurrence of Neuronal Nuclear and Axonal Inclusions in the Brainstem. <i>Brain Pathology</i> , 2014, 24, 247-260.	2.1	51
65	Clinical features, neurogenetics and neuropathology of the polyglutamine spinocerebellar ataxias type 1, 2, 3, 6 and 7. <i>Progress in Neurobiology</i> , 2013, 104, 38-66.	2.8	283
66	<i>Circadian Physiology.</i> , 2013, , 1813-1845.		8
67	Melatonin-receptor-1-deficiency affects neurogenic differentiation factor immunoreaction in pancreatic islets and enteroendocrine cells of mice. <i>Cell and Tissue Research</i> , 2013, 353, 483-491.	1.5	1
68	Melatonin-induced changes in the expression of thyroid hormone-converting enzymes in hypothalamus depend on the timing of melatonin injections and genetic background in mice. <i>General and Comparative Endocrinology</i> , 2013, 186, 33-40.	0.8	7
69	Involvement of the cholinergic basal forebrain nuclei in spinocerebellar ataxia type 2 (<sc>SCA</sc>2). <i>Neuropathology and Applied Neurobiology</i> , 2013, 39, 634-643.	1.8	16
70	Degeneration of the Cerebellum in <sc>H</sc>untington's Disease (<sc>HD</sc>): Possible Relevance for the Clinical Picture and Potential Gateway to Pathological Mechanisms of the Disease Process. <i>Brain Pathology</i> , 2013, 23, 165-177.	2.1	119
71	When does it start ticking? Ontogenetic development of the mammalian circadian system. <i>Progress in Brain Research</i> , 2012, 199, 105-118.	0.9	30
72	Pathoanatomy of Cerebellar Degeneration in Spinocerebellar Ataxia Type 2 (SCA2) and Type 3 (SCA3). <i>Cerebellum</i> , 2012, 11, 749-760.	1.4	83

#	ARTICLE	IF	CITATIONS
73	Disturbed sleep/wake rhythms and neuronal cell loss in lateral hypothalamus and retina of mice with a spontaneous deletion in the ubiquitin carboxyl-terminal hydrolase L1 gene. <i>Neurobiology of Aging</i> , 2012, 33, 393-403.	1.5	20
74	Spinocerebellar ataxia type 1 (SCA1): new pathoanatomical and clinico-pathological insights. <i>Neuropathology and Applied Neurobiology</i> , 2012, 38, 665-680.	1.8	66
75	The Endogenous Melatonin (MT) Signal Facilitates Reentrainment of the Circadian System to Light-Induced Phase Advances by Acting Upon MT2 Receptors. <i>Chronobiology International</i> , 2012, 29, 415-429.	0.9	60
76	Brain pathology of spinocerebellar ataxias. <i>Acta Neuropathologica</i> , 2012, 124, 1-21.	3.9	337
77	Molecular Cellular Mechanisms of Peptide Regulation of Melatonin Synthesis in Pinealocyte Culture. <i>Bulletin of Experimental Biology and Medicine</i> , 2012, 153, 255-258.	0.3	17
78	Tafa-3 encoding for a secretory peptide is expressed in the mouse pars tuberalis and is affected by melatonin 1 receptor deficiency. <i>General and Comparative Endocrinology</i> , 2012, 177, 98-103.	0.8	12
79	Klaus Unsicker: in honor of his seventieth birthday. <i>Cell and Tissue Research</i> , 2012, 347, 1-2.	1.5	2
80	The hypophysial pars tuberalis transduces photoperiodic signals via multiple pathways and messenger molecules. <i>General and Comparative Endocrinology</i> , 2011, 172, 15-22.	0.8	34
81	Spinocerebellar Ataxia Type 2 (SCA2): Identification of Early Brain Degeneration in One Monozygous Twin in the Initial Disease Stage. <i>Cerebellum</i> , 2011, 10, 245-253.	1.4	26
82	Palmitoylethanolamide Protects Dentate Gyrus Granule Cells via Peroxisome Proliferator-Activated Receptor-Alpha. <i>Neurotoxicity Research</i> , 2011, 19, 330-340.	1.3	42
83	The cannabinoid WIN 55,212-2-mediated protection of dentate gyrus granule cells is driven by CB <sub>1</sub> receptors and modulated by TRPA1 and Ca <sub>v</sub> 2.2 channels. <i>Hippocampus</i> , 2011, 21, 554-564.	0.9	37
84	Analyses of neuronal damage in excitotoxically lesioned organotypic hippocampal slice cultures. <i>Annals of Anatomy</i> , 2010, 192, 199-204.	1.0	14
85	An endocannabinoid system is localized to the hypophysial pars tuberalis of Syrian hamsters and responds to photoperiodic changes. <i>Cell and Tissue Research</i> , 2010, 340, 127-136.	1.5	24
86	Localization of an endocannabinoid system in the hypophysial pars tuberalis and pars distalis of man. <i>Cell and Tissue Research</i> , 2010, 342, 273-281.	1.5	19
87	Spatial and temporal expression patterns of <i>Bmal1</i> delineate a circadian clock in the nervous system of <i>Branchiostoma lanceolatum</i> . <i>Journal of Comparative Neurology</i> , 2010, 518, 1837-1846.	0.9	7
88	Melatonin receptor 1-dependent gene expression in the mouse pars tuberalis as revealed by cDNA microarray analysis and <i>in situ</i> hybridization. <i>Journal of Pineal Research</i> , 2010, 48, 148-156.	3.4	28
89	Inhibition of microglial and astrocytic inflammatory responses by the immunosuppressant mycophenolate mofetil. <i>Neuropathology and Applied Neurobiology</i> , 2010, 36, 598-611.	1.8	13
90	Photoperiodic Control of <i>TSH-<math>\beta</math></i> Expression in the Mammalian Pars Tuberalis has Different Impacts on the Induction and Suppression of the Hypothalamo-Hypophysial Gonadal Axis. <i>Journal of Neuroendocrinology</i> , 2010, 22, 43-50.	1.2	49

#	ARTICLE	IF	CITATIONS
91	Pineal melatonin synthesis is altered in Period1 deficient mice. <i>Neuroscience</i> , 2010, 171, 398-406.	1.1	35
92	Rainer Klinke (1936-2008). <i>E-Neuroforum</i> , 2009, 15, 64-64.	0.2	0
93	The Mammalian Molecular Clockwork Controls Rhythmic Expression of Its Own Input Pathway Components. <i>Journal of Neuroscience</i> , 2009, 29, 6114-6123.	1.7	46
94	Melatonin Transmits Photoperiodic Signals through the MT1 Melatonin Receptor. <i>Journal of Neuroscience</i> , 2009, 29, 2885-2889.	1.7	106
95	Impact of Melatonin and Molecular Clockwork Components on the Expression of Thyrotropin $\beta$ -Chain (Tshb) and the Tsh Receptor in the Mouse Pars Tuberalis. <i>Endocrinology</i> , 2009, 150, 4653-4662.	1.4	48
96	$\Delta^9$ -Arachidonoylglycerol elicits neuroprotective effects on excitotoxically lesioned dentate gyrus granule cells via abnormal $\Delta^9$ -cannabidiol-sensitive receptors on microglial cells. <i>Glia</i> , 2009, 57, 286-294.	2.5	80
97	Differential maturation of circadian rhythms in clock gene proteins in the suprachiasmatic nucleus and the pars tuberalis during mouse ontogeny. <i>European Journal of Neuroscience</i> , 2009, 29, 477-489.	1.2	58
98	Cocultures of Rat Sensorimotor Cortex and Spinal Cord Slices to Investigate Corticospinal Tract Sprouting. <i>Spine</i> , 2009, 34, 2494-2499.	1.0	8
99	The pituitary adenylate cyclase-activating polypeptide modulates glutamatergic calcium signalling: investigations on rat suprachiasmatic nucleus neurons. <i>Journal of Neurochemistry</i> , 2008, 79, 161-171.	2.1	45
100	Successful inhibition of excitotoxic neuronal damage and microglial activation after delayed application of interleukin-1 receptor antagonist. <i>Journal of Neuroscience Research</i> , 2008, 86, 3314-3321.	1.3	28
101	The dissection course "necessary and indispensable for teaching anatomy to medical students. <i>Annals of Anatomy</i> , 2008, 190, 16-22.	1.0	245
102	The rat pineal gland comprises an endocannabinoid system. <i>Journal of Pineal Research</i> , 2008, 45, 351-360.	3.4	18
103	Rhythmic expression of clock genes in the ependymal cell layer of the third ventricle of rodents is independent of melatonin signaling. <i>European Journal of Neuroscience</i> , 2008, 28, 2443-2450.	1.2	12
104	Nocturnal Behavior and Rhythmic <i>Period</i> Gene Expression in a Lancelet, <i>Branchiostoma lanceolatum</i> . <i>Journal of Biological Rhythms</i> , 2008, 23, 170-181.	1.4	11
105	Abrupt Shift of the Pattern of Diurnal Variation in Stroke Onset With Daylight Saving Time Transitions. <i>Circulation</i> , 2008, 118, 284-290.	1.6	32
106	Involvement of thyrotropin in photoperiodic signal transduction in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18238-18242.	3.3	242
107	Temporal Dynamics of Type 2 Deiodinase Expression after Melatonin Injections in Syrian Hamsters. <i>Endocrinology</i> , 2007, 148, 4385-4392.	1.4	74
108	The impact of CREB and its phosphorylation at Ser142 on inflammatory nociception. <i>Biochemical and Biophysical Research Communications</i> , 2007, 362, 75-80.	1.0	11

#	ARTICLE	IF	CITATIONS
109	Cannabinoids and neuronal damage: Differential effects of THC, AEA and 2-AG on activated microglial cells and degenerating neurons in excitotoxically lesioned rat organotypic hippocampal slice cultures. <i>Experimental Neurology</i> , 2007, 203, 246-257.	2.0	41
110	Clock gene expression in the retina of melatonin-proficient (C3H) and melatonin-deficient (C57BL) mice. <i>Journal of Pineal Research</i> , 2007, 42, 83-91.	3.4	44
111	Einheit und Vielheit - Unity and Plurality. <i>Annals of Anatomy</i> , 2007, 189, 535-548.	1.0	1
112	Impact of melatonin receptors on pCREB and clock-gene protein levels in the murine retina. <i>Cell and Tissue Research</i> , 2007, 330, 29-34.	1.5	26
113	Extracellular nucleotide signaling in adult neural stem cells: synergism with growth factor-mediated cellular proliferation. <i>Development (Cambridge)</i> , 2006, 133, 675-684.	1.2	193
114	Mice, melatonin and the circadian system. <i>Molecular and Cellular Endocrinology</i> , 2006, 252, 57-68.	1.6	44
115	Targeted deletions of Mel1a and Mel1b melatonin receptors affect pCREB levels in lactotroph and pars intermedia cells of mice. <i>Neuroscience Letters</i> , 2006, 407, 48-52.	1.0	10
116	Cannabinoids attenuate norepinephrine-induced melatonin biosynthesis in the rat pineal gland by reducing arylalkylamine N-acetyltransferase activity without involvement of cannabinoid receptors. <i>Journal of Neurochemistry</i> , 2006, 98, 267-278.	2.1	22
117	Immunocytochemical demonstration of day/night changes of clock gene protein levels in the murine adrenal gland: differences between melatonin-proficient (C3H) and melatonin-deficient (C57BL) mice. <i>Journal of Pineal Research</i> , 2006, 40, 64-70.	3.4	60
118	The immunosuppressant mycophenolate mofetil improves preservation of the perforant path in organotypic hippocampal slice cultures: A retrograde tracing study. <i>Hippocampus</i> , 2006, 16, 437-442.	0.9	8
119	Characterization of Human Melatonin Synthesis Using Autoptic Pineal Tissue. <i>Endocrinology</i> , 2006, 147, 3235-3242.	1.4	31
120	Melatonin Plays a Crucial Role in the Regulation of Rhythmic Clock Gene Expression in the Mouse Pars Tuberalis. <i>Annals of the New York Academy of Sciences</i> , 2005, 1040, 508-511.	1.8	118
121	Mechanisms Regulating Melatonin Synthesis in the Mammalian Pineal Organ. <i>Annals of the New York Academy of Sciences</i> , 2005, 1057, 372-383.	1.8	108
122	The Rhythm and Blues of Gene Expression in the Rodent Pineal Gland. <i>Endocrine</i> , 2005, 27, 089-100.	2.2	29
123	Molecular cloning, localization and circadian expression of chicken melanopsin (Opn4): differential regulation of expression in pineal and retinal cell types. <i>Journal of Neurochemistry</i> , 2005, 92, 158-170.	2.1	174
124	Interleukin-1 $\beta$ exacerbates and interleukin-1 receptor antagonist attenuates neuronal injury and microglial activation after excitotoxic damage in organotypic hippocampal slice cultures. <i>European Journal of Neuroscience</i> , 2005, 21, 2347-2360.	1.2	85
125	Rhythms in clock proteins in the mouse pars tuberalis depend on MT1 melatonin receptor signalling. <i>European Journal of Neuroscience</i> , 2005, 22, 2845-2854.	1.2	80
126	Characterisation of transverse slice culture preparations of postnatal rat spinal cord: preservation of defined neuronal populations. <i>Histochemistry and Cell Biology</i> , 2005, 123, 377-392.	0.8	25



#	ARTICLE	IF	CITATIONS
127	Diurnal variation in CREB phosphorylation and PER1 protein levels in lactotroph cells of melatonin-proficient C3H and melatonin-deficient C57BL mice: similarities and differences. <i>Cell and Tissue Research</i> , 2005, 321, 211-217.	1.5	6
128	Activation of Arylalkylamine N-Acetyltransferase by Phorbol Esters in Bovine Pinealocytes Suggests a Novel Regulatory Pathway in Melatonin Synthesis. <i>Journal of Neuroendocrinology</i> , 2004, 16, 741-749.	1.2	6
129	Clock gene mRNA and protein rhythms in the pineal gland of mice. <i>European Journal of Neuroscience</i> , 2004, 19, 3382-3388.	1.2	43
130	The public cadaver. <i>Nature</i> , 2004, 428, 805-805.	13.7	8
131	Distribution of transcription factor inducible cyclicAMP early repressor (ICER) in rodent brain and pituitary. <i>Journal of Comparative Neurology</i> , 2004, 478, 379-394.	0.9	13
132	Clodronate inhibits the secretion of proinflammatory cytokines and NO by isolated microglial cells and reduces the number of proliferating glial cells in excitotoxically injured organotypic hippocampal slice cultures. <i>Experimental Neurology</i> , 2004, 189, 241-251.	2.0	43
133	Cytoarchitecture, topography, and descending supraspinal projections in the anterior central nervous system of <i>Branchiostoma lanceolatum</i> . <i>Journal of Comparative Neurology</i> , 2003, 466, 319-330.	0.9	12
134	Norepinephrine-dependent phosphorylation of the transcription factor cyclic adenosine monophosphate responsive element-binding protein in bovine pinealocytes. <i>Journal of Pineal Research</i> , 2003, 34, 103-109.	3.4	10
135	Melatonin: A Clock-Output, A Clock-Input. <i>Journal of Neuroendocrinology</i> , 2003, 15, 383-389.	1.2	157
136	Dephosphorylation of pCREB by protein serine/threonine phosphatases is involved in inactivation of <i>Aanat</i> gene transcription in rat pineal gland. <i>Journal of Neurochemistry</i> , 2003, 85, 170-179.	2.1	33
137	The immunosuppressant mycophenolate mofetil attenuates neuronal damage after excitotoxic injury in hippocampal slice cultures. <i>European Journal of Neuroscience</i> , 2003, 18, 1061-1072.	1.2	37
138	The bisphosphonate clodronate depletes microglial cells in excitotoxically injured organotypic hippocampal slice cultures. <i>Experimental Neurology</i> , 2003, 181, 1-11.	2.0	51
139	Transgenic mice expressing mutant A53T human alpha-synuclein show neuronal dysfunction in the absence of aggregate formation. <i>Molecular and Cellular Neurosciences</i> , 2003, 24, 419-429.	1.0	189
140	The Circadian System and Melatonin: Lessons from Rats and Mice. <i>Chronobiology International</i> , 2003, 20, 697-710.	0.9	31
141	Age-dependent hypothalamic expression of neuropeptides in wild-type and melanocortin-4 receptor-deficient mice. <i>Physiological Genomics</i> , 2003, 16, 38-46.	1.0	11
142	Melatonin modulates the light-induced sympathoexcitation and vagal suppression with participation of the suprachiasmatic nucleus in mice. <i>Journal of Physiology</i> , 2003, 547, 317-332.	1.3	61
143	Phosphorylation of CREB Ser142 Regulates Light-Induced Phase Shifts of the Circadian Clock. <i>Neuron</i> , 2002, 34, 245-253.	3.8	233
144	Protein kinase G I immunoreaction is colocalized with arginine-vasopressin immunoreaction in the rat suprachiasmatic nucleus. <i>Neuroscience Letters</i> , 2002, 334, 119-122.	1.0	15

#	ARTICLE	IF	CITATIONS
145	Light-Dark and Circadian Melatonin Rhythms Are Established de novo in Re-Aggregates of the Embryonic Chicken Retina. <i>Developmental Neuroscience</i> , 2002, 24, 504-511.	1.0	6
146	Interleukin-4, interleukin-10, and interleukin-1-receptor antagonist but not transforming growth factor- $\beta$ induce ramification and reduce adhesion molecule expression of rat microglial cells. <i>Journal of Neuroscience Research</i> , 2002, 68, 579-587.	1.3	56
147	Transcription factor CREB and its stimulus-dependent phosphorylation in cell and explant cultures of the bovine subcommissural organ. <i>Cell and Tissue Research</i> , 2002, 308, 131-142.	1.5	10
148	Organisation of the circadian system in melatonin-proficient C3H and melatonin-deficient C57BL mice: a comparative investigation. <i>Cell and Tissue Research</i> , 2002, 309, 173-182.	1.5	54
149	The circadian system: circuits-cells-clock genes. <i>Cell and Tissue Research</i> , 2002, 309, 1-2.	1.5	21
150	Signal transduction and regulation of melatonin synthesis in bovine pinealocytes: impact of adrenergic, peptidergic and cholinergic stimuli. <i>Cell and Tissue Research</i> , 2002, 309, 417-428.	1.5	18
151	Effects of neuroactive substances on the activity of subcommissural organ cells in dispersed cell and explant cultures. <i>Cell and Tissue Research</i> , 2002, 307, 101-114.	1.5	14
152	Analyses of Signal Transduction Cascades Reveal an Essential Role of Calcium Ions for Regulation of Melatonin Biosynthesis in the Light-Sensitive Pineal Organ of the Rainbow Trout ( <i>Oncorhynchus</i> )	1.0	10
153	Selective Adrenergic/Cyclic AMP-Dependent Switch-Off of Proteasomal Proteolysis Alone Switches on Neural Signal Transduction. <i>Journal of Neurochemistry</i> , 2002, 75, 2123-2132.	2.1	75
154	Rhythmic gene expression in pituitary depends on heterologous sensitization by the neurohormone melatonin. <i>Nature Neuroscience</i> , 2002, 5, 234-238.	7.1	235
155	Distribution of regulatory subunits of protein kinase A and A kinase anchor proteins (AKAP 95, 150) in rat pinealocytes. <i>Cell and Tissue Research</i> , 2002, 310, 331-338.	1.5	6
156	Clock Gene Protein mPER1 is Rhythmically Synthesized and Under cAMP Control in the Mouse Pineal Organ. <i>Journal of Neuroendocrinology</i> , 2001, 13, 313-316.	1.2	44
157	Direct comparison of the potency of three novel cAMP analogs to induce CREB-phosphorylation in rat pinealocytes. <i>Journal of Pineal Research</i> , 2001, 31, 183-185.	3.4	6
158	Analysis of cell signalling in the rodent pineal gland deciphers regulators of dynamic transcription in neural/endocrine cells*. <i>European Journal of Neuroscience</i> , 2001, 14, 1-9.	1.2	39
159	Astrocytic factors protect neuronal integrity and reduce microglial activation in an in vitro model of N-methyl-D-aspartate-induced excitotoxic injury in organotypic hippocampal slice cultures. <i>European Journal of Neuroscience</i> , 2001, 14, 315-326.	1.2	64
160	cAMP Regulation of Arylalkylamine N-Acetyltransferase (AANAT, EC 2.3.1.87). <i>Journal of Biological Chemistry</i> , 2001, 276, 24097-24107.	1.6	39
161	Of Rodents and Ungulates and Melatonin: Creating a Uniform Code for Darkness by Different Signaling Mechanisms. <i>Journal of Biological Rhythms</i> , 2001, 16, 312-325.	1.4	73
162	Melatonin limits transcriptional impact of phosphoCREB in the mouse SCN via the Mel1a receptor. <i>NeuroReport</i> , 2000, 11, 1803-1807.	0.6	61

#	ARTICLE	IF	CITATIONS
163	Transcription factor dynamics and neuroendocrine signalling in the mouse pineal gland: a comparative analysis of melatonin-deficient C57BL mice and melatonin-proficient C3H mice. <i>European Journal of Neuroscience</i> , 2000, 12, 964-972.	1.2	84
164	Antisense experiments reveal molecular details on mechanisms of ICER suppressing cAMP-inducible genes in rat pinealocytes. <i>Journal of Pineal Research</i> , 2000, 29, 24-33.	3.4	25
165	Neurofilament H immunoreaction in oligodendrogliomas as demonstrated by a new polyclonal antibody. <i>Acta Neuropathologica</i> , 2000, 100, 122-130.	3.9	12
166	Cholinergic signal transduction cascades in rat pinealocytes: functional and ontogenetic aspects. <i>Reproduction, Nutrition, Development</i> , 1999, 39, 305-314.	1.9	4
167	Transcription Factors in Neuroendocrine Regulation: Rhythmic Changes in pCREB and ICER Levels Frame Melatonin Synthesis. <i>Journal of Neuroscience</i> , 1999, 19, 3326-3336.	1.7	118
168	Inducible Cyclic AMP Early Repressor Protein in Rat Pinealocytes: A Highly Sensitive Natural Reporter for Regulated Gene Transcription. <i>Molecular Pharmacology</i> , 1999, 56, 279-289.	1.0	38
169	Pituitary Adenylate Cyclase-Activating Polypeptide and Melatonin in the Suprachiasmatic Nucleus: Effects on the Calcium Signal Transduction Cascade. <i>Journal of Neuroscience</i> , 1999, 19, 206-219.	1.7	61
170	A Semiquantitative Image-analytical Method for the Recording of Dose-Response Curves in Immunocytochemical Preparations. <i>Journal of Histochemistry and Cytochemistry</i> , 1999, 47, 411-419.	1.3	36
171	CREB phosphorylation and melatonin biosynthesis in the rat pineal gland: Involvement of cyclic AMP dependent protein kinase type II. <i>Journal of Pineal Research</i> , 1999, 27, 170-182.	3.4	53
172	Analyses of signal transduction cascades in rat pinealocytes reveal a switch in cholinergic signaling during postnatal development. <i>Brain Research</i> , 1999, 833, 39-50.	1.1	11
173	Pineal nitric oxide synthase, but not heme oxygenase, mRNA is suppressed by continuous exposure to light. <i>Molecular Brain Research</i> , 1999, 70, 264-272.	2.5	5
174	Rhythmic variation in $\beta$ 1-adrenergic receptor mRNA levels in the rat pineal gland: circadian and developmental regulation. <i>European Journal of Neuroscience</i> , 1998, 10, 2896-2904.	1.2	34
175	Prognostic implication of histopathological, immunohistochemical and clinical features of oligodendrogliomas: a study of 89 cases. <i>Acta Neuropathologica</i> , 1998, 95, 493-504.	3.9	104
176	Immunohistochemical, ultrastructural, biochemical and in vitro studies of a pineocytoma. <i>Acta Neuropathologica</i> , 1998, 95, 532-539.	3.9	34
177	Morphological and immunocytochemical features of the pineal organ of C3H and C57BL mice at different stages of postnatal development. <i>Cell and Tissue Research</i> , 1998, 292, 521-530.	1.5	8
178	Confocal laser scanning and electron-microscopic analyses of the relationship between VIP-like and GnRH-like-immunoreactive neurons in the lateral septal-preoptic area of the pigeon. <i>Cell and Tissue Research</i> , 1998, 293, 39-46.	1.5	23
179	CREB in the Mouse SCN: A Molecular Interface Coding the Phase-Adjusting Stimuli Light, Glutamate, PACAP, and Melatonin for Clockwork Access. <i>Journal of Neuroscience</i> , 1998, 18, 10389-10397.	1.7	143
180	Rhythmic variation in beta1-adrenergic receptor mRNA levels in the rat pineal gland: circadian and developmental regulation. <i>European Journal of Neuroscience</i> , 1998, 10, 2896-2904.	1.2	1

#	ARTICLE	IF	CITATIONS
181	Stimulation of a nicotinic ACh receptor causes depolarization and activation of L-type Ca <sup>2+</sup> channels in rat pinealocytes.. <i>Journal of Physiology</i> , 1997, 499, 329-340.	1.3	47
182	Regulation of the Intracellular Concentration of Free Calcium Ions in Pinealocytes of the Rainbow Trout and the Rat. <i>NeuroSignals</i> , 1997, 6, 201-211.	0.5	5
183	The pituitary adenylate cyclase-activating polypeptide-induced phosphorylation of the transcription factor CREB (cAMP response element binding protein) in the rat suprachiasmatic nucleus is inhibited by melatonin. <i>Neuroscience Letters</i> , 1997, 227, 145-148.	1.0	60
184	Calcium oscillations in a subpopulation of S-antigen-immunoreactive pinealocytes of the rainbow trout ( <i>Oncorhynchus mykiss</i> ). <i>Brain Research</i> , 1997, 744, 68-76.	1.1	19
185	Control of CREB phosphorylation and its role for induction of melatonin synthesis in rat pinealocytes*. <i>Biology of the Cell</i> , 1997, 89, 505-511.	0.7	38
186	Comparative investigations of the neuronal apparatus in the pineal organ and retina of the rainbow trout: immunocytochemical demonstration of neurofilament 200-kDa and neuropeptide Y, and tracing with Dil. <i>Cell and Tissue Research</i> , 1997, 288, 417-425.	1.5	17
187	Light-induced expression of transcription factor ICER (inducible cAMP early repressor) in rat suprachiasmatic nucleus is phase-restricted. <i>Neuroscience Letters</i> , 1996, 217, 169-172.	1.0	24
188	A possible homologue of the suprachiasmatic nucleus in the hypothalamus of lampreys ( <i>Lampetra</i> ). <i>Journal of Neurocytology</i> , 1996, 25, 9-18.	1.0	13
189	Vasoactive intestinal peptide (VIP) and pituitary adenylate cyclase-activating polypeptide (PACAP) induce phosphorylation of the transcription factor CREB in subpopulations of rat pinealocytes: immunocytochemical and immunochemical evidence. <i>Cell and Tissue Research</i> , 1996, 286, 305-313.	1.5	59
190	Regulation of melatonin production and intracellular calcium concentrations in the trout pineal organ. <i>Cell and Tissue Research</i> , 1996, 286, 315-323.	1.5	26
191	Differential immunocytochemical localization of calretinin in the pineal gland of three mammalian species. <i>Journal of Neurocytology</i> , 1996, 25, 9-18.	1.6	21
192	Salinity and Vasotocin Immunoreactivity in the Brain of <i>Rivulus marmoratus</i> (Teleostei). <i>Die Naturwissenschaften</i> , 1996, 83, 326-328.	0.6	3
193	Immunocytochemical demonstration of S-antigen (arrestin) in the brain of the blowfly <i>Calliphora vicina</i> . <i>Cell and Tissue Research</i> , 1995, 279, 109-114.	1.5	23
194	Ultrastructure of cerebrospinal fluid-contacting neurons immunoreactive to vasoactive intestinal peptide and properties of the blood-brain barrier in the lateral septal organ of the duck. <i>Cell and Tissue Research</i> , 1995, 279, 123-133.	1.5	13
195	Norepinephrine-induced phosphorylation of the transcription factor CREB in isolated rat pinealocytes: an immunocytochemical study. <i>Cell and Tissue Research</i> , 1995, 282, 219-226.	1.5	64
196	Calcium responses of isolated, immunocytochemically identified rat pinealocytes to noradrenergic, cholinergic and vasopressinergic stimulations. <i>Neurochemistry International</i> , 1995, 27, 163-175.	1.9	70
197	Norepinephrine-induced phosphorylation of the transcription factor CREB in isolated rat pinealocytes: an immunocytochemical study. <i>Cell and Tissue Research</i> , 1995, 282, 219-226.	1.5	8
198	An immunocytochemical investigation of glial morphology in the Pacific hagfish: radial and astrocyte-like glia have the same phylogenetic age. <i>Journal of Neurocytology</i> , 1994, 23, 565-576.	1.6	44

#	ARTICLE	IF	CITATIONS
199	Electron-microscopic investigations of vasoactive intestinal peptide (VIP)-like immunoreactive terminal formations in the lateral septum of the pigeon. <i>Cell and Tissue Research</i> , 1994, 278, 415-418.	1.5	16
200	Morphological and immunocytochemical heterogeneity of cultured pinealocytes from one-week-and two-month-old rats: Planimetric and densitometric investigations. <i>Journal of Pineal Research</i> , 1993, 14, 128-137.	3.4	18
201	Rod-opsin immunoreaction in the pineal organ of the pigmented mouse does not indicate the presence of a functional photopigment. <i>Cell and Tissue Research</i> , 1993, 274, 71-78.	1.5	14
202	Vasoactive intestinal peptide-immunoreactive cerebrospinal fluid-contacting neurons in the reptilian lateral septum nucleus accumbens. <i>Cell and Tissue Research</i> , 1993, 274, 79-90.	1.5	19
203	Single-cell [Ca <sup>2+</sup> ] <sub>i</sub> analysis and biochemical characterization of pinealocytes immobilized with novel attachment peptide preparation. <i>Brain Research</i> , 1993, 614, 251-256.	1.1	41
204	Concurrent uveoretinitis and pineocytoma in a child suggests a causal relationship.. <i>British Journal of Ophthalmology</i> , 1992, 76, 574-576.	2.1	13
205	Recoverin in pineal organs and retinae of various vertebrate species including man. <i>Brain Research</i> , 1992, 595, 57-66.	1.1	77
206	Midline brain tumors in MSV-SV 40-transgenic mice originate from the pineal organ. <i>Acta Neuropathologica</i> , 1992, 83, 308-314.	3.9	18
207	Immunocytochemical demonstration of interphotoreceptor retinoid-binding protein in cerebellar medulloblastoma. <i>Acta Neuropathologica</i> , 1992, 83, 482-487.	3.9	24
208	Immunocytochemical demonstration of rod-opsin, S-antigen, and neuron-specific proteins in the human pineal gland. <i>Cell and Tissue Research</i> , 1992, 267, 493-498.	1.5	47
209	Photoreceptor differentiation in cerebellar medulloblastoma: evidence for a functional photopigment and authentic S-antigen (arrestin). <i>Acta Neuropathologica</i> , 1991, 81, 296-302.	3.9	15
210	S-Antigen and Rod-Opin Immunoreactions in Midline Brain Neoplasms of Transgenic Mice: Similarities to Pineal Cell Tumors and Certain Medulloblastomas in Man. <i>Journal of Neuropathology and Experimental Neurology</i> , 1990, 49, 424-437.	0.9	34
211	Immunocytochemical localization of serotonin and photoreceptor-specific proteins (rod-opsin,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 photoneuroendocrine cells. <i>Cell and Tissue Research</i> , 1990, 262, 205-216.	1.5	41
212	Complex relationships between the pineal organ and the medial habenular nucleus-pretectal region of the mouse as revealed by S-antigen immunocytochemistry. <i>Cell and Tissue Research</i> , 1990, 261, 493-500.	1.5	40
213	Ontogenetic development of S-antigen- and rodopsin immunoreactions in retinal and pineal photoreceptors of <i>Xenopus laevis</i> in relation to the onset of melatonin-dependent color-change mechanisms. <i>Cell and Tissue Research</i> , 1989, 258, 319-29.	1.5	25
214	Differentiation in medulloblastomas: correlation between the immunocytochemical demonstration of photoreceptor markers (S-antigen, rod-opsin) and the survival rate in 66 patients. <i>Acta Neuropathologica</i> , 1989, 78, 629-636.	3.9	32
215	Immunoreactive S-antigen in cerebrospinal fluid: a marker of pineal parenchymal tumors?. <i>Journal of Neurosurgery</i> , 1989, 70, 682-687.	0.9	17
216	Thyrotropin-releasing hormone (TRH)-immunoreactive structures in the brain of the domestic mallard. <i>Cell and Tissue Research</i> , 1988, 251, 441-449.	1.5	30

#	ARTICLE	IF	CITATIONS
217	Pinealocytes immunoreactive with antisera against secretory glycoproteins of the subcommissural organ: A comparative study. <i>Cell and Tissue Research</i> , 1988, 254, 469-80.	1.5	26
218	Immunocytochemical evidence of molecular photoreceptor markers in cerebellar medulloblastomas. <i>Cancer</i> , 1987, 60, 1763-1766.	2.0	42
219	Antibodies against retinal photoreceptor-specific proteins reveal axonal projections from the photosensory pineal organ in teleosts. <i>Journal of Comparative Neurology</i> , 1987, 265, 25-33.	0.9	54
220	Neural connections between the brain and the pineal gland of the golden hamster ( <i>Mesocricetus</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.5	30
221	Growth hormone-releasing factor (GRF)-like immunoreactivity in sensory ganglia of the rat. <i>Cell and Tissue Research</i> , 1987, 247, 441-4.	1.5	7
222	Immunocytochemical and electron-microscopic investigations of the pineal organ in adult agamid lizards, <i>Uromastix hardwicki</i> . <i>Cell and Tissue Research</i> , 1987, 250, 571-8.	1.5	4
223	Microvasculature of the pineal organ of the rainbow trout ( <i>Salmo gairdneri</i> ). <i>Cell and Tissue Research</i> , 1987, 250, 425-9.	1.5	11
224	Immunocytochemical markers revealing retinal and pineal but not hypothalamic photoreceptor systems in the Japanese quail. <i>Cell and Tissue Research</i> , 1987, 248, 161-167.	1.5	72
225	alpha-Transducin immunoreactivity in retinae and sensory pineal organs of adult vertebrates.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986, 83, 912-916.	3.3	92
226	S-antigen-like immunoreactivity in a human pineocytoma. <i>Acta Neuropathologica</i> , 1986, 69, 165-167.	3.9	44
227	Putative cholinergic elements in the photosensory pineal organ and retina of a teleost, <i>Phoxinus phoxinus</i> L. ( <i>Cyprinidae</i> ). <i>Cell and Tissue Research</i> , 1986, 246, 321-329.	1.5	35
228	Substance P-like-immunoreactive neurons in the photosensory pineal organ of the rainbow trout, <i>Salmo gairdneri</i> Richardson ( <i>Teleostei</i> ). <i>Cell and Tissue Research</i> , 1986, 246, 359-364.	1.5	17
229	Golgi-type and immunocytochemical studies on the intrinsic organization of the periventricular layer of the avian paraventricular nucleus. <i>Cell and Tissue Research</i> , 1986, 243, 317.	1.5	14
230	Pinealocyte projections into the mammalian brain revealed with S-antigen antiserum. <i>Science</i> , 1986, 231, 735-737.	6.0	94
231	Immunocytochemical demonstration of retinal S-antigen in the pineal organ of four mammalian species. <i>Cell and Tissue Research</i> , 1985, 239, 81-85.	1.5	132
232	Pineal neurons projecting to the brain of the rainbow trout, <i>Salmo gairdneri</i> Richardson ( <i>Teleostei</i> ). <i>Cell and Tissue Research</i> , 1985, 240, 693-700.	1.5	35
233	The presence of vasoactive intestinal polypeptide (VIP)-like-immunoreactive nerve fibres and VIP-receptors in the pineal gland of the Mongolian gerbil ( <i>Meriones unguiculatus</i> ). <i>Cell and Tissue Research</i> , 1985, 241, 333-340.	1.5	55
234	Vascular permeability (problem of the blood-brain barrier) in the pineal organ of the rainbow trout, <i>Salmo gairdneri</i> . <i>Cell and Tissue Research</i> , 1985, 239, 599-610.	1.5	16

#	ARTICLE	IF	CITATIONS
235	Opsin-like immunoreaction in the retinae and pineal organs of four mammalian species. <i>Cell and Tissue Research</i> , 1985, 242, 645-8.	1.5	84
236	Ependymal and neuronal specializations in the lateral ventricle of the Pekin duck, <i>Anas platyrhynchos</i> . <i>Cell and Tissue Research</i> , 1984, 236, 217-227.	1.5	40
237	Neuronal organization of the avian paraventricular nucleus: Intrinsic, afferent, and efferent connections. <i>The Journal of Experimental Zoology</i> , 1984, 232, 387-395.	1.4	56
238	Sensory and Central Nervous Elements in the Avian Pineal Organ. <i>Ophthalmic Research</i> , 1984, 16, 96-101.	1.0	23
239	A Golgi study on the cerebrospinal fluid (CSF)-contacting neurons in the paraventricular nucleus of the Pekin duck. <i>Cell and Tissue Research</i> , 1983, 228, 149-63.	1.5	28
240	Central innervation of the pineal organ of the Mongolian gerbil. <i>Cell and Tissue Research</i> , 1983, 230, 259-72.	1.5	47
241	The origin of central pinealopetal nerve fibers in the Mongolian gerbil as demonstrated by the retrograde transport of horseradish peroxidase. <i>Cell and Tissue Research</i> , 1983, 230, 273-87.	1.5	69
242	Opsin-immunoreactive outer segments in the pineal and parapineal organs of the lamprey ( <i>Lampetra</i> ). <i>Journal of Experimental Zoology</i> , 1983, 230, 289-307.	1.5	72
243	CSF-contacting and other somatostatin-immunoreactive neurons in the brains of <i>Anguilla anguilla</i> , <i>Phoxinus phoxinus</i> , and <i>Salmo gairdneri</i> (Teleostei). <i>Cell and Tissue Research</i> , 1983, 233, 319-34.	1.5	39
244	Electrical and morphological studies on sensory cells of the rat pudendal nerve. <i>Journal of Thermal Biology</i> , 1983, 8, 27-30.	1.1	0
245	Opsin-immunoreactive outer segments and acetylcholinesterase-positive neurons in the pineal complex of <i>Phoxinus phoxinus</i> (Teleostei, Cyprinidae). <i>Cell and Tissue Research</i> , 1982, 227, 351-369.	1.5	70
246	Intrinsic neurons and neural connections of the pineal organ of the house sparrow, <i>Passer domesticus</i> , as revealed by anterograde and retrograde transport of horseradish peroxidase. <i>Cell and Tissue Research</i> , 1982, 222, 243-60.	1.5	37
247	Distribution of sensory neurones of the pudendal nerve in the dorsal root ganglia and their projection to the spinal cord. <i>Cell and Tissue Research</i> , 1982, 226, 555-64.	1.5	29
248	Afferent connections of physiologically identified neuronal complexes in the paraventricular nucleus of conscious Pekin ducks involved in regulation of salt- and water-balance. <i>Cell and Tissue Research</i> , 1982, 226, 275-300.	1.5	27
249	Oxytocin- and vasopressin-immunoreactive nerve fibers in the pineal gland of the hedgehog, <i>Erinaceus europaeus</i> L. <i>Cell and Tissue Research</i> , 1981, 220, 87-97.	1.5	52
250	Nervous connections of the parietal eye in adult <i>Lacerta s. sicula</i> Rafinesque as demonstrated by anterograde and retrograde transport of horseradish peroxidase. <i>Cell and Tissue Research</i> , 1981, 219, 567-83.	1.5	47
251	Pineal complex of the clawed toad, <i>Xenopus laevis</i> Daud.: Structure and function. <i>Cell and Tissue Research</i> , 1981, 216, 113-30.	1.5	49
252	Evidence for a nervous connection between the brain and the pineal organ in the guinea pig. <i>Cell and Tissue Research</i> , 1980, 209, 505-10.	1.5	66

#	ARTICLE	IF	CITATIONS
253	Histological, histochemical and electron microscopical studies on the nervous apparatus of the pineal organ in the tiger salamander, <i>Ambystoma tigrinum</i> . <i>Cell and Tissue Research</i> , 1976, 174, 475-97.	1.5	31
254	Acetylcholinesterase-positive neurons in the pineal and parapineal organs of the rainbow trout, <i>Salmo gairdneri</i> (with special reference to the pineal tract). <i>Cell and Tissue Research</i> , 1974, 155, 475-89.	1.5	63