Rita C Alves

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4814968/publications.pdf

Version: 2024-02-01

116194 175968 3,511 97 36 55 h-index citations g-index papers 97 97 97 4947 docs citations times ranked citing authors all docs

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 1 | Antimicrobial multi-component lipid-based nanoemulsion of <i>Eucalyptus globulus </i> and <i>Mentha piperita </i> as natural preservative. Journal of Dispersion Science and Technology, 2023, 44, 1423-1432. | 1.3 | 1 |
| 2 | Emerging drying techniques for food safety and quality: A review. Comprehensive Reviews in Food Science and Food Safety, 2022, 21, 1125-1160. | 5.9 | 22 |
| 3 | Formulation of Nano/Micro-Carriers Loaded with an Enriched Extract of Coffee Silverskin: Physicochemical Properties, In Vitro Release Mechanism and In Silico Molecular Modeling. Pharmaceutics, 2022, 14, 112. | 2.0 | 3 |
| 4 | Cucumis melo L. seed oil components and biological activities. , 2022, , 125-138. | | 1 |
| 5 | Valorizing Coffee Silverskin Based on Its Phytochemicals and Antidiabetic Potential: From Lab to a Pilot Scale. Foods, 2022, 11, 1671. | 1.9 | 6 |
| 6 | Fruit byproducts as alternative ingredients for bakery products. , 2021, , 111-131. | | 2 |
| 7 | Enzyme-Assisted Release of Antioxidant Peptides from Porphyra dioica Conchocelis. Antioxidants, 2021, 10, 249. | 2.2 | 3 |
| 8 | Near Infrared (NIR) Spectroscopy as a Tool to Assess Blends Composition and Discriminate Antioxidant Activity of Olive Pomace Cultivars. Waste and Biomass Valorization, 2021, 12, 4901-4913. | 1.8 | 4 |
| 9 | Comprehensive Phenolic and Free Amino Acid Analysis of Rosemary Infusions: Influence on the Antioxidant Potential. Antioxidants, 2021, 10, 500. | 2.2 | 13 |
| 10 | Rotulagem do café e certificações de sustentabilidade Significado e importância para a sociedade. Cadernos De Ciência & Tecnologia, 2021, 38, 26761. | 0.1 | 0 |
| 11 | Morphological and Chemical Differentiation between Tunisian Populations of <i>Pinus halepensis</i> , <i>Pinus brutia</i> , and <i>Pinus pinaster</i> . Chemistry and Biodiversity, 2021, 18, e2100071. | 1.0 | 3 |
| 12 | Coffee by-products in topical formulations: A review. Trends in Food Science and Technology, 2021, 111, 280-291. | 7.8 | 51 |
| 13 | Neuroprotective properties of coffee: An update. Trends in Food Science and Technology, 2021, 113, 167-179. | 7.8 | 12 |
| 14 | Chemical Composition and Antimicrobial Activity of a New Olive Pomace Functional Ingredient. Pharmaceuticals, 2021, 14, 913. | 1.7 | 23 |
| 15 | Whole or Defatted Sesame Seeds (Sesamum indicum L.)? The Effect of Cold Pressing on Oil and Cake Quality. Foods, 2021, 10, 2108. | 1.9 | 34 |
| 16 | Comprehensive characterisation of marine macroalgae waste and impact of oil extraction, focusing on the biomass recovery potential. Algal Research, 2021, 58, 102416. | 2.4 | 10 |
| 17 | Infusion of aerial parts of Salvia chudaei Batt. & Trab. from Algeria: Chemical, toxicological and bioactivities characterization. Journal of Ethnopharmacology, 2021, 280, 114455. | 2.0 | 2 |
| 18 | Exploring Gunnera tinctoria: From Nutritional and Anti-Tumoral Properties to Phytosome Development Following Structural Arrangement Based on Molecular Docking. Molecules, 2021, 26, 5935. | 1.7 | 6 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Influence of Olive Pomace Blending on Antioxidant Activity: Additive, Synergistic, and Antagonistic Effects. Molecules, 2021, 26, 169. | 1.7 | 6 |
| 20 | Melon (Cucumis melo L.) by-products: Potential food ingredients for novel functional foods?. Trends in Food Science and Technology, 2020, 98, 181-189. | 7.8 | 72 |
| 21 | Amino Acid Profile and Protein Quality Assessment of Macroalgae Produced in an Integrated Multi-Trophic Aquaculture System. Foods, 2020, 9, 1382. | 1.9 | 55 |
| 22 | Effect of in vitro simulated gastrointestinal digestion on the antioxidant activity of the red seaweed Porphyra dioica. Food Research International, 2020, 136, 109309. | 2.9 | 35 |
| 23 | Pigments Content (Chlorophylls, Fucoxanthin and Phycobiliproteins) of Different Commercial Dried Algae. Separations, 2020, 7, 33. | 1.1 | 82 |
| 24 | Cherry stem infusions: antioxidant potential and phenolic profile by UHPLC-ESI-QTOF-MS. Food and Function, 2020, 11, 3471-3482. | 2.1 | 15 |
| 25 | Enzymatic Modification of Porphyra dioica-Derived Proteins to Improve their Antioxidant Potential. Molecules, 2020, 25, 2838. | 1.7 | 14 |
| 26 | Oilseeds from a Brazilian Semi-Arid Region: Edible Potential Regarding the Mineral Composition. Foods, 2020, 9, 229. | 1.9 | 1 |
| 27 | Fourier transform near infrared spectroscopy as a tool to discriminate olive wastes: The case of monocultivar pomaces. Waste Management, 2020, 103, 378-387. | 3.7 | 14 |
| 28 | A study on the protein fraction of coffee silverskin: Protein/non-protein nitrogen and free and total amino acid profiles. Food Chemistry, 2020, 326, 126940. | 4.2 | 32 |
| 29 | Macroalgal-derived protein hydrolysates and bioactive peptides: Enzymatic release and potential health enhancing properties. Trends in Food Science and Technology, 2019, 93, 106-124. | 7.8 | 43 |
| 30 | Composition of fatty acids, tocopherols, tocotrienols and \hat{l}^2 -carotene content in oils of seeds of Brazilian Sapindaceae and Meliaceae species. Journal of Food Science and Technology, 2019, 56, 3164-3169. | 1.4 | 8 |
| 31 | Valorization of olive pomace by a green integrated approach applying sustainable extraction and membrane-assisted concentration. Science of the Total Environment, 2019, 652, 40-47. | 3.9 | 48 |
| 32 | Caffeine-based food supplements and beverages: Trends of consumption for performance purposes and safety concerns. Food Research International, 2018, 109, 310-319. | 2.9 | 20 |
| 33 | Nutritional, chemical and antioxidant/pro-oxidant profiles of silverskin, a coffee roasting by-product. Food Chemistry, 2018, 267, 28-35. | 4.2 | 94 |
| 34 | Phenolic profiles of eight olive cultivars from Algeria: effect of Bactrocera oleaeattack. Food and Function, 2018, 9, 890-897. | 2.1 | 12 |
| 35 | Olive pomace as a valuable source of bioactive compounds: A study regarding its lipid- and water-soluble components. Science of the Total Environment, 2018, 644, 229-236. | 3.9 | 126 |
| 36 | Coffea canephora silverskin from different geographical origins: A comparative study. Science of the Total Environment, 2018, 645, 1021-1028. | 3.9 | 44 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Macroalgae-Derived Ingredients for Cosmetic Industryâ€"An Update. Cosmetics, 2018, 5, 2. | 1.5 | 74 |
| 38 | Seaweeds from the Portuguese coast as a source of proteinaceous material: Total and free amino acid composition profile. Food Chemistry, 2018, 269, 264-275. | 4.2 | 75 |
| 39 | Coffee Silverskin: A Review on Potential Cosmetic Applications. Cosmetics, 2018, 5, 5. | 1.5 | 67 |
| 40 | Hardy kiwi leaves extracted by multi-frequency multimode modulated technology: A sustainable and promising by-product for industry. Food Research International, 2018, 112, 184-191. | 2.9 | 35 |
| 41 | Multi-frequency multimode modulated technology as a clean, fast, and sustainable process to recover antioxidants from a coffee by-product. Journal of Cleaner Production, 2017, 168, 14-21. | 4.6 | 26 |
| 42 | Herbal products containing Hibiscus sabdariffa L., Crataegus spp., and Panax spp.: Labeling and safety concerns. Food Research International, 2017, 100, 529-540. | 2.9 | 9 |
| 43 | Monoamines and cortisol as potential mediators of the relationship between exercise and depressive symptoms. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 117-121. | 1.8 | 17 |
| 44 | Improving the extraction of Ara h 6 (a peanut allergen) from a chocolate-based matrix for immunosensing detection: Influence of time, temperature and additives. Food Chemistry, 2017, 218, 242-248. | 4.2 | 18 |
| 45 | Portuguese Honeys from Different Geographical and Botanical Origins: A 4-Year Stability Study Regarding Quality Parameters and Antioxidant Activity. Molecules, 2017, 22, 1338. | 1.7 | 25 |
| 46 | State of the art in coffee processing by-products. , 2017, , 1-26. | | 42 |
| 47 | Applications of recovered bioactive compounds in cosmetics and other products. , 2017, , 195-220. | | 1 |
| 48 | Olive by-products for functional and food applications: Challenging opportunities to face environmental constraints. Innovative Food Science and Emerging Technologies, 2016, 35, 139-148. | 2.7 | 164 |
| 49 | Effect of Bactrocera oleae on phenolic compounds and antioxidant and antibacterial activities of two Algerian olive cultivars. Food and Function, 2016, 7, 4372-4378. | 2.1 | 8 |
| 50 | Cardioprotective properties of grape seed proanthocyanidins: An update. Trends in Food Science and Technology, 2016, 57, 31-39. | 7.8 | 48 |
| 51 | Total antioxidant capacity of plant infusions: Assessment using electrochemical DNA-based biosensor and spectrophotometric methods. Food Control, 2016, 68, 153-161. | 2.8 | 47 |
| 52 | Improving bioactive compounds extractability of Amorphophallus paeoniifolius (Dennst.) Nicolson. Industrial Crops and Products, 2016, 79, 180-187. | 2.5 | 7 |
| 53 | Exploring plant tissue culture to improve the production of phenolic compounds: A review. Industrial Crops and Products, 2016, 82, 9-22. | 2.5 | 182 |
| 54 | How functional foods endure throughout the shelf storage? Effects of packing materials and formulation on the quality parameters and bioactivity of smoothies. LWT - Food Science and Technology, 2016, 65, 70-78. | 2,5 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | New Trends in Food Allergens Detection: Toward Biosensing Strategies. Critical Reviews in Food Science and Nutrition, 2016, 56, 2304-2319. | 5.4 | 91 |
| 56 | New approach for vitamin E extraction in rainbow trout flesh: Application in fish fed commercial and red seaweedâ€supplemented diets. European Journal of Lipid Science and Technology, 2015, 117, 1398-1405. | 1.0 | 5 |
| 57 | Monomeric and oligomeric flavan-3-ols and antioxidant activity of leaves from different Laurus sp Food and Function, 2015, 6, 1944-1949. | 2.1 | 13 |
| 58 | Isoflavones in food supplements: chemical profile, label accordance and permeability study in Caco-2 cells. Food and Function, 2015, 6, 938-946. | 2.1 | 23 |
| 59 | Assay of Total Antioxidant Capacity of Coffee. , 2015, , 963-970. | | 0 |
| 60 | Impact of boiling on phytochemicals and antioxidant activity of green vegetables consumed in the Mediterranean diet. Food and Function, 2015, 6, 1157-1163. | 2.1 | 23 |
| 61 | Phenolic compounds from olive mill wastes: Health effects, analytical approach and application as food antioxidants. Trends in Food Science and Technology, 2015, 45, 200-211. | 7.8 | 127 |
| 62 | Acrylamide in Coffee. , 2015, , 575-582. | | 2 |
| 63 | Detection of the peanut allergen Ara h 6 in foodstuffs using a voltammetric biosensing approach. Analytical and Bioanalytical Chemistry, 2015, 407, 7157-7163. | 1.9 | 45 |
| 64 | Are coffee silverskin extracts safe for topical use? An in vitro and in vivo approach. Industrial Crops and Products, 2015, 63, 167-174. | 2.5 | 42 |
| 65 | Factors Affecting Acrylamide Levels in Coffee Beverages. , 2015, , 217-224. | | 12 |
| 66 | Isoflavones in Coffee., 2015, , 143-148. | | 0 |
| 67 | Detection of Ara h 1 (a major peanut allergen) in food using an electrochemical gold nanoparticle-coated screen-printed immunosensor. Biosensors and Bioelectronics, 2015, 64, 19-24. | 5.3 | 76 |
| 68 | Phenylketonuria: Protein content and amino acids profile of dishes for phenylketonuric patients. The relevance of phenylalanine. Food Chemistry, 2014, 149, 144-150. | 4.2 | 26 |
| 69 | Organic versus conventional tomatoes: Influence on physicochemical parameters, bioactive compounds and sensorial attributes. Food and Chemical Toxicology, 2014, 67, 139-144. | 1.8 | 76 |
| 70 | Nutritional and antioxidant contributions of Laurus nobilis L. leaves: Would be more suitable a wild or a cultivated sample? Food Chemistry, 2014, 156, 339-346. | 4.2 | 55 |
| 71 | Nutritional composition, antioxidant activity and phenolic compounds of wild Taraxacum sect. Ruderalia. Food Research International, 2014, 56, 266-271. | 2.9 | 60 |
| 72 | Pre-meal tomato (<i>Lycopersicon esculentum</i>) intake can have anti-obesity effects in young women?. International Journal of Food Sciences and Nutrition, 2014, 65, 1019-1026. | 1.3 | 14 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Targeting specific nutrient deficiencies in protein-restricted diets: some practical facts in PKU dietary management. Food and Function, 2014, 5, 3151-3159. | 2.1 | 3 |
| 74 | Optimization of antioxidants extraction from coffee silverskin, a roasting by-product, having in view a sustainable process. Industrial Crops and Products, 2014, 53, 350-357. | 2.5 | 114 |
| 75 | Nutritional composition of low protein and phenylalanine-restricted dishes prepared for phenylketonuric patients. LWT - Food Science and Technology, 2014, 57, 283-289. | 2.5 | 16 |
| 76 | Effect of peel and seed removal on the nutritional value and antioxidant activity of tomato (Lycopersicon esculentum L.) fruits. LWT - Food Science and Technology, 2014, 55, 197-202. | 2.5 | 76 |
| 77 | Chemical composition of wild and commercial Achillea millefolium L. and bioactivity of the methanolic extract, infusion and decoction. Food Chemistry, 2013, 141, 4152-4160. | 4.2 | 118 |
| 78 | Nutritional value and influence of the thermal processing on a traditional Portuguese fermented sausage (alheira). Meat Science, 2013, 93, 914-918. | 2.7 | 14 |
| 79 | Angolan Cymbopogon citratus used for therapeutic benefits: Nutritional composition and influence of solvents in phytochemicals content and antioxidant activity of leaf extracts. Food and Chemical Toxicology, 2013, 60, 413-418. | 1.8 | 44 |
| 80 | CHAPTER 22. Isoflavones in Beverages. Food and Nutritional Components in Focus, 2012, , 365-380. | 0.1 | 0 |
| 81 | Teas, dietary supplements and fruit juices: A comparative study regarding antioxidant activity and bioactive compounds. LWT - Food Science and Technology, 2012, 49, 324-328. | 2.5 | 36 |
| 82 | Lipid content and fatty acid profile of Senegalese sole (Solea senegalensis Kaup, 1858) juveniles as affected by feed containing different amounts of plant protein sources. Food Chemistry, 2012, 134, 1337-1342. | 4.2 | 23 |
| 83 | Tocopherols in coffee brews: Influence of coffee species, roast degree and brewing procedure. Journal of Food Composition and Analysis, 2010, 23, 802-808. | 1.9 | 28 |
| 84 | Norharman and harman in instant coffee and coffee substitutes. Food Chemistry, 2010, 120, 1238-1241. | 4.2 | 15 |
| 85 | Acrylamide in espresso coffee: Influence of species, roast degree and brew length. Food Chemistry, 2010, 119, 929-934. | 4.2 | 84 |
| 86 | Method development and validation for isoflavones quantification in coffee. Food Chemistry, 2010, 122, 914-919. | 4.2 | 21 |
| 87 | Development and Validation of a Matrix Solidâ€Phase Dispersion Method to Determine Acrylamide in Coffee and Coffee Substitutes. Journal of Food Science, 2010, 75, T57-63. | 1.5 | 36 |
| 88 | Antiradical Activity, Phenolics Profile, and Hydroxymethylfurfural in Espresso Coffee: Influence of Technological Factors. Journal of Agricultural and Food Chemistry, 2010, 58, 12221-12229. | 2.4 | 79 |
| 89 | Isoflavones in Coffee: Influence of Species, Roast Degree, and Brewing Method. Journal of Agricultural and Food Chemistry, 2010, 58, 3002-3007. | 2.4 | 48 |
| 90 | BenefÃcios do café na saúde: mito ou realidade?. Quimica Nova, 2009, 32, 2169-2180. | 0.3 | 39 |

| # | Article | IF | Citations |
|----|---|----------|---------------|
| 91 | Vitamin E Profile as a Reliable Authenticity Discrimination Factor between Chestnut (Castanea sativa) Tj ETQq1 1 | 0.784314 | l rggT /Overl |
| 92 | Determination of Vitamin E in Coffee Beans by HPLC Using a Micro-extraction Method. Food Science and Technology International, 2009, 15, 57-63. | 1.1 | 40 |
| 93 | Discrimination between arabica and robusta coffee species on the basis of their tocopherol profiles. Food Chemistry, 2009, 114, 295-299. | 4.2 | 70 |
| 94 | Tocopherols in espresso coffee: Analytical method development and validation. Food Chemistry, 2009, 115, 1549-1555. | 4.2 | 23 |
| 95 | Factors Influencing the Norharman and Harman Contents in Espresso Coffee. Journal of Agricultural and Food Chemistry, 2007, 55, 1832-1838. | 2.4 | 41 |
| 96 | Free and Conjugated Biogenic Amines in Green and Roasted Coffee Beans. Journal of Agricultural and Food Chemistry, 2004, 52, 6188-6192. | 2.4 | 38 |
| 97 | Influence of Coffee Silverskin, Caffeine and 5-Caffeoylquinic Acid on Sugar Uptake Using Caco-2 Cells: A Preliminary Study. , 0, , . | | 0 |