
Vsevolod Telezhkin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4815606/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Characterization of Negative Allosteric Modulators of the Calcium-Sensing Receptor for Repurposing as a Treatment of Asthma. Journal of Pharmacology and Experimental Therapeutics, 2021, 376, 51-63.	2.5	14
2	Exploring the roles of neuropeptides in trigeminal neuropathic pain: A systematic review and narrative synthesis of animal studies. Archives of Oral Biology, 2021, 130, 105247.	1.8	4
3	Histamine, histamine receptors, and neuropathic pain relief. British Journal of Pharmacology, 2020, 177, 580-599.	5.4	92
4	Kv7 channels are upregulated during striatal neuron development and promote maturation of human iPSC-derived neurons. Pflugers Archiv European Journal of Physiology, 2018, 470, 1359-1376.	2.8	13
5	Functional Interactions between BKCaα-Subunit and Annexin A5: Implications in Apoptosis. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-9.	4.0	1
6	Clonal Heterogeneity in the Neuronal and Glial Differentiation of Dental Pulp Stem/Progenitor Cells. Stem Cells International, 2016, 2016, 1-10.	2.5	29
7	The Role of Kv1.2 Channel in Electrotaxis Cell Migration. Journal of Cellular Physiology, 2016, 231, 1375-1384.	4.1	9
8	Improving and accelerating the differentiation and functional maturation of human stem cellâ€derived neurons: role of extracellular calcium and GABA. Journal of Physiology, 2016, 594, 6583-6594.	2.9	50
9	Forced cell cycle exit and modulation of GABA _A , CREB, and GSK3β signaling promote functional maturation of induced pluripotent stem cell-derived neurons. American Journal of Physiology - Cell Physiology, 2016, 310, C520-C541.	4.6	66
10	Oxygen Sensing by the Carotid Body: Is It All Just Rotten Eggs?. Antioxidants and Redox Signaling, 2014, 20, 794-804.	5.4	22
11	Kv7.2/7.3 Channels are Enhanced During Striatal Development and Promote Neuronal Functional Maturation of iPS Cell-Derived Neurons. Biophysical Journal, 2014, 106, 142a.	0.5	1
12	A basic residue in the proximal C-terminus is necessary for efficient activation of the M-channel subunit Kv7.2 by PI(4,5)P2. Pflugers Archiv European Journal of Physiology, 2013, 465, 945-953.	2.8	23
13	Distinct subunit contributions to the activation of M-type potassium channels by PI(4,5)P2. Journal of General Physiology, 2012, 140, 41-53.	1.9	32
14	Structural Requirements of Membrane Phospholipids for M-type Potassium Channel Activation and Binding. Journal of Biological Chemistry, 2012, 287, 10001-10012.	3.4	34
15	Activation of M-Type Potassium Channels by Different Membrane Phospholipids and Analogs. Biophysical Journal, 2012, 102, 411a.	0.5	0
16	Cysteine residue 911 in C-terminal tail of human BKCaα channel subunit is crucial for its activation by carbon monoxide. Pflugers Archiv European Journal of Physiology, 2011, 461, 665-675.	2.8	41
17	Mechanism of inhibition by hydrogen sulfide of native and recombinant BKCa channels. Respiratory Physiology and Neurobiology, 2010, 172, 169-178.	1.6	92
18	Enzymeâ€Linked Oxygen Sensing by Potassium Channels. Annals of the New York Academy of Sciences, 2009, 1177, 112-118.	3.8	14

#	Article	IF	CITATIONS
19	A structural motif in the C-terminal tail of slo1 confers carbon monoxide sensitivity to human BKCa channels. Pflugers Archiv European Journal of Physiology, 2008, 456, 561-572.	2.8	48
20	Downâ€regulation of BK channels contributes to pregnancyâ€induced nitrate tolerance in rat maternal uteroplacental circulation. FASEB Journal, 2006, 20, A1177.	0.5	0
21	Title is missing!. Neurophysiology, 2003, 35, 1-6.	0.3	0
22	Title is missing!. Neurophysiology, 2003, 35, 67-74.	0.3	0
23	Title is missing!. Neurophysiology, 2001, 33, 281-288.	0.3	2