

Stefan Enroth

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4816563/stefan-enroth-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	10,551 citations	37 h-index	102 g-index
105 ext. papers	12,846 ext. citations	10.5 avg, IF	5.17 L-index

#	Paper	IF	Citations
89	Contribution of rare whole-genome sequencing variants to plasma protein levels and the missing heritability.. <i>Nature Communications</i> , 2022 , 13, 2532	17.4	0
88	Immune cells lacking Y chromosome show dysregulation of autosomal gene expression. <i>Cellular and Molecular Life Sciences</i> , 2021 , 78, 4019-4033	10.3	13
87	Identification of Candidate Protein Biomarkers for CIN2+ Lesions from Self-Sampled, Dried Cervico-Vaginal Fluid Using LC-MS/MS. <i>Cancers</i> , 2021 , 13,	6.6	2
86	Evaluation of 92 cardiovascular proteins in dried blood spots collected under field-conditions: Off-the-shelf affinity-based multiplexed assays work well, allowing for simplified sample collection. <i>BioEssays</i> , 2021 , 43, e2000299	4.1	1
85	Distinct genetic regions are associated with differential population susceptibility to chemical exposures. <i>Environment International</i> , 2021 , 152, 106488	12.9	2
84	Genomic and drug target evaluation of 90 cardiovascular proteins in 30,931 individuals. <i>Nature Metabolism</i> , 2020 , 2, 1135-1148	14.6	61
83	Temporal changes in the vaginal microbiota in self-samples and its association with persistent HPV16 infection and CIN2. <i>Virology Journal</i> , 2020 , 17, 147	6.1	4
82	Chronic obstructive pulmonary disease and related phenotypes: polygenic risk scores in population-based and case-control cohorts. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 696-708	35.1	29
81	Clinical validation of the HPVIR high-risk HPV test on cervical samples according to the international guidelines for human papillomavirus DNA test requirements for cervical cancer screening. <i>Virology Journal</i> , 2019 , 16, 107	6.1	12
80	Identification of Candidate Plasma Protein Biomarkers for Cervical Cancer Using the Multiplex Proximity Extension Assay. <i>Molecular and Cellular Proteomics</i> , 2019 , 18, 735-743	7.6	15
79	High throughput proteomics identifies a high-accuracy 11 plasma protein biomarker signature for ovarian cancer. <i>Communications Biology</i> , 2019 , 2, 221	6.7	44
78	New genetic signals for lung function highlight pathways and chronic obstructive pulmonary disease associations across multiple ancestries. <i>Nature Genetics</i> , 2019 , 51, 481-493	36.3	156
77	Randomised study of HPV prevalence and detection of CIN2+ in vaginal self-sampling compared to cervical specimens collected by medical personnel. <i>International Journal of Cancer</i> , 2019 , 144, 89-97	7.5	10
76	HPV viral load in self-collected vaginal fluid samples as predictor for presence of cervical intraepithelial neoplasia. <i>Virology Journal</i> , 2019 , 16, 146	6.1	4
75	Improved power and precision with whole genome sequencing data in genome-wide association studies of inflammatory biomarkers. <i>Scientific Reports</i> , 2019 , 9, 16844	4.9	20
74	Invasive cervical tumors with high and low HPV titer represent molecular subgroups with different disease etiology. <i>Carcinogenesis</i> , 2019 , 40, 269-278	4.6	3
73	Systemic and specific effects of antihypertensive and lipid-lowering medication on plasma protein biomarkers for cardiovascular diseases. <i>Scientific Reports</i> , 2018 , 8, 5531	4.9	18

72	Targeted plasma proteomics identifies a novel, robust association between cornulin and Swedish moist snuff. <i>Scientific Reports</i> , 2018 , 8, 2320	4.9	5
71	Randomised study shows that repeated self-sampling and HPV test has more than two-fold higher detection rate of women with CIN2+ histology than Pap smear cytology. <i>British Journal of Cancer</i> , 2018 , 118, 896-904	8.7	25
70	Genetic variants influencing phenotypic variance heterogeneity. <i>Human Molecular Genetics</i> , 2018 , 27, 799-810	5.6	18
69	A Meta-Analysis of Genome-Wide Association Studies of Growth Differentiation Factor-15 Concentration in Blood. <i>Frontiers in Genetics</i> , 2018 , 9, 97	4.5	19
68	Genomewide binding of transcription factor Snail1 in triple-negative breast cancer cells. <i>Molecular Oncology</i> , 2018 , 12, 1153-1174	7.9	20
67	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018 , 3, 4	4.8	16
66	A two-step strategy for identification of plasma protein biomarkers for endometrial and ovarian cancer. <i>Clinical Proteomics</i> , 2018 , 15, 38	5	11
65	Genetic analysis of over 1 million people identifies 535 new loci associated with blood pressure traits. <i>Nature Genetics</i> , 2018 , 50, 1412-1425	36.3	386
64	Genome-wide binding of transcription factor ZEB1 in triple-negative breast cancer cells. <i>Journal of Cellular Physiology</i> , 2018 , 233, 7113-7127	7	25
63	Evidence for large-scale gene-by-smoking interaction effects on pulmonary function. <i>International Journal of Epidemiology</i> , 2017 , 46, 894-904	7.8	25
62	Genome-wide association analysis identifies novel blood pressure loci and offers biological insights into cardiovascular risk. <i>Nature Genetics</i> , 2017 , 49, 403-415	36.3	313
61	Genome-wide association analyses for lung function and chronic obstructive pulmonary disease identify new loci and potential druggable targets. <i>Nature Genetics</i> , 2017 , 49, 416-425	36.3	170
60	Stability of Proteins in Dried Blood Spot Biobanks. <i>Molecular and Cellular Proteomics</i> , 2017 , 16, 1286-1296	6.6	47
59	1000 Genomes-based meta-analysis identifies 10 novel loci for kidney function. <i>Scientific Reports</i> , 2017 , 7, 45040	4.9	70
58	PATZ1 down-regulates FADS1 by binding to rs174557 and is opposed by SP1/SREBP1c. <i>Nucleic Acids Research</i> , 2017 , 45, 2408-2422	20.1	18
57	Novel Blood Pressure Locus and Gene Discovery Using Genome-Wide Association Study and Expression Data Sets From Blood and the Kidney. <i>Hypertension</i> , 2017 ,	8.5	85
56	Mapping of 79 loci for 83 plasma protein biomarkers in cardiovascular disease. <i>PLoS Genetics</i> , 2017 , 13, e1006706	6	102
55	The relative contribution of DNA methylation and genetic variants on protein biomarkers for human diseases. <i>PLoS Genetics</i> , 2017 , 13, e1007005	6	39

54	KLB is associated with alcohol drinking, and its gene product Eklotha is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 14372-14377	11.5	150
53	Epigenome-wide association study reveals differential DNA methylation in individuals with a history of myocardial infarction. <i>Human Molecular Genetics</i> , 2016 , 25, 4739-4748	5.6	67
52	The genetics of blood pressure regulation and its target organs from association studies in 342,415 individuals. <i>Nature Genetics</i> , 2016 , 48, 1171-1184	36.3	251
51	Protein Detection Using the Multiplexed Proximity Extension Assay (PEA) from Plasma and Vaginal Fluid Applied to the Indicating FTA Elute Micro Card <i>Journal of Circulating Biomarkers</i> , 2016 , 5, 9	3.3	4
50	Growth signals employ CGGBP1 to suppress transcription of Alu-SINEs. <i>Cell Cycle</i> , 2016 , 15, 1558-71	4.7	13
49	Genome-wide DNA methylation study identifies genes associated with the cardiovascular biomarker GDF-15. <i>Human Molecular Genetics</i> , 2016 , 25, 817-27	5.6	23
48	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016 , 7, 10023	17.4	295
47	Genome-wide profiling of histone H3 lysine 27 and lysine 4 trimethylation in multiple myeloma reveals the importance of Polycomb gene targeting and highlights EZH2 as a potential therapeutic target. <i>Oncotarget</i> , 2016 , 7, 6809-23	3.3	47
46	Pooled analysis of genome-wide association studies of cervical intraepithelial neoplasia 3 (CIN3) identifies a new susceptibility locus. <i>Oncotarget</i> , 2016 , 7, 42216-42224	3.3	16
45	Effects of Long-Term Storage Time and Original Sampling Month on Biobank Plasma Protein Concentrations. <i>EBioMedicine</i> , 2016 , 12, 309-314	8.8	45
44	MEG3 long noncoding RNA regulates the TGF- β pathway genes through formation of RNA-DNA triplex structures. <i>Nature Communications</i> , 2015 , 6, 7743	17.4	414
43	Directional dominance on stature and cognition in diverse human populations. <i>Nature</i> , 2015 , 523, 459-463	30.4	119
42	Protein profiling reveals consequences of lifestyle choices on predicted biological aging. <i>Scientific Reports</i> , 2015 , 5, 17282	4.9	28
41	The Influence of Age and Sex on Genetic Associations with Adult Body Size and Shape: A Large-Scale Genome-Wide Interaction Study. <i>PLoS Genetics</i> , 2015 , 11, e1005378	6	220
40	Homozygous loss-of-function variants in European cosmopolitan and isolate populations. <i>Human Molecular Genetics</i> , 2015 , 24, 5464-74	5.6	18
39	Sixteen new lung function signals identified through 1000 Genomes Project reference panel imputation. <i>Nature Communications</i> , 2015 , 6, 8658	17.4	79
38	Effect of genetic and environmental factors on protein biomarkers for common non-communicable disease and use of personally normalized plasma protein profiles (PNPPP). <i>Biomarkers</i> , 2015 , 20, 355-64	2.6	12
37	Pathway analysis of cervical cancer genome-wide association study highlights the MHC region and pathways involved in response to infection. <i>Human Molecular Genetics</i> , 2014 , 23, 6047-60	5.6	17

36	Genome-wide association analysis identifies six new loci associated with forced vital capacity. <i>Nature Genetics</i> , 2014 , 46, 669-77	36.3	104
35	Systematic validation of hypothesis-driven candidate genes for cervical cancer in a genome-wide association study. <i>Carcinogenesis</i> , 2014 , 35, 2084-8	4.6	18
34	CanvasDB: a local database infrastructure for analysis of targeted- and whole genome re-sequencing projects. <i>Database: the Journal of Biological Databases and Curation</i> , 2014 , 2014,	5	14
33	Strong effects of genetic and lifestyle factors on biomarker variation and use of personalized cutoffs. <i>Nature Communications</i> , 2014 , 5, 4684	17.4	98
32	Nucleosome regulatory dynamics in response to TGF β <i>Nucleic Acids Research</i> , 2014 , 42, 6921-34	20.1	6
31	Genome-wide association study of susceptibility loci for cervical cancer. <i>Journal of the National Cancer Institute</i> , 2013 , 105, 624-33	9.7	113
30	Identification of genetic variants influencing the human plasma proteome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 4673-8	11.5	67
29	Peak Finder Metaserver - a novel application for finding peaks in ChIP-seq data. <i>BMC Bioinformatics</i> , 2013 , 14, 280	3.6	10
28	Causal and synthetic associations of variants in the SERPINA gene cluster with alpha1-antitrypsin serum levels. <i>PLoS Genetics</i> , 2013 , 9, e1003585	6	37
27	Prevalence and sensitization of atopic allergy and coeliac disease in the Northern Sweden Population Health Study. <i>International Journal of Circumpolar Health</i> , 2013 , 72,	1.7	19
26	Continuous Aging of the Human DNA Methylome Throughout the Human Lifespan. <i>PLoS ONE</i> , 2013 , 8, e67378	3.7	220
25	Combinations of histone modifications mark exon inclusion levels. <i>PLoS ONE</i> , 2012 , 7, e29911	3.7	29
24	A strand specific high resolution normalization method for chip-sequencing data employing multiple experimental control measurements. <i>Algorithms for Molecular Biology</i> , 2012 , 7, 2	1.8	4
23	Long noncoding RNA-mediated maintenance of DNA methylation and transcriptional gene silencing. <i>Development (Cambridge)</i> , 2012 , 139, 2792-803	6.6	85
22	Genetic adaptation of fatty-acid metabolism: a human-specific haplotype increasing the biosynthesis of long-chain omega-3 and omega-6 fatty acids. <i>American Journal of Human Genetics</i> , 2012 , 90, 809-20	11	148
21	Visualization of Rules in Rule-Based Classifiers. <i>Smart Innovation, Systems and Technologies</i> , 2012 , 329-338	5	1
20	Long noncoding RNA-mediated maintenance of DNA methylation and transcriptional gene silencing. <i>Journal of Cell Science</i> , 2012 , 125, e1-e1	5.3	
19	Cancer associated epigenetic transitions identified by genome-wide histone methylation binding profiles in human colorectal cancer samples and paired normal mucosa. <i>BMC Cancer</i> , 2011 , 11, 450	4.8	27

18	Integrative epigenomic and genomic analysis of malignant pheochromocytoma. <i>Experimental and Molecular Medicine</i> , 2010 , 42, 484-502	12.8	29
17	SICTIN: Rapid footprinting of massively parallel sequencing data. <i>BioData Mining</i> , 2010 , 3, 4	4.3	9
16	Molecular interactions between HNF4a, FOXA2 and GABP identified at regulatory DNA elements through ChIP-sequencing. <i>Nucleic Acids Research</i> , 2009 , 37, 7498-508	20.1	51
15	Histone H3 lysine 27 trimethylation in adult differentiated colon associated to cancer DNA hypermethylation. <i>Epigenetics</i> , 2009 , 4, 107-13	5.7	24
14	Novel genes in cell cycle control and lipid metabolism with dynamically regulated binding sites for sterol regulatory element-binding protein 1 and RNA polymerase II in HepG2 cells detected by chromatin immunoprecipitation with microarray detection. <i>FEBS Journal</i> , 2009 , 276, 1878-90	5.7	14
13	Nucleosomes are well positioned in exons and carry characteristic histone modifications. <i>Genome Research</i> , 2009 , 19, 1732-41	9.7	242
12	Kcnq1ot1 antisense noncoding RNA mediates lineage-specific transcriptional silencing through chromatin-level regulation. <i>Molecular Cell</i> , 2008 , 32, 232-46	17.6	961
11	Monte Carlo feature selection for supervised classification. <i>Bioinformatics</i> , 2008 , 24, 110-7	7.2	155
10	Whole-genome maps of USF1 and USF2 binding and histone H3 acetylation reveal new aspects of promoter structure and candidate genes for common human disorders. <i>Genome Research</i> , 2008 , 18, 380-92	9.7	72
9	Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project. <i>Nature</i> , 2007 , 447, 799-816	50.4	4121
8	Butyrate mediates decrease of histone acetylation centered on transcription start sites and down-regulation of associated genes. <i>Genome Research</i> , 2007 , 17, 708-19	9.7	106
7	The LCB Data Warehouse. <i>Bioinformatics</i> , 2006 , 22, 1024-6	7.2	34
6	Binding sites for metabolic disease related transcription factors inferred at base pair resolution by chromatin immunoprecipitation and genomic microarrays. <i>Human Molecular Genetics</i> , 2005 , 14, 3435-47	5.6	66
5	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2005 , 3, 4	4.8	6
4	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2005 , 3, 4	4.8	1
3	Genetic analysis of over one million people identifies 535 novel loci for blood pressure		4
2	Genomic evaluation of circulating proteins for drug target characterisation and precision medicine		5
1	New genetic signals for lung function highlight pathways and pleiotropy, and chronic obstructive pulmonary disease associations across multiple ancestries		5

