

# Edward D Levin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4818492/publications.pdf>

Version: 2024-02-01

206  
papers

11,679  
citations

32410

55  
h-index

36203

101  
g-index

224  
all docs

224  
docs citations

224  
times ranked

10979  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic infusions of mecamylamine into the medial habenula: Effects on nicotine self-administration in rats. <i>Behavioural Brain Research</i> , 2022, 416, 113574.	1.2	1
2	Developmental nicotine exposure and masculinization of the rat preoptic area. <i>NeuroToxicology</i> , 2022, 89, 41-54.	1.4	2
3	Time-dependent effects of nicotine on reversal of dizocilpine-induced attentional impairment in female rats. <i>Pharmacology Biochemistry and Behavior</i> , 2022, 215, 173359.	1.3	0
4	Persistent neurobehavioral and neurochemical anomalies in middle-aged rats after maternal diazinon exposure. <i>Toxicology</i> , 2022, 472, 153189.	2.0	1
5	CIPHERS: Effects of male marijuana use on sperm health and potential risks to future children. , 2022, 3, 100047.		0
6	Introduction to sex differences in neurotoxic effects. <i>Neurotoxicology and Teratology</i> , 2021, 83, 106931.	1.2	6
7	A Behavioral Test Battery to Assess Larval and Adult Zebrafish After Developmental Neurotoxic Exposure. <i>Neuromethods</i> , 2021, , 353-380.	0.2	1
8	Translating Neurobehavioral Toxicity Across Species From Zebrafish to Rats to Humans: Implications for Risk Assessment. <i>Frontiers in Toxicology</i> , 2021, 3, 629229.	1.6	20
9	Differences in Cognitive Task Performance, Reinforcement Enhancement, and Nicotine Dependence Between Menthol and Nonmenthol Cigarette Smokers. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1902-1910.	1.4	1
10	Invited Perspective: Does Developmental Adaptation Pose Risks with Changing Toxicant Exposures?. <i>Environmental Health Perspectives</i> , 2021, 129, 081302.	2.8	0
11	Subchronic effects of plant alkaloids on anxiety-like behavior in zebrafish. <i>Pharmacology Biochemistry and Behavior</i> , 2021, 207, 173223.	1.3	10
12	The organophosphate insecticide diazinon and aging: Neurobehavioral and mitochondrial effects in zebrafish exposed as embryos or during aging. <i>Neurotoxicology and Teratology</i> , 2021, 87, 107011.	1.2	11
13	Refraining from use diminishes cannabis-associated epigenetic changes in human sperm. <i>Environmental Epigenetics</i> , 2021, 7, dvab009.	0.9	41
14	The use of tocopherols as a rescue agent in larval zebrafish exposed to benzo[a]pyrene in early development. <i>NeuroToxicology</i> , 2021, 86, 78-84.	1.4	4
15	Paternal Cannabis Exposure Prior to Mating, but Not $\delta^9$ -Tetrahydrocannabinol, Elicits Deficits in Dopaminergic Synaptic Activity in the Offspring. <i>Toxicological Sciences</i> , 2021, 184, 252-264.	1.4	5
16	Neurobehavioral anomalies in zebrafish after sequential exposures to DDT and chlorpyrifos in adulthood: Do multiple exposures interact?. <i>Neurotoxicology and Teratology</i> , 2021, 87, 106985.	1.2	10
17	Differential behavioral functioning in the offspring of rats with high vs. low self-administration of the opioid agonist remifentanyl. <i>European Journal of Pharmacology</i> , 2021, 909, 174407.	1.7	1
18	Self-administration by female rats of low doses of nicotine alone vs. nicotine in tobacco smoke extract. <i>Drug and Alcohol Dependence</i> , 2021, 228, 109073.	1.6	3

#	ARTICLE	IF	CITATIONS
19	Prolonging the Reduction of Nicotine Self-Administration in Rats by Coadministering Chronic Nicotine With Amitifadine, a Triple Monoamine Reuptake Inhibitor With CYP2B6 Inhibitory Actions. <i>Nicotine and Tobacco Research</i> , 2020, 22, 232-237.	1.4	2
20	Cannabis use is associated with potentially heritable widespread changes in autism candidate gene <i>&lt;i&gt;DLGAP2&lt;/i&gt;</i> DNA methylation in sperm. <i>Epigenetics</i> , 2020, 15, 161-173.	1.3	61
21	Adult exposure to insecticides causes persistent behavioral and neurochemical alterations in zebrafish. <i>Neurotoxicology and Teratology</i> , 2020, 78, 106853.	1.2	16
22	Gestational and perinatal exposure to diazinon causes long-lasting neurobehavioral consequences in the rat. <i>Toxicology</i> , 2020, 429, 152327.	2.0	13
23	Sperm DNA methylation altered by THC and nicotine: Vulnerability of neurodevelopmental genes with bivalent chromatin. <i>Scientific Reports</i> , 2020, 10, 16022.	1.6	33
24	Paternal cannabis extract exposure in rats: Preconception timing effects on neurodevelopmental behavior in offspring. <i>NeuroToxicology</i> , 2020, 81, 180-188.	1.4	11
25	This is your teen brain on drugs: In search of biological factors unique to dependence toxicity in adolescence. <i>Neurotoxicology and Teratology</i> , 2020, 81, 106916.	1.2	17
26	Measuring attention in rats with a visual signal detection task: Signal intensity vs. signal duration. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 199, 173069.	1.3	1
27	Developmental exposure of zebrafish to vitamin D receptor acting drugs and environmental toxicants disrupts behavioral function. <i>Neurotoxicology and Teratology</i> , 2020, 81, 106902.	1.2	4
28	Beyond the looking glass: recent advances in understanding the impact of environmental exposures on neuropsychiatric disease. <i>Neuropsychopharmacology</i> , 2020, 45, 1086-1096.	2.8	39
29	Zebrafish show long-term behavioral impairments resulting from developmental vitamin D deficiency. <i>Physiology and Behavior</i> , 2020, 224, 113016.	1.0	5
30	Paternal factors in neurodevelopmental toxicology: THC exposure of male rats causes long-lasting neurobehavioral effects in their offspring. <i>NeuroToxicology</i> , 2020, 78, 57-63.	1.4	23
31	Paternal $\delta^9$ -Tetrahydrocannabinol Exposure Prior to Mating Elicits Deficits in Cholinergic Synaptic Function in the Offspring. <i>Toxicological Sciences</i> , 2020, 174, 210-217.	1.4	17
32	Amitifadine, a triple reuptake inhibitor, reduces self-administration of the opiate remifentanil in rats. <i>Psychopharmacology</i> , 2020, 237, 1681-1689.	1.5	3
33	Effects of sub-chronic methylphenidate on risk-taking and sociability in zebrafish ( <i>Danio rerio</i> ). <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 1373-1381.	1.4	6
34	Dextromethorphan and bupropion reduces high level remifentanil self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 193, 172919.	1.3	5
35	Gestational exposure to nicotine and/or benzo[a]pyrene causes long-lasting neurobehavioral consequences. <i>Birth Defects Research</i> , 2019, 111, 1248-1258.	0.8	12
36	Paternal THC exposure in rats causes long-lasting neurobehavioral effects in the offspring. <i>Neurotoxicology and Teratology</i> , 2019, 74, 106806.	1.2	61

#	ARTICLE	IF	CITATIONS
37	Perinatal diazinon exposure compromises the development of acetylcholine and serotonin systems. <i>Toxicology</i> , 2019, 424, 152240.	2.0	29
38	Chronic memantine decreases nicotine self-administration in rats. <i>European Journal of Pharmacology</i> , 2019, 861, 172592.	1.7	3
39	Acute and chronic interactive treatments of serotonin 5HT <sub>2C</sub> and dopamine D1 receptor systems for decreasing nicotine self-administration in female rats. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 186, 172766.	1.3	5
40	Paternal nicotine exposure in rats produces long-lasting neurobehavioral effects in the offspring. <i>Neurotoxicology and Teratology</i> , 2019, 74, 106808.	1.2	25
41	Oral sazetidine-A, a selective $\alpha 4\beta 2^*$ nicotinic receptor desensitizing agent, reduces nicotine self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 179, 109-112.	1.3	1
42	Dopamine D1 and D2 receptor antagonism during development alters later behavior in zebrafish. <i>Behavioural Brain Research</i> , 2019, 356, 250-256.	1.2	15
43	$\alpha 4\beta 2$ Nicotinic receptor desensitizing compounds can decrease self-administration of cocaine and methamphetamine in rats. <i>European Journal of Pharmacology</i> , 2019, 845, 1-7.	1.7	7
44	Persistent attenuation of nicotine self-administration in rats by co-administration of chronic nicotine infusion with the dopamine D1 receptor antagonist SCH-23390 or the serotonin 5-HT <sub>2C</sub> agonist lorcaserin. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 176, 16-22.	1.3	13
45	The Developmental Neurotoxicity of Tobacco Smoke Can Be Mimicked by a Combination of Nicotine and Benzo[a]Pyrene: Effects on Cholinergic and Serotonergic Systems. <i>Toxicological Sciences</i> , 2019, 167, 293-304.	1.4	12
46	Maternal vitamin D deficiency and developmental origins of health and disease (DOHaD). <i>Journal of Endocrinology</i> , 2019, 241, R65-R80.	1.2	28
47	Mutually augmenting interactions of dextromethorphan and sazetidine-A for reducing nicotine self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2018, 166, 42-47.	1.3	5
48	Neurobehavioral effects of 1,2-propanediol in zebrafish ( <i>Danio rerio</i> ). <i>NeuroToxicology</i> , 2018, 65, 111-124.	1.4	12
49	Sub-anesthetic doses of ketamine attenuate nicotine self-administration in rats. <i>Neuroscience Letters</i> , 2018, 668, 98-102.	1.0	11
50	Developmental exposure to an organophosphate flame retardant alters later behavioral responses to dopamine antagonism in zebrafish larvae. <i>Neurotoxicology and Teratology</i> , 2018, 67, 25-30.	1.2	19
51	Developmental exposure to low concentrations of two brominated flame retardants, BDE-47 and BDE-99, causes life-long behavioral alterations in zebrafish. <i>NeuroToxicology</i> , 2018, 66, 221-232.	1.4	58
52	Uptake, tissue distribution, and toxicity of polystyrene nanoparticles in developing zebrafish ( <i>Danio rerio</i> ). <i>Toxicology and Applied Pharmacology</i> , 2018, 356, 103-113.	1.9	403
53	Cannabinoid exposure and altered DNA methylation in rat and human sperm. <i>Epigenetics</i> , 2018, 13, 1208-1221.	1.3	160
54	Maternal transfer of nanoplastics to offspring in zebrafish ( <i>Danio rerio</i> ): A case study with nanopolystyrene. <i>Science of the Total Environment</i> , 2018, 643, 324-334.	3.9	241

#	ARTICLE	IF	CITATIONS
55	Developmental Exposure to Low Concentrations of Organophosphate Flame Retardants Causes Life-Long Behavioral Alterations in Zebrafish. <i>Toxicological Sciences</i> , 2018, 165, 487-498.	1.4	55
56	Critical developmental periods for effects of low-level tobacco smoke exposure on behavioral performance. <i>NeuroToxicology</i> , 2018, 68, 81-87.	1.4	12
57	Outcomes of developmental exposure to total particulate matter from cigarette smoke in zebrafish ( <i>Danio rerio</i> ). <i>NeuroToxicology</i> , 2018, 68, 101-114.	1.4	12
58	The ventral hippocampal muscarinic cholinergic system plays a key role in sexual dimorphisms of spatial working memory in rats. <i>Neuropharmacology</i> , 2017, 117, 106-113.	2.0	11
59	Exposure to 1,2-Propanediol Impacts Early Development of Zebrafish ( <i>Danio rerio</i> ) and Induces Hyperactivity. <i>Zebrafish</i> , 2017, 14, 216-222.	0.5	14
60	Opioid Self-Administration is Attenuated by Early-Life Experience and Gene Therapy for Anti-Inflammatory IL-10 in the Nucleus Accumbens of Male Rats. <i>Neuropsychopharmacology</i> , 2017, 42, 2128-2140.	2.8	30
61	Developmental neurotoxicity of succeeding generations of insecticides. <i>Environment International</i> , 2017, 99, 55-77.	4.8	132
62	Differential efficacies of the nicotinic $\alpha 4\beta 2$ desensitizing agents in reducing nicotine self-administration in female rats. <i>Psychopharmacology</i> , 2017, 234, 2517-2523.	1.5	2
63	Is There a Critical Period for the Developmental Neurotoxicity of Low-Level Tobacco Smoke Exposure?. <i>Toxicological Sciences</i> , 2017, 155, 75-84.	1.4	12
64	Ketamine Differentially Attenuates Alcohol Intake in Male Versus Female Alcohol Preferring (P) Rats. <i>Journal of Drug and Alcohol Research</i> , 2017, 6, 1-6.	0.9	23
65	Persisting neurobehavioral effects of developmental copper exposure in wildtype and metallothionein 1 and 2 knockout mice. <i>BMC Pharmacology &amp; Toxicology</i> , 2016, 17, 55.	1.0	13
66	Reduction of nicotine self-administration by chronic nicotine infusion with H1 histamine blockade in female rats. <i>Psychopharmacology</i> , 2016, 233, 3009-3015.	1.5	6
67	Diverse neurotoxicants target the differentiation of embryonic neural stem cells into neuronal and glial phenotypes. <i>Toxicology</i> , 2016, 372, 42-51.	2.0	25
68	Acute oral 18-methoxycoronaridine (18-MC) decreases both alcohol intake and IV nicotine self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 150-151, 153-157.	1.3	18
69	Preclinical toxicity evaluation of a novel immunotoxin, D2C7-(scdsFv)-PE38KDEL, administered via intracerebral convection-enhanced delivery in rats. <i>Investigational New Drugs</i> , 2016, 34, 149-158.	1.2	10
70	Dextromethorphan interactions with histaminergic and serotonergic treatments to reduce nicotine self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 142, 1-7.	1.3	17
71	Cognitive and Behavioral Impairments Evoked by Low-Level Exposure to Tobacco Smoke Components: Comparison with Nicotine Alone. <i>Toxicological Sciences</i> , 2016, 151, 236-244.	1.4	47
72	Persistent behavioral effects following early life exposure to retinoic acid or valproic acid in zebrafish. <i>NeuroToxicology</i> , 2016, 52, 23-33.	1.4	39

#	ARTICLE	IF	CITATIONS
73	Learning about cognition risk with the radial-arm maze in the developmental neurotoxicology battery. <i>Neurotoxicology and Teratology</i> , 2015, 52, 88-92.	1.2	28
74	Teratogenic, bioenergetic, and behavioral effects of exposure to total particulate matter on early development of zebrafish ( <i>Danio rerio</i> ) are not mimicked by nicotine. <i>Neurotoxicology and Teratology</i> , 2015, 51, 77-88.	1.2	40
75	Perspectives on zebrafish neurobehavioral pharmacology. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 139, 93.	1.3	11
76	Bupropion-varenicline interactions and nicotine self-administration behavior in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 130, 84-89.	1.3	27
77	Prenatal nicotine changes the response to postnatal chlorpyrifos: Interactions targeting serotonergic synaptic function and cognition. <i>Brain Research Bulletin</i> , 2015, 111, 84-96.	1.4	17
78	Amitifadine, a triple monoamine re-uptake inhibitor, reduces nicotine self-administration in female rats. <i>European Journal of Pharmacology</i> , 2015, 764, 30-37.	1.7	8
79	Neurobehavioral impairments caused by developmental imidacloprid exposure in zebrafish. <i>Neurotoxicology and Teratology</i> , 2015, 49, 81-90.	1.2	130
80	Role of nicotinic receptors in the lateral habenula in the attenuation of amphetamine-induced prepulse inhibition deficits of the acoustic startle response in rats. <i>Psychopharmacology</i> , 2015, 232, 3009-3017.	1.5	6
81	Developmental Neurotoxicity of Tobacco Smoke Directed Toward Cholinergic and Serotonergic Systems: More Than Just Nicotine. <i>Toxicological Sciences</i> , 2015, 147, 178-189.	1.4	41
82	Amelioration strategies fail to prevent tobacco smoke effects on neurodifferentiation: Nicotinic receptor blockade, antioxidants, methyl donors. <i>Toxicology</i> , 2015, 333, 63-75.	2.0	11
83	Persisting effects of a PBDE metabolite, 6-OH-BDE-47, on larval and juvenile zebrafish swimming behavior. <i>Neurotoxicology and Teratology</i> , 2015, 52, 119-126.	1.2	39
84	Pharmacological analyses of learning and memory in zebrafish ( <i>Danio rerio</i> ). <i>Pharmacology Biochemistry and Behavior</i> , 2015, 139, 103-111.	1.3	44
85	Neuro-anatomic mapping of dopamine D1 receptor involvement in nicotine self-administration in rats. <i>Neuropharmacology</i> , 2015, 99, 689-695.	2.0	24
86	Heterogeneity Across Brain Regions and Neurotransmitter Interactions with Nicotinic Effects on Memory Function. <i>Current Topics in Behavioral Neurosciences</i> , 2015, 23, 87-101.	0.8	14
87	Effects of tobacco smoke constituents, anabasine and anatabine, on memory and attention in female rats. <i>Journal of Psychopharmacology</i> , 2014, 28, 915-922.	2.0	25
88	Meclizine Enhancement of Sensorimotor Gating in Healthy Male Subjects with High Startle Responses and Low Prepulse Inhibition. <i>Neuropsychopharmacology</i> , 2014, 39, 651-659.	2.8	1
89	IV nicotine self-administration in rats using a consummatory operant licking response: Sensitivity to serotonergic, glutaminergic and histaminergic drugs. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 54, 200-205.	2.5	15
90	Assessment of pregnenolone effects on alcohol intake and preference in male alcohol preferring (P) rats. <i>European Journal of Pharmacology</i> , 2014, 740, 53-57.	1.7	5

#	ARTICLE	IF	CITATIONS
91	Decreasing nicotinic receptor activity and the spatial learning impairment caused by the NMDA glutamate antagonist dizocilpine in rats. <i>European Journal of Pharmacology</i> , 2014, 741, 132-139.	1.7	14
92	Lorcaserin, a selective 5-HT 2C receptor agonist, decreases alcohol intake in female alcohol preferring rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 125, 8-14.	1.3	51
93	Nicotinic Attention-Deficit/Hyperactivity Disorder Treatment. <i>Biological Psychiatry</i> , 2014, 75, 174.	0.7	0
94	Effects of tobacco smoke on PC12 cell neurodifferentiation are distinct from those of nicotine or benzo[a]pyrene. <i>Neurotoxicology and Teratology</i> , 2014, 43, 19-24.	1.2	17
95	Prenatal dexamethasone augments the neurobehavioral teratology of chlorpyrifos: Significance for maternal stress and preterm labor. <i>Neurotoxicology and Teratology</i> , 2014, 41, 35-42.	1.2	15
96	Differential effects of non-nicotine tobacco constituent compounds on nicotine self-administration in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 120, 103-108.	1.3	48
97	Complex relationships of nicotinic receptor actions and cognitive functions. <i>Biochemical Pharmacology</i> , 2013, 86, 1145-1152.	2.0	67
98	Effects of the sazetidine-a family of compounds on the body temperature in wildtype, nicotinic receptor $\alpha 2$ and $\alpha 7$ mice. <i>European Journal of Pharmacology</i> , 2013, 718, 167-172.	1.7	2
99	Zebrafish model systems for developmental neurobehavioral toxicology. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2013, 99, 14-23.	3.6	143
100	Improvement of attentional function with antagonism of nicotinic receptors in female rats. <i>European Journal of Pharmacology</i> , 2013, 702, 269-274.	1.7	27
101	$\alpha 7$ -Nicotinic Receptors and Cognition. <i>Current Drug Targets</i> , 2012, 13, 602-606.	1.0	73
102	Assessing the effects of chronic sazetidine-A delivery on nicotine self-administration in both male and female rats. <i>Psychopharmacology</i> , 2012, 222, 269-276.	1.5	35
103	Differential effects of the antidepressant mirtazapine on amphetamine- and dizocilpine-induced PPI deficits. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 102, 82-87.	1.3	3
104	The $\alpha 2$ -adrenergic antagonist idazoxan counteracts prepulse inhibition deficits caused by amphetamine or dizocilpine in rats. <i>Psychopharmacology</i> , 2012, 219, 99-108.	1.5	11
105	Threshold of adulthood for the onset of nicotine self-administration in male and female rats. <i>Behavioural Brain Research</i> , 2011, 225, 473-481.	1.2	42
106	Silver exposure in developing zebrafish produces persistent synaptic and behavioral changes. <i>Neurotoxicology and Teratology</i> , 2011, 33, 329-332.	1.2	39
107	Persistent behavioral impairment caused by embryonic methylphenidate exposure in zebrafish. <i>Neurotoxicology and Teratology</i> , 2011, 33, 668-673.	1.2	47
108	Introduction to zebrafish: Current discoveries and emerging technologies for neurobehavioral toxicology and teratology. <i>Neurotoxicology and Teratology</i> , 2011, 33, 607.	1.2	9

#	ARTICLE	IF	CITATIONS
109	D-cycloserine selectively decreases nicotine self-administration in rats with low baseline levels of response. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 98, 210-214.	1.3	12
110	Attention-modulating effects of cognitive enhancers. <i>Pharmacology Biochemistry and Behavior</i> , 2011, 99, 146-154.	1.3	47
111	Histamine H1 antagonist treatment with pyrilamine reduces nicotine self-administration in rats. <i>European Journal of Pharmacology</i> , 2011, 650, 256-260.	1.7	22
112	Lorcaserin, a 5-HT <sub>2C</sub> Agonist, Decreases Nicotine Self-Administration in Female Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 890-896.	1.3	83
113	Zebrafish assessment of cognitive improvement and anxiolysis: filling the gap between <i>in vitro</i> and rodent models for drug development. <i>Reviews in the Neurosciences</i> , 2011, 22, 75-84.	1.4	61
114	Effects of sazetidine-A, a selective $\alpha 4\beta 2$ nicotinic acetylcholine receptor desensitizing agent on alcohol and nicotine self-administration in selectively bred alcohol-preferring (P) rats. <i>Psychopharmacology</i> , 2010, 211, 161-174.	1.5	86
115	PPI deficit induced by amphetamine is attenuated by the histamine H1 antagonist pyrilamine, but is exacerbated by the serotonin 5-HT <sub>2</sub> antagonist ketanserin. <i>Psychopharmacology</i> , 2010, 212, 551-558.	1.5	9
116	Hippocampal infusions of MARCKS peptides impair memory of rats on the radial-arm maze. <i>Brain Research</i> , 2010, 1308, 147-152.	1.1	12
117	Sazetidine-A, a Selective $\alpha 4\beta 2$ Nicotinic Receptor Desensitizing Agent and Partial Agonist, Reduces Nicotine Self-Administration in Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 332, 933-939.	1.3	66
118	IV nicotine self-administration in rats using the consummatory operant licking response. <i>Physiology and Behavior</i> , 2010, 101, 755-758.	1.0	6
119	Early postnatal parathion exposure in rats causes sex-selective cognitive impairment and neurotransmitter defects which emerge in aging. <i>Behavioural Brain Research</i> , 2010, 208, 319-327.	1.2	61
120	Buspirone, chlordiazepoxide and diazepam effects in a zebrafish model of anxiety. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 94, 75-80.	1.3	346
121	Nicotinic antagonist effects in the mediodorsal thalamic nucleus: Regional heterogeneity of nicotinic receptor involvement in cognitive function. <i>Biochemical Pharmacology</i> , 2009, 78, 788-794.	2.0	23
122	Nicotine effects on learning in zebrafish: the role of dopaminergic systems. <i>Psychopharmacology</i> , 2009, 202, 103-109.	1.5	87
123	The toxicology of climate change: Environmental contaminants in a warming world. <i>Environment International</i> , 2009, 35, 971-986.	4.8	881
124	Hippocampal infusions of apolipoprotein E peptides induce long-lasting cognitive impairment. <i>Brain Research Bulletin</i> , 2009, 79, 111-115.	1.4	9
125	Nicotinic $\alpha 7$ - or $\beta 2$ -containing receptor knockout: Effects on radial-arm maze learning and long-term nicotine consumption in mice. <i>Behavioural Brain Research</i> , 2009, 196, 207-213.	1.2	111
126	Chronic underactivity of medial frontal cortical $\beta 2$ -containing nicotinic receptors increases clozapine-induced working memory impairment in female rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 296-302.	2.5	9



#	ARTICLE	IF	CITATIONS
127	Genetic aspects of behavioral neurotoxicology. <i>NeuroToxicology</i> , 2009, 30, 741-753.	1.4	27
128	Ketanserin, a 5-HT <sub>2</sub> receptor antagonist, decreases nicotine self-administration in rats. <i>European Journal of Pharmacology</i> , 2008, 600, 93-97.	1.7	40
129	Persistent cognitive alterations in rats after early postnatal exposure to low doses of the organophosphate pesticide, diazinon. <i>Neurotoxicology and Teratology</i> , 2008, 30, 38-45.	1.2	127
130	Developmental diazinon neurotoxicity in rats: Later effects on emotional response. <i>Brain Research Bulletin</i> , 2008, 75, 166-172.	1.4	107
131	Developmental neurotoxicity of low dose diazinon exposure of neonatal rats: Effects on serotonin systems in adolescence and adulthood. <i>Brain Research Bulletin</i> , 2008, 75, 640-647.	1.4	75
132	Persistent behavioral alterations in rats neonatally exposed to low doses of the organophosphate pesticide, parathion. <i>Brain Research Bulletin</i> , 2008, 77, 404-411.	1.4	87
133	Neonatal Exposure to Low Doses of Diazinon: Long-Term Effects on Neural Cell Development and Acetylcholine Systems. <i>Environmental Health Perspectives</i> , 2008, 116, 340-348.	2.8	80
134	Anxiolytic effects of nicotine in zebrafish. <i>Physiology and Behavior</i> , 2007, 90, 54-58.	1.0	521
135	Nicotinic interactions with antipsychotic drugs, models of schizophrenia and impacts on cognitive function. <i>Biochemical Pharmacology</i> , 2007, 74, 1182-1191.	2.0	108
136	Interaction of nicotinic and histamine H <sub>3</sub> systems in the radial-arm maze repeated acquisition task. <i>European Journal of Pharmacology</i> , 2007, 569, 64-69.	1.7	14
137	Clozapine treatment reverses dizocilpine-induced deficits of pre-pulse inhibition of tactile startle response. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 597-605.	1.3	19
138	Histamine H <sub>1</sub> receptor involvement in prepulse inhibition and memory function: Relevance for the antipsychotic actions of clozapine. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 686-692.	1.3	19
139	Adolescent vs. adult-onset nicotine self-administration in male rats: Duration of effect and differential nicotinic receptor correlates. <i>Neurotoxicology and Teratology</i> , 2007, 29, 458-465.	1.2	127
140	Metallothionein expression and neurocognitive function in mice. <i>Physiology and Behavior</i> , 2006, 87, 513-518.	1.0	27
141	Effects of clozapine on memory function in the rat neonatal hippocampal lesion model of schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 223-229.	2.5	31
142	Low-dose mecamylamine improves learning of rats in the radial-arm maze repeated acquisition procedure. <i>Neurobiology of Learning and Memory</i> , 2006, 86, 117-122.	1.0	36
143	Timing of nicotine effects on learning in zebrafish. <i>Psychopharmacology</i> , 2006, 184, 547-552.	1.5	94
144	Nicotinic effects on cognitive function: behavioral characterization, pharmacological specification, and anatomic localization. <i>Psychopharmacology</i> , 2006, 184, 523-539.	1.5	711

#	ARTICLE	IF	CITATIONS
145	Ventral hippocampal $\hat{1}\pm 7$ and $\hat{1}\pm 4\hat{1}^2$ nicotinic receptor blockade and clozapine effects on memory in female rats. <i>Psychopharmacology</i> , 2006, 188, 597-604.	1.5	29
146	Persistent neurobehavioral effects of early postnatal domoic acid exposure in rats. <i>Neurotoxicology and Teratology</i> , 2006, 28, 673-680.	1.2	40
147	Increased nicotine self-administration following prenatal exposure in female rats. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 669-674.	1.3	76
148	Organophosphate Insecticides Target the Serotonergic System in Developing Rat Brain Regions: Disparate Effects of Diazinon and Parathion at Doses Spanning the Threshold for Cholinesterase Inhibition. <i>Environmental Health Perspectives</i> , 2006, 114, 1542-1546.	2.8	107
149	The rationale for studying transmitter interactions to understand the neural bases of cognitive function. , 2006, 98, 1-3.		2
150	Nicotinic-antipsychotic drug interactions and cognitive function. , 2006, 98, 185-205.		27
151	Chronic nicotine and dizocilpine effects on regionally specific nicotinic and NMDA glutamate receptor binding. <i>Brain Research</i> , 2005, 1041, 132-142.	1.1	28
152	Olanzapine interactions with nicotine and mecamylamine in rats: Effects on memory function. <i>Neurotoxicology and Teratology</i> , 2005, 27, 459-464.	1.2	25
153	Persisting behavioral consequences of prenatal domoic acid exposure in rats. <i>Neurotoxicology and Teratology</i> , 2005, 27, 719-725.	1.2	78
154	Ketanserin attenuates nicotine-induced working memory improvement in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 289-292.	1.3	29
155	Fetal nicotinic overload, blunted sympathetic responsivity, and obesity. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2005, 73, 481-484.	1.6	30
156	Memory Decline of Aging Reduced by Extracellular Superoxide Dismutase Overexpression. <i>Behavior Genetics</i> , 2005, 35, 447-453.	1.4	22
157	Extracellular Superoxide Dismutase (EC-SOD) Quenches Free Radicals and Attenuates Age-Related Cognitive Decline: Opportunities for Novel Drug Development in Aging. <i>Current Alzheimer Research</i> , 2005, 2, 191-196.	0.7	34
158	Nicotine and clozapine actions on pre-pulse inhibition deficits caused by N-methyl-d-aspartate (NMDA) glutamatergic receptor blockade. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 581-586.	2.5	35
159	Neurobehavioral assessment of mice after developmental AZT exposure. <i>Neurotoxicology and Teratology</i> , 2004, 26, 65-71.	1.2	4
160	The use of zebrafish ( <i>Danio rerio</i> ) as a model system in neurobehavioral toxicology. <i>Neurotoxicology and Teratology</i> , 2004, 26, 707-708.	1.2	23
161	Nicotinic involvement in memory function in zebrafish. <i>Neurotoxicology and Teratology</i> , 2004, 26, 731-735.	1.2	131
162	Developmental chlorpyrifos effects on hatchling zebrafish swimming behavior. <i>Neurotoxicology and Teratology</i> , 2004, 26, 719-723.	1.2	127

#	ARTICLE	IF	CITATIONS
163	Baclofen interactions with nicotine in rats: effects on memory. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 79, 343-348.	1.3	30
164	Chronic transdermal nicotine patch treatment effects on cognitive performance in age-associated memory impairment. <i>Psychopharmacology</i> , 2004, 171, 465-471.	1.5	101
165	Adolescent-onset nicotine self-administration modeled in female rats. <i>Psychopharmacology</i> , 2003, 169, 141-149.	1.5	188
166	Nicotinic mechanisms of memory: effects of acute local DH $\beta$ E and MLA infusions in the basolateral amygdala. <i>Cognitive Brain Research</i> , 2003, 16, 51-57.	3.3	64
167	NMDA systems in the amygdala and piriform cortex and nicotinic effects on memory function. <i>Cognitive Brain Research</i> , 2003, 17, 475-483.	3.3	18
168	Chlorpyrifos exposure of developing zebrafish: effects on survival and long-term effects on response latency and spatial discrimination. <i>Neurotoxicology and Teratology</i> , 2003, 25, 51-57.	1.2	156
169	Learning impairment caused by a toxin produced by <i>Pfiesteria piscicida</i> infused into the hippocampus of rats. <i>Neurotoxicology and Teratology</i> , 2003, 25, 419-426.	1.2	16
170	Lobeline-induced learning improvement of rats in the radial-arm maze. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 76, 133-139.	1.3	17
171	Ventral hippocampal NMDA blockade and nicotinic effects on memory function. <i>Brain Research Bulletin</i> , 2003, 61, 489-495.	1.4	36
172	Prenatal chlorpyrifos exposure in rats causes persistent behavioral alterations. <i>Neurotoxicology and Teratology</i> , 2002, 24, 733-741.	1.2	212
173	Nicotinic receptor subtypes and cognitive function. <i>Journal of Neurobiology</i> , 2002, 53, 633-640.	3.7	324
174	Persistence of nicotinic agonist RJR 2403-induced working memory improvement in rats. <i>Drug Development Research</i> , 2002, 55, 97-103.	1.4	30
175	Extracellular superoxide dismutase overexpression protects against aging-induced cognitive impairment in mice. <i>Behavior Genetics</i> , 2002, 32, 119-125.	1.4	30
176	Effects of chronic nicotine and methylphenidate in adults with attention deficit/hyperactivity disorder.. <i>Experimental and Clinical Psychopharmacology</i> , 2001, 9, 83-90.	1.3	147
177	Spatial and non-spatial visual discrimination learning in zebrafish ( <i>Danio rerio</i> ). <i>Animal Cognition</i> , 2001, 4, 125-131.	0.9	95
178	Persistent behavioral consequences of neonatal chlorpyrifos exposure in rats. <i>Developmental Brain Research</i> , 2001, 130, 83-89.	2.1	203
179	Ventral hippocampal $\alpha 7$ nicotinic receptor blockade and chronic nicotine effects on memory performance in the radial-arm maze. <i>Pharmacology Biochemistry and Behavior</i> , 2001, 70, 467-474.	1.3	82
180	Binge Pattern Ethanol Exposure in Adolescent and Adult Rats: Differential Impact on Subsequent Responsiveness to Ethanol. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 1251-1256.	1.4	198

#	ARTICLE	IF	CITATIONS
181	Development of nicotinic drug therapy for cognitive disorders. <i>European Journal of Pharmacology</i> , 2000, 393, 141-146.	1.7	145
182	Molecular overexpression of extracellular superoxide dismutase increases the dependency of learning and memory performance on motivational state. <i>Behavior Genetics</i> , 2000, 30, 95-100.	1.4	13
183	The nicotinic antagonist mecamylamine preferentially inhibits cocaine vs. food self-administration in rats. <i>Physiology and Behavior</i> , 2000, 71, 565-570.	1.0	68
184	Binge Pattern Ethanol Exposure in Adolescent and Adult Rats: Differential Impact on Subsequent Responsiveness to Ethanol. , 2000, 24, 1251.		5
185	Bridged nicotine, isonicotine, and norisonicotine effects on working memory performance of rats in the radial-arm maze. <i>Drug Development Research</i> , 1999, 46, 107-111.	1.4	18
186	Mutually potentiating effects of mecamylamine and haloperidol in producing catalepsy in rats. <i>Drug Development Research</i> , 1999, 47, 90-96.	1.4	11
187	Molecular manipulations of extracellular superoxide dismutase: functional importance for learning. <i>Behavior Genetics</i> , 1998, 28, 381-390.	1.4	67
188	Developmental Neurotoxicity of Nicotine. , 1998, , 587-615.		34
189	Nicotinic System Involvement in Alzheimer??s and Parkinson??s Diseases. <i>Drugs and Aging</i> , 1997, 11, 206-228.	1.3	229
190	Chronic nicotine working and reference memory effects in the 16-arm radial maze: interactions with D1 agonist and antagonist drugs. <i>Psychopharmacology</i> , 1996, 127, 25-30.	1.5	78
191	Prenatal nicotine effects on memory in rats: pharmacological and behavioral challenges. <i>Developmental Brain Research</i> , 1996, 97, 207-215.	2.1	128
192	Nicotinic agonist and antagonist effects on memory. <i>Drug Development Research</i> , 1996, 38, 188-195.	1.4	26
193	Chronic nicotine-induced improvement of spatial working memory and D2 dopamine effects in rats. <i>Drug Development Research</i> , 1996, 39, 29-35.	1.4	18
194	Smoking in Vietnam combat veterans with post-traumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1995, 8, 461-472.	1.0	134
195	Triphenyl phosphite-induced impairment of spatial alternation learning. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1995, 44, 461-467.	1.1	5
196	Smoking in vietnam combat veterans with post-traumatic stress disorder. <i>Journal of Traumatic Stress</i> , 1995, 8, 461-472.	1.0	73
197	Promise of nicotinic-based therapeutic treatments. <i>Drug Development Research</i> , 1994, 31, 1-2.	1.4	9
198	Intracerebroventricular nicotine and mecamylamine alter radial-arm maze performance in rats. <i>Drug Development Research</i> , 1994, 31, 18-23.	1.4	18

#	ARTICLE	IF	CITATIONS
199	Nicotine interactions with dopamine agonists: Effects on working memory function. Drug Development Research, 1994, 31, 32-37.	1.4	28
200	Mecamylamine combined with nicotine skin patch facilitates smoking cessation beyond nicotine patch treatment alone. Clinical Pharmacology and Therapeutics, 1994, 56, 86-99.	2.3	225
201	Long-term neurobehavioral effects of perinatal polychlorinated biphenyl (PCB) exposure in monkeys. Environmental Toxicology and Chemistry, 1991, 10, 747-756.	2.2	94
202	LONG-TERM NEUROBEHAVIORAL EFFECTS OF PERINATAL POLYCHLORINATED BIPHENYL (PCB) EXPOSURE IN MONKEYS. Environmental Toxicology and Chemistry, 1991, 10, 747.	2.2	1
203	Transdermal nicotine facilitates smoking cessation. Clinical Pharmacology and Therapeutics, 1990, 47, 323-330.	2.3	129
204	Chronic neuroleptic effects on spatial reversal learning in monkeys. Psychopharmacology, 1989, 97, 496-500.	1.5	7
205	Characteristics of oral movements in rats during and after chronic haloperidol and fluphenazine administration. Psychopharmacology, 1988, 94, 421-7.	1.5	31
206	A visual exploration apparatus for infant monkeys. American Journal of Primatology, 1986, 10, 195-199.	0.8	8