

Milan Hora

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4818690/milan-hora-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

6,242
citations

30
h-index

77
g-index

152
ext. papers

7,818
ext. citations

4.1
avg, IF

5.24
L-index

#	Paper	IF	Citations
140	European Association of Urology Guidelines on Renal Cell Carcinoma: The 2022 Update.. <i>European Urology</i> , 2022 ,	10.2	29
139	Histologic diversity in chromophobe renal cell carcinoma does not impact survival outcome: A comparative international multi-institutional study. <i>Annals of Diagnostic Pathology</i> , 2022 , 60, 151978	2.2	0
138	Management of Metastatic Nonclear Renal Cell Carcinoma: What Are the Options and Challenges?. <i>European Urology Oncology</i> , 2021 , 4, 843-850	6.7	2
137	2021 Updated European Association of Urology Guidelines on the Use of Adjuvant Pembrolizumab for Renal Cell Carcinoma.. <i>European Urology</i> , 2021 ,	10.2	4
136	Clear cell renal cell carcinoma with prominent microvascular hyperplasia: Morphologic, immunohistochemical and molecular-genetic analysis of 7 sporadic cases. <i>Annals of Diagnostic Pathology</i> , 2021 , 56, 151871	2.2	0
135	VEILND (Video Endoscopic Inguinal Lymph Node Dissection) with Florescence Indocyanine Green (ICG): A Novel Technique to Identify the Sentinel Lymph Node in Men with pT1G2 and cN0 Penile Cancer. <i>Contrast Media and Molecular Imaging</i> , 2021 , 2021, 5575730	3.2	0
134	Updated European Association of Urology Guidelines on Renal Cell Carcinoma: Nivolumab plus Cabozantinib Joins Immune Checkpoint Inhibition Combination Therapies for Treatment-naïve Metastatic Clear-Cell Renal Cell Carcinoma. <i>European Urology</i> , 2021 , 79, 339-342	10.2	42
133	Prostate Cancer Diagnostic Algorithm as a "Road Map" from the First Stratification of the Patient to the Final Treatment Decision. <i>Life</i> , 2021 , 11,	3	1
132	Metformin Use and the Outcome of Metastatic Renal Cell Carcinoma Treated with Sunitinib or Pazopanib. <i>Cancer Management and Research</i> , 2021 , 13, 4077-4086	3.6	4
131	Renal cell carcinomas with tubulopapillary architecture and oncocytic cells: Molecular analysis of 39 difficult tumors to classify. <i>Annals of Diagnostic Pathology</i> , 2021 , 52, 151734	2.2	2
130	Impact of Concomitant Cardiovascular Medication on Survival of Metastatic Renal Cell Carcinoma Patients Treated with Sunitinib or Pazopanib in the First Line. <i>Targeted Oncology</i> , 2021 , 16, 643-652	5	1
129	Eosinophilic vacuolated tumor (EVT) of kidney demonstrates sporadic TSC/MTOR mutations: next-generation sequencing multi-institutional study of 19 cases. <i>Modern Pathology</i> , 2021 ,	9.8	4
128	A large-scale assay library for targeted protein quantification in renal cell carcinoma tissues.. <i>Proteomics</i> , 2021 , e2100228	4.8	
127	Limitations of Available Studies Prevent Reliable Comparison Between Tumour Ablation and Partial Nephrectomy for Patients with Localised Renal Masses: A Systematic Review from the European Association of Urology Renal Cell Cancer Guideline Panel. <i>European Urology Oncology</i> , 2020 , 3, 433-452	6.7	9
126	Papillary renal cell carcinoma with prominent spindle cell stroma - tumor mimicking mixed epithelial and stromal tumor of the kidney: Clinicopathologic, morphologic, immunohistochemical and molecular genetic analysis of 6 cases. <i>Annals of Diagnostic Pathology</i> , 2020 , 44, 151441	2.2	4
125	Utility of NKX3.1 immunohistochemistry in the differential diagnosis of seminal vesicles versus prostatic tissue in needle biopsy. <i>Annals of Diagnostic Pathology</i> , 2020 , 49, 151644	2.2	1
124	Molecular Genetic Features of Primary Nonurachal Enteric-type Adenocarcinoma, Urachal Adenocarcinoma, Mucinous Adenocarcinoma, and Intestinal Metaplasia/Adenoma: Review of the Literature and Next-generation Sequencing Study. <i>Advances in Anatomic Pathology</i> , 2020 , 27, 303-310	5.1	3

123	Management of Sporadic Renal Angiomyolipomas: A Systematic Review of Available Evidence to Guide Recommendations from the European Association of Urology Renal Cell Carcinoma Guidelines Panel. <i>European Urology Oncology</i> , 2020 , 3, 57-72	6.7	23
122	Outcomes for Patients after Resection of Pulmonary Metastases from Clear Cell Renal Cell Carcinoma: 18 Years of Experience. <i>Urologia Internationalis</i> , 2019 , 103, 297-302	1.9	5
121	Clear cell renal cell carcinoma with Paneth-like cells: Clinicopathologic, morphologic, immunohistochemical, ultrastructural, and molecular analysis of 13 cases. <i>Annals of Diagnostic Pathology</i> , 2019 , 41, 96-101	2.2	3
120	Primary renal well-differentiated neuroendocrine tumour (carcinoid): next-generation sequencing study of 11 cases. <i>Histopathology</i> , 2019 , 75, 104-117	7.3	7
119	Fumarate hydratase deficient renal cell carcinoma: Chromosomal numerical aberration analysis of 12 cases. <i>Annals of Diagnostic Pathology</i> , 2019 , 39, 63-68	2.2	11
118	European Association of Urology Guidelines on Renal Cell Carcinoma: The 2019 Update. <i>European Urology</i> , 2019 , 75, 799-810	10.2	597
117	Imaging in Suspected Renal-Cell Carcinoma: Systematic Review. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e345-e355	3.3	13
116	Updated European Association of Urology Guidelines on Renal Cell Carcinoma: Immune Checkpoint Inhibition Is the New Backbone in First-line Treatment of Metastatic Clear-cell Renal Cell Carcinoma. <i>European Urology</i> , 2019 , 76, 151-156	10.2	125
115	Re: Philip S. Macklin, Mark E. Sullivan, Charles R. Tapping, et al. Tumour Seeding in the Tract of Percutaneous Renal Tumour Biopsy: A Report on Seven Cases from a UK Tertiary Referral Centre. <i>Eur Urol</i> 2019;75:861-7. <i>European Urology</i> , 2019 , 76, e96	10.2	
114	Characteristic CT features of pheochromocytomas - probability model calculation tool based on a multicentric study. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2019 , 163, 212-219	1.7	11
113	Symptoms of Kidney Cancer and Appropriate Diagnostic Tools 2019 , 499-510		
112	High-grade Adenocarcinoma of the Prostate Mimicking Urothelial Carcinoma is Negative for TERT Mutations. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 523-528	1.9	1
111	Papillary pattern in clear cell renal cell carcinoma: Clinicopathologic, morphologic, immunohistochemical and molecular genetic analysis of 23 cases. <i>Annals of Diagnostic Pathology</i> , 2019 , 38, 80-86	2.2	6
110	Reactivity of CK7 across the spectrum of renal cell carcinomas with clear cells. <i>Histopathology</i> , 2019 , 74, 608-617	7.3	10
109	Papillary renal cell carcinoma with cytologic and molecular genetic features overlapping with renal oncocytoma: Analysis of 10 cases. <i>Annals of Diagnostic Pathology</i> , 2018 , 35, 1-6	2.2	12
108	Magnetic resonance imaging as an adjunct diagnostic tool in computed tomography defined Bosniak IIF-III renal cysts: a multicenter study. <i>World Journal of Urology</i> , 2018 , 36, 905-911	4	11
107	The Ability of Prostate Health Index (PHI) to Predict Gleason Score in Patients With Prostate Cancer and Discriminate Patients Between Gleason Score 6 and Gleason Score Higher Than 6-A Study on 320 Patients After Radical Prostatectomy. <i>Technology in Cancer Research and Treatment</i> , 2018 , 17, 1533033818787377	2.7	8
106	High-grade renal cell carcinoma with emperipolesis: Clinicopathological, immunohistochemical and molecular-genetic analysis of 14 cases. <i>Histology and Histopathology</i> , 2018 , 33, 277-287	1.4	5

105	Iodine Content Analysis Using Dual-Energy Computed Tomography as a Biomarker of Transitional Cell Carcinoma, an Experience with Separation of the Clotted Blood and Tumorous Tissue. <i>Anticancer Research</i> , 2018 , 38, 541-545	2.3	1
104	Updated European Association of Urology Guidelines: Recommendations for the Treatment of First-line Metastatic Clear Cell Renal Cancer. <i>European Urology</i> , 2018 , 73, 311-315	10.2	104
103	Low-grade spindle cell proliferation in clear cell renal cell carcinoma is unlikely to be an initial step in sarcomatoid differentiation. <i>Histopathology</i> , 2018 , 72, 804-813	7.3	8
102	Renal Cell Carcinoma With Leiomyomatous Stroma: A Group of Tumors With Indistinguishable Histopathologic Features, But 2 Distinct Genetic Profiles: Next-Generation Sequencing Analysis of 6 Cases Negative for Aberrations Related to the VHL gene. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018 , 26, 100-107	1.9	12
101	Cystic Appearance on Imaging Methods (Bosniak III-IV) in Histologically Confirmed Papillary Renal Cell Carcinoma is Mainly Characteristic of Papillary Renal Cell Carcinoma Type 1 and Might Predict a Relatively Indolent Behavior of Papillary Renal Cell Carcinoma. <i>Urologia Internationalis</i> , 2018 , 101, 409-416	1.9	1
100	"High-grade oncocytic renal tumor": morphologic, immunohistochemical, and molecular genetic study of 14 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 725-738	5.1	43
99	A Joint Statement from the European Association of Urology Renal Cell Cancer Guidelines Panel and the International Kidney Cancer Coalition: The Rejection of Ipilimumab and Nivolumab for Renal Cancer by the Committee for Medicinal Products for Human Use Does not Change Evidence-based Guideline Recommendations. <i>European Urology</i> , 2018 , 74, 849-851	10.2	3
98	Updated European Association of Urology Guidelines for Cytoreductive Nephrectomy in Patients with Synchronous Metastatic Clear-cell Renal Cell Carcinoma. <i>European Urology</i> , 2018 , 74, 805-809	10.2	47
97	Mixed Epithelial and Stromal Tumor of the Kidney: Mutation Analysis of the DICER 1 Gene in 29 Cases. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2017 , 25, 117-121	1.9	6
96	Warthin-like papillary renal cell carcinoma: Clinicopathologic, morphologic, immunohistochemical and molecular genetic analysis of 11 cases. <i>Annals of Diagnostic Pathology</i> , 2017 , 27, 48-56	2.2	15
95	Morphological Characterization of Papillary Renal Cell Carcinoma Type 1, the Efficiency of Its Surgical Treatment. <i>Urologia Internationalis</i> , 2017 , 98, 148-155	1.9	5
94	Programmed death-1 (PD-1) receptor/PD-1 ligand (PD-L1) expression in fumarate hydratase-deficient renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2017 , 29, 17-22	2.2	17
93	A practical guide and decision-making protocol for the management of complex renal cystic masses. <i>Arab Journal of Urology Arab Association of Urology</i> , 2017 , 15, 115-122	1.7	6
92	A Systematic Review and Meta-analysis Comparing the Effectiveness and Adverse Effects of Different Systemic Treatments for Non-clear Cell Renal Cell Carcinoma. <i>European Urology</i> , 2017 , 71, 426-436	10.2	89
91	Cystic and necrotic papillary renal cell carcinoma: prognosis, morphology, immunohistochemical, and molecular-genetic profile of 10 cases. <i>Annals of Diagnostic Pathology</i> , 2017 , 26, 23-30	2.2	14
90	Updated European Association of Urology Guidelines Regarding Adjuvant Therapy for Renal Cell Carcinoma. <i>European Urology</i> , 2017 , 71, 719-722	10.2	52
89	Prognostic significance of Fuhrman grade and age for cancer-specific and overall survival in patients with papillary renal cell carcinoma: results of an international multi-institutional study on 2189 patients. <i>World Journal of Urology</i> , 2017 , 35, 1891-1897	4	14
88	Organ Preservation Is Less Frequently Performed in Women Surgically Treated for Papillary Renal Cell Carcinoma-Results of a Comprehensive Multicenter Study. <i>Urology</i> , 2017 , 109, 107-114	1.6	2

87 Symptoms of Kidney Cancer and Appropriate Diagnostic Tools **2017**, 1-12

86	Systematic Review and Meta-analysis of Diagnostic Accuracy of Percutaneous Renal Tumour Biopsy. <i>European Urology</i> , 2016 , 69, 660-673	10.2	276
85	Morphological, immunohistochemical, and chromosomal analysis of multicystic chromophobe renal cell carcinoma, an architecturally unusual challenging variant. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 669-678	5.1	15
84	European Association of Urology Guidelines for Clear Cell Renal Cancers That Are Resistant to Vascular Endothelial Growth Factor Receptor-Targeted Therapy. <i>European Urology</i> , 2016 , 70, 705-706	10.2	29
83	Solid papillary renal cell carcinoma: clinicopathologic, morphologic, and immunohistochemical analysis of 10 cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2016 , 23, 51-7	2.2	14
82	Oncologic Outcomes of Kidney Sparing Surgery versus Radical Nephroureterectomy for the Elective Treatment of Clinically Organ Confined Upper Tract Urothelial Carcinoma of the Distal Ureter. <i>Journal of Urology</i> , 2016 , 195, 1354-1361	2.5	20
81	Systematic Review of Surgical Management of Nonmetastatic Renal Cell Carcinoma with Vena Caval Thrombus. <i>European Urology</i> , 2016 , 70, 265-80	10.2	57
80	Prognostic Significance of TMPRSS2-ERG Fusion Gene in Prostate Cancer. <i>Anticancer Research</i> , 2016 , 36, 4787-93	2.3	20
79	Surgical treatment of kidney tumors - contemporary trends in clinical practice. <i>Central European Journal of Urology</i> , 2016 , 69, 341-346	0.9	0
78	Urological procedures in Central Europe and the current reality based on the national registries of Czech Republic, Hungary, and Poland (2012 status). <i>Central European Journal of Urology</i> , 2016 , 69, 327-333	0.9	1
77	Genome-wide methylation analysis of tubulocystic and papillary renal cell carcinomas. <i>Neoplasma</i> , 2016 , 63, 402-10	3.3	1
76	Cystic Renal Oncocytoma and Tubulocystic Renal Cell Carcinoma: Morphologic and Immunohistochemical Comparative Study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016 , 24, 112-9	1.9	12
75	Molecular Genetic Alterations in Renal Cell Carcinomas With Tubulocystic Pattern: Tubulocystic Renal Cell Carcinoma, Tubulocystic Renal Cell Carcinoma With Heterogenous Component and Familial Leiomyomatosis-associated Renal Cell Carcinoma. Clinicopathologic and Molecular Genetic Analysis of 15 Cases. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016 , 24, 521-30	1.9	10
74	Biphasic Squamoid Alveolar Renal Cell Carcinoma: A Distinctive Subtype of Papillary Renal Cell Carcinoma?. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 664-75	6.7	30
73	"Mucin"-secreting papillary renal cell carcinoma: clinicopathological, immunohistochemical, and molecular genetic analysis of seven cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 71-80	5.1	12
72	Safety and Feasibility of Laparoscopic Nephrectomy for Big Tumors (≥10 cm): A Retrospective Multicentric Study. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, e335-40	3.3	4
71	Comparative study of TERT gene mutation analysis on voided liquid-based urine cytology and paraffin-embedded tumorous tissue. <i>Annals of Diagnostic Pathology</i> , 2016 , 24, 7-10	2.2	4
70	Mucinous spindle and tubular renal cell carcinoma: analysis of chromosomal aberration pattern of low-grade, high-grade, and overlapping morphologic variant with papillary renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2015 , 19, 226-31	2.2	23

69	Chromophobe renal cell carcinoma with neuroendocrine and neuroendocrine-like features. Morphologic, immunohistochemical, ultrastructural, and array comparative genomic hybridization analysis of 18 cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2015 , 19, 261-8	2.2	19
68	Molecular-genetic analysis is essential for accurate classification of renal carcinoma resembling Xp11.2 translocation carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 313-22	5.1	20
67	Management, pathology and outcomes of Bosniak category IIF and III cystic renal lesions. <i>World Journal of Urology</i> , 2015 , 33, 295-300	4	28
66	Lichen sclerosus on the penis associated with striking elastic fibers accumulation (nevus elasticus) and differentiated penile intraepithelial neoplasia progressing to invasive squamous cell carcinoma. <i>JAAD Case Reports</i> , 2015 , 1, 163-5	1.4	9
65	Laparoscopic urinary bladder diverticulectomy combined with photoselective vaporisation of the prostate. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2015 , 10, 62-7	1.4	4
64	EAU guidelines on renal cell carcinoma: 2014 update. <i>European Urology</i> , 2015 , 67, 913-24	10.2	1627
63	Diffusion-weighted imaging using 3.0 T MRI as a possible biomarker of renal tumors. <i>Anticancer Research</i> , 2015 , 35, 2351-7	2.3	8
62	PHI in the Early Detection of Prostate Cancer. <i>Anticancer Research</i> , 2015 , 35, 4855-7	2.3	5
61	Renal cell carcinoma with leiomyomatous stroma--further immunohistochemical and molecular genetic characteristics of unusual entity. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 291-6	2.2	26
60	The leiomyomatous stroma in renal cell carcinomas is polyclonal and not part of the neoplastic process. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 89-96	5.1	21
59	Foamy cell (hibernoma-like) change is a rare histopathological feature in renal cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 215-24	5.1	5
58	Mit translocation renal cell carcinomas: two subgroups of tumours with translocations involving 6p21 [t (6; 11)] and Xp11.2 [t (X;1 or X or 17)]. <i>SpringerPlus</i> , 2014 , 3, 245		11
57	Choriogonadotropin positive seminoma-a clinicopathological and molecular genetic study of 15 cases. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 89-94	2.2	5
56	Review of renal tumors associated with Birt-Hogg-Dubé syndrome with focus on clinical and pathobiological aspects. <i>Polish Journal of Pathology</i> , 2014 , 65, 93-9	0.9	18
55	Position of laparo-endoscopic single-site surgery nephrectomy in clinical practice and comparison (matched case-control study) with standard laparoscopic nephrectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014 , 9, 371-9	1.4	2
54	Laparoendoscopic single-site surgery adrenalectomy - own experience and matched case-control study with standard laparoscopic adrenalectomy. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2014 , 9, 596-602	1.4	7
53	Aggressive and nonaggressive translocation t(6;11) renal cell carcinoma: comparative study of 6 cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 351-7	2.2	33
52	Distinctive renal cell tumor simulating atrophic kidney with 2 types of microcalcifications. Report of 3 cases. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 82-8	2.2	13

51	Tubulocystic renal cell carcinoma: is there a rational reason for targeted therapy using angiogenic inhibition? Analysis of seven cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 462, 183-92	5.1	5
50	Chromophobe renal cell carcinoma--chromosomal aberration variability and its relation to Paner grading system: an array CGH and FISH analysis of 37 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 563-73	5.1	37
49	Three-tesla MRI biphasic angiography: a method for preoperative assessment of the vascular supply in renal tumours: a surgical perspective. <i>World Journal of Urology</i> , 2013 , 31, 1171-6	4	9
48	Incidence of synchronous and metachronous adrenal metastases following tumor nephrectomy in renal cell cancer patients: a retrospective bi-center analysis. <i>SpringerPlus</i> , 2013 , 2, 293		7
47	Renal cell carcinoma with areas mimicking renal angiomyoadenomatous tumor/clear cell papillary renal cell carcinoma. <i>Human Pathology</i> , 2013 , 44, 1412-20	3.7	35
46	Juxtaglomerular cell tumor: a morphological, immunohistochemical and genetic study of six cases. <i>Human Pathology</i> , 2013 , 44, 47-54	3.7	24
45	A novel oncocytoid papillary renal cell carcinoma, type 2, with aberrant cytogenetic abnormalities: oncocytic papillary renal cell carcinoma?. <i>Pathology</i> , 2013 , 45, 441	1.6	
44	Laparoscopic adrenalectomy for metachronous ipsilateral metastasis following nephrectomy for renal cell carcinoma. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2013 , 8, 221-5	1.4	5
43	Managing urine leakage following laparoscopic radical prostatectomy with active suction of the prevesical space. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2013 , 8, 49-54	1.4	5
42	¹⁸ F-FDG-PET/CT in potentially advanced renal cell carcinoma: a role in treatment decisions and prognosis estimation. <i>Anticancer Research</i> , 2013 , 33, 2665-72	2.3	32
41	A role of multifactorial evaluation of prostatic 3T MRI in patients with elevated prostatic-specific antigen levels: prospective comparison with ultrasound-guided transrectal biopsy. <i>Anticancer Research</i> , 2013 , 33, 2791-5	2.3	6
40	Renal hybrid oncocytic/chromophobe tumors - a review. <i>Histology and Histopathology</i> , 2013 , 28, 1257-64	1.4	25
39	A distinctive translocation carcinoma of the kidney; "rosette forming," t(6;11), HMB45-positive renal tumor: a histomorphologic, immunohistochemical, ultrastructural, and molecular genetic study of 4 cases. <i>Human Pathology</i> , 2012 , 43, 726-36	3.7	33
38	A distinctive translocation carcinoma of the kidney; rosette forming, t(6;11), HMB45-positive renal tumor: a histomorphologic, immunohistochemical, ultrastructural, and molecular genetic study of 4 cases Reply. <i>Human Pathology</i> , 2012 , 43, 1155-1156	3.7	2
37	Biphasic alveolosquamoid renal carcinoma: a histomorphological, immunohistochemical, molecular genetic, and ultrastructural study of a distinctive morphologic variant of renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2012 , 16, 459-69	2.2	26
36	Complete laparoscopic nephroureterectomy with intravesical lockable clip. <i>Central European Journal of Urology</i> , 2012 , 65, 75-9	0.9	1
35	Bilateral renal tumors; conventional clear cell carcinoma and contralateral t(6;11)/t(X;17)-like tumor Histomorphologic, immunohistochemical, ultrastructural and molecular genetic studies including the report of a novel mutation in the VHL gene. <i>Annals of Diagnostic Pathology</i> , 2011 , 15, 362-9	2.2	3
34	Renal small cell oncocytoma with pseudorosettes A histomorphologic, immunohistochemical, and molecular genetic study of 10 cases. <i>Human Pathology</i> , 2011 , 42, 1751-60	3.7	15

33	Lymphocyte-rich renal cell carcinoma: an unusual histomorphologic manifestation of a tumor that is not part of lynch syndrome. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2011 , 19, 519-27	1.9	2
32	Mutational analysis (c.402C>G) of the FOXL2 gene and immunohistochemical expression of the FOXL2 protein in testicular adult type granulosa cell tumors and incompletely differentiated sex cord stromal tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2011 , 19, 347-51	1.9	22
31	Tubulocystic renal carcinoma: a clinical perspective. <i>World Journal of Urology</i> , 2011 , 29, 349-54	4	23
30	Large cell calcifying Sertoli cell tumor: a clinicopathologic study of 1 malignant and 3 benign tumors using histomorphology, immunohistochemistry, ultrastructure, comparative genomic hybridization, and polymerase chain reaction analysis of the PRKAR1A gene. <i>Human Pathology</i> , 2010 , 41, 552-9	3.7	27
29	Prostatic-type tissue in the lower female genital tract: a morphologic spectrum, including vaginal tubulosquamous polyp, adenomyomatous hyperplasia of paraurethral Skene glands (female prostate), and ectopic lesion in the vulva. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 950-5	6.7	41
28	What is a cystic nephroma?. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 126-7; author reply 127	6.7	9
27	Typical signs of oncocytic papillary renal cell carcinoma in everyday clinical praxis. <i>World Journal of Urology</i> , 2010 , 28, 513-7	4	17
26	Sporadic hybrid oncocytic/chromophobe tumor of the kidney: a clinicopathologic, histomorphologic, immunohistochemical, ultrastructural, and molecular cytogenetic study of 14 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010 , 436, 355-63	5.1	104
25	EAU guidelines on renal cell carcinoma: the 2010 update. <i>European Urology</i> , 2010 , 58, 398-406	10.2	1041
24	Antegrade mini-invasive nephroureterectomy: laparoscopic nephrectomy, transurethral excision of ureterovesical junction and lower abdominal incision. <i>Urologia Internationalis</i> , 2009 , 83, 264-70	1.9	4
23	Re: Rodolfo Montironi, Roberta Mazzucelli, Antonio Lopez-Beltran, et al. Cystic nephroma and mixed epithelial and stromal tumour of the kidney: opposite ends of the spectrum of the same entity? <i>Eur Urol</i> 2008;54:1237-46. <i>European Urology</i> , 2009 , 56, e3	10.2	3
22	Renal angiomyoadenomatous tumor: morphologic, immunohistochemical, and molecular genetic study of a distinct entity. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 454, 89-99	5.1	79
21	Difference between RAT and clear cell papillary renal cell carcinoma/clear renal cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009 , 454, 719	5.1	19
20	A distinctive translocation carcinoma of the kidney ["rosette-like forming," t(6;11), HMB45-positive renal tumor]. <i>International Urology and Nephrology</i> , 2009 , 41, 553-7	2.3	21
19	GreenLight (532 nm) laser partial nephrectomy followed by suturing of collecting system without renal hilar clamping in porcine model. <i>Urology</i> , 2009 , 73, 1115-8	1.6	14
18	Carney complex: a clinicopathologic and molecular biological study of a sporadic case, including extracutaneous and cutaneous lesions and a novel mutation of the PRKAR1A gene. <i>Journal of the American Academy of Dermatology</i> , 2009 , 61, 80-7	4.5	14
17	Tumours in end-stage kidney. <i>Transplantation Proceedings</i> , 2008 , 40, 3354-8	1.1	33
16	Renal oncocytoma with and without intravascular extension into the branches of renal vein have the same morphological, immunohistochemical, and genetic features. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 193-200	5.1	22

15	Renal oncocytoma with and without intravascular extension into the branches of renal vein have the same morphological, immunohistochemical and genetic features. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 452, 285-93	5.1	26
14	End-stage kidney disease: gains of chromosomes 7 and 17 and loss of Y chromosome in non-neoplastic tissue. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008 , 453, 313-9	5.1	18
13	Computed tomography of renal cell carcinoma in patients with terminal renal impairment. <i>European Journal of Radiology</i> , 2007 , 63, 295-301	4.7	11
12	Assessment of the kidney tumor vascular supply by two-phase MDCT-angiography. <i>European Journal of Radiology</i> , 2007 , 62, 295-301	4.7	17
11	Urological complications of congenital nephrogenic diabetes insipidus--long-term follow-up of one patient. <i>International Urology and Nephrology</i> , 2006 , 38, 531-2	2.3	5
10	Oncocytic papillary renal cell carcinoma: a clinicopathologic, immunohistochemical, ultrastructural, and interphase cytogenetic study of 12 cases. <i>Annals of Diagnostic Pathology</i> , 2006 , 10, 133-9	2.2	100
9	Chromophobe renal cell carcinoma with microcystic and adenomatous arrangement and pigmentation--a diagnostic pitfall. Morphological, immunohistochemical, ultrastructural and molecular genetic report of 20 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 383-93	5.1	30
8	Extensively cystic renal neoplasms in adults (Bosniak classification II or III)--possible "common" histological diagnoses: multilocular cystic renal cell carcinoma, cystic nephroma, and mixed epithelial and stromal tumor of the kidney. <i>International Urology and Nephrology</i> , 2005 , 37, 743-50	2.3	24
7	Primary intranodal cellular angioliopoma. <i>International Journal of Surgical Pathology</i> , 2005 , 13, 99-101	1.2	5
6	Mixed epithelial and stromal tumors of the kidney. A report of 22 cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2004 , 445, 359-67	5.1	110
5	Rupture of papillary renal cell carcinoma. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004 , 38, 481-4		19
4	Conventional renal cell carcinoma with granulomatous reaction: a report of three cases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 220-1	5.1	21
3	Thread-like bridging strands: a morphologic feature present in all adenomatoid tumors. <i>Annals of Diagnostic Pathology</i> , 2003 , 7, 273-7	2.2	41
2	Spindle and cuboidal renal cell carcinoma, a tumour having frequent association with nephrolithiasis: report of 11 cases including a case with hybrid conventional renal cell carcinoma/spindle and cuboidal renal cell carcinoma components. <i>Histopathology</i> , 2002 , 41, 549-55	7.3	67
1	Glassy hyaline globules in granular cell carcinoma, chromophobe cell carcinoma, and oncocytoma of the kidney. <i>Annals of Diagnostic Pathology</i> , 1998 , 2, 12-8	2.2	22