

# Sanzo Miyazawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4819662/publications.pdf>

Version: 2024-02-01

38  
papers

4,194  
citations

623574

14  
h-index

414303

32  
g-index

38  
all docs

38  
docs citations

38  
times ranked

2847  
citing authors

#	ARTICLE	IF	CITATIONS
1	Boltzmann Machine Learning and Regularization Methods for Inferring Evolutionary Fields and Couplings From a Multiple Sequence Alignment. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2022, 19, 328-342.	1.9	0
2	Prediction of Structures and Interactions from Genome Information. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1105, 123-152.	0.8	2
3	Selection originating from protein stability/foldability: Relationships between protein folding free energy, sequence ensemble, and fitness. <i>Journal of Theoretical Biology</i> , 2017, 433, 21-38.	0.8	10
4	Selection maintaining protein stability at equilibrium. <i>Journal of Theoretical Biology</i> , 2016, 391, 21-34.	0.8	3
5	Prediction of Residue-Contacts Based on Coevolution between Amino Acid Sites: Toward the Prediction of Protein Structure. <i>Seibutsu Butsuri</i> , 2014, 54, 091-095.	0.0	0
6	Superiority of a mechanistic codon substitution model even for protein sequences in Phylogenetic analysis. <i>BMC Evolutionary Biology</i> , 2013, 13, 257.	3.2	8
7	Prediction of Contact Residue Pairs Based on Co-Substitution between Sites in Protein Structures. <i>PLoS ONE</i> , 2013, 8, e54252.	1.1	14
8	Selective Constraints on Amino Acids Estimated by a Mechanistic Codon Substitution Model with Multiple Nucleotide Changes. <i>PLoS ONE</i> , 2011, 6, e17244.	1.1	11
9	Advantages of a Mechanistic Codon Substitution Model for Evolutionary Analysis of Protein-Coding Sequences. <i>PLoS ONE</i> , 2011, 6, e28892.	1.1	13
10	On the optimal contact potential of proteins. <i>Chemical Physics Letters</i> , 2008, 451, 132-135.	1.2	7
11	Properties of contact matrices induced by pairwise interactions in proteins. <i>Physical Review E</i> , 2008, 77, 051910.	0.8	1
12	3P-301 A Codon-based Model for Evolution of Protein-coding DNA Sequences(The 46th Annual Meeting) Tj ETQq0 0,0 rgBT /Qverlock 10		
13	Numerical Evaluation of Biocide Treatment against Sulfate Reducing Bacteria in Oilfield Water Pipelines. <i>Journal of the Japan Petroleum Institute</i> , 2007, 50, 208-217.	0.4	2
14	How effective for fold recognition is a potential of mean force that includes relative orientations between contacting residues in proteins?. <i>Journal of Chemical Physics</i> , 2005, 122, 024901.	1.2	57
15	Long- and short-range interactions in native protein structures are consistent/minimally frustrated in sequence space. <i>Proteins: Structure, Function and Bioinformatics</i> , 2002, 50, 35-43.	1.5	20
16	Identifying sequence-structure pairs undetected by sequence alignments. <i>Protein Engineering, Design and Selection</i> , 2000, 13, 459-475.	1.0	25
17	Self-consistent estimation of inter-residue protein contact energies based on an equilibrium mixture approximation of residues. , 1999, 34, 49-68.		159
18	Evaluation of short-range interactions as secondary structure energies for protein fold and sequence recognition. <i>Proteins: Structure, Function and Bioinformatics</i> , 1999, 36, 347-356.	1.5	35

#	ARTICLE	IF	CITATIONS
19	An empirical energy potential with a reference state for protein fold and sequence recognition. , 1999, 36, 357-369.		93
20	Self-consistent estimation of inter-residue protein contact energies based on an equilibrium mixture approximation of residues. Proteins: Structure, Function and Bioinformatics, 1999, 34, 49-68.	1.5	2
21	Evaluation of short-range interactions as secondary structure energies for protein fold and sequence recognition. Proteins: Structure, Function and Bioinformatics, 1999, 36, 347-356.	1.5	2
22	Residue " Residue Potentials with a Favorable Contact Pair Term and an Unfavorable High Packing Density Term, for Simulation and Threading. Journal of Molecular Biology, 1996, 256, 623-644.	2.0	1,140
23	A reliable sequence alignment method based on probabilities of residue correspondences. Protein Engineering, Design and Selection, 1995, 8, 999-1009.	1.0	80
24	Protein stability for single substitution mutants and the extent of local compactness in the denatured state. Protein Engineering, Design and Selection, 1994, 7, 1209-1220.	1.0	60
25	Monte Carlo calculation of the quantum $J_1\hat{J}_2$ model on the square lattice. Physics Letters, Section A: General, Atomic and Solid State Physics, 1994, 193, 370-374.	0.9	5
26	A new substitution matrix for protein sequence searches based on contact frequencies in protein structures. Protein Engineering, Design and Selection, 1993, 6, 267-278.	1.0	70
27	Basigin, a New, Broadly Distributed Member of the Immunoglobulin Superfamily, Has Strong Homology with Both the Immunoglobulin V Domain and the $I^2$ -Chain of Major Histocompatibility Complex Class II Antigen. Journal of Biochemistry, 1990, 107, 316-323.	0.9	183
28	Only dfl16, dsp2, and dq52 gene families exist in mouse immunoglobulin heavy chain diversity gene loci, of which dfl16 and dsp2 originate from the same primordial dh gene. European Journal of Immunology, 1989, 19, 1849-1854.	1.6	141
29	Statistical mechanics of supercoiling-induced $B\leftrightarrow Z$ transitions in a closed circular DNA: One-dimensional model system with a double quadratic displacement potential and long range interactions. Journal of Chemical Physics, 1985, 83, 859-883.	1.2	4
30	Estimation of effective interresidue contact energies from protein crystal structures: quasi-chemical approximation. Macromolecules, 1985, 18, 534-552.	2.2	1,489
31	Equilibrium folding pathways for model proteins. Journal of Statistical Physics, 1983, 30, 549-559.	0.5	2
32	Equilibrium folding-unfolding pathways of model proteins: Effect of myoglobin-heme contacts. Biopolymers, 1983, 22, 79-85.	1.2	6
33	Cooperative ligand binding on multidimensional lattices: Bethe approximation. Biopolymers, 1983, 22, 2253-2271.	1.2	8
34	Most probable intermediates in protein folding-unfolding with a noninteracting globule-coil model. Biochemistry, 1982, 21, 5203-5213.	1.2	15
35	Kerr Effects of Flexible Macromolecules. , 1981, , 163-179.		3
36	RELATIONSHIP BETWEEN MUTABILITY, POLARITY AND EXTERIORITY OF AMINO ACID RESIDUES IN PROTEIN EVOLUTION. International Journal of Peptide and Protein Research, 1980, 15, 211-224.	0.1	72

#	ARTICLE	IF	CITATIONS
37	Two types of amino acid substitutions in protein evolution. <i>Journal of Molecular Evolution</i> , 1979, 12, 219-236.	0.8	442
38	VOLUME AND POLARITY CHANGES ACCOMPANIED BY AMINO ACID SUBSTITUTIONS IN PROTEIN EVOLUTION. <i>International Journal of Peptide and Protein Research</i> , 1978, 12, 237-241.	0.1	10