

# Shane Kimber

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4820662/publications.pdf>

Version: 2024-02-01

24  
papers

803  
citations

758635

12  
h-index

676716

22  
g-index

25  
all docs

25  
docs citations

25  
times ranked

837  
citing authors

#	ARTICLE	IF	CITATIONS
1	Return of Results Policies for Genomic Research: Current Practices and the Hearts in Rhythm Organization (HiRO) Approach. <i>Canadian Journal of Cardiology</i> , 2022, 38, 526-535.	0.8	3
2	Plasma Exchange for Immune Checkpoint Inhibitor-Induced Myocarditis. <i>CJC Open</i> , 2021, 3, 379-382.	0.7	21
3	Clinical utility of 12-lead electrocardiogram in evaluating heart disease in patients with muscular dystrophy: Assessment of left ventricular hypertrophy, conduction disease, and cardiomyopathy. <i>Annals of Noninvasive Electrocardiology</i> , 2021, 26, e12876.	0.5	4
4	The Hearts in Rhythm Organization: A Canadian National Cardiogenetics Network. <i>CJC Open</i> , 2020, 2, 652-662.	0.7	14
5	Comparison of Usefulness of Cardiac Resynchronization Therapy in Patients With Type 1 Myotonic Dystrophy With Versus Without Left Bundle Branch Block. <i>American Journal of Cardiology</i> , 2019, 124, 1770-1774.	0.7	11
6	A Population-Based Study of Adherence to Guideline Recommendations and Appropriate-Use Criteria for Implantable Cardioverter Defibrillators. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1677-1681.	0.8	4
7	Impact of Cardiac Resynchronization Therapy on Daily Physical Activity in Heart Failure Patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018, 38, E1-E4.	1.2	2
8	Inappropriate shocks by subcutaneous implantable cardioverter-defibrillator due to T-wave oversensing in hyperkalemia leading to ventricular fibrillation. <i>HeartRhythm Case Reports</i> , 2015, 1, 257-259.	0.2	6
9	Defibrillation Success Is Not Associated With Near Field Electrogram Complexity or Shock Timing. <i>Canadian Journal of Cardiology</i> , 2013, 29, 1126-1133.	0.8	1
10	Predicting defibrillation outcome based on phase of ventricular activity during ICD implantation. , 2009, 2009, 4759-62.		1
11	Complications associated with defibrillation threshold testing: The Canadian experience. <i>Heart Rhythm</i> , 2008, 5, 387-390.	0.3	159
12	Proportion of Patients Followed in a Specialized Heart Failure Clinic Needing an Implantable Cardioverter Defibrillator as Determined by Applying Different Trial Eligibility Criteria. <i>American Journal of Cardiology</i> , 2006, 97, 882-885.	0.7	18
13	How many patients with heart failure are eligible for cardiac resynchronization? Insights from two prospective cohorts. <i>European Heart Journal</i> , 2006, 27, 323-329.	1.0	45
14	Defibrillation Depends on Conductivity Fluctuations and the Degree of Disorganization in Reentry Patterns. <i>Journal of Cardiovascular Electrophysiology</i> , 2005, 16, 205-216.	0.8	51
15	Fibrillation Complexity as a Predictor of Successful Defibrillation. , 2005, 2005, 7208-11.		0
16	Randomized controlled study of detection enhancements versus rate-only detection to prevent inappropriate therapy in a dual-chamber implantable cardioverter-defibrillator. <i>Heart Rhythm</i> , 2004, 1, 540-547.	0.3	93
17	Circadian variation of paroxysmal atrial fibrillation. <i>American Journal of Cardiology</i> , 2001, 87, 794-798.	0.7	28
18	Contemporary Utilization of Digoxin in Patients with Atrial Fibrillation. <i>Annals of Pharmacotherapy</i> , 1999, 33, 289-293.	0.9	11

#	ARTICLE	IF	CITATIONS
19	Characteristics of local electrograms with diastolic potentials: identification of different components of return pathways in ventricular tachycardia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1998, 2, 235-245.	0.6	10
20	Endocardial mapping of ventricular tachycardia in the intact human ventricle. III. Evidence of multiuse reentry with spontaneous and induced block in portions of reentrant path complex. <i>Journal of the American College of Cardiology</i> , 1995, 25, 1591-1600.	1.2	64
21	The Effects of Unilateral Stellate Ganglion Blockade on Human Cardiac Function During Rest and Exercise. <i>Journal of Cardiovascular Electrophysiology</i> , 1993, 4, 2-8.	0.8	18
22	Ventricular tachycardia after surgical repair of tetralogy of Fallot: Results of intraoperative mapping studies. <i>Journal of the American College of Cardiology</i> , 1992, 20, 648-655.	1.2	124
23	Endocardial mapping of ventricular tachycardia in the intact human heart. II. Evidence for multiuse reentry in a functional sheet of surviving myocardium. <i>Journal of the American College of Cardiology</i> , 1992, 20, 869-878.	1.2	104
24	Simultaneous Unipolar and Bipolar Recording of Cardiac Electrical Activity. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1992, 15, 45-51.	0.5	11