

# Jinah Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4820728/publications.pdf>

Version: 2024-02-01

68  
papers

2,713  
citations

186265

28  
h-index

182427

51  
g-index

68  
all docs

68  
docs citations

68  
times ranked

4077  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smoothed Variants Explain the Majority of Drug Resistance in Basal Cell Carcinoma. <i>Cancer Cell</i> , 2015, 27, 342-353.	16.8	337
2	Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and SÅ©zary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. <i>Journal of Clinical Oncology</i> , 2015, 33, 3766-3773.	1.6	328
3	Recurrent point mutations in the kinetochore gene KNSTRN in cutaneous squamous cell carcinoma. <i>Nature Genetics</i> , 2014, 46, 1060-1062.	21.4	125
4	An investigator-initiated open-label clinical trial of vismodegib as a neoadjuvant to surgery for high-risk basal cell carcinoma. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 904-911.e1.	1.2	118
5	Immunohistochemical analysis of lichenoid reactions in patients treated with antiâ€Dâ€L1 and antiâ€Dâ€1 therapy. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 339-346.	1.3	101
6	Characterization of dermatitis after PD-1/PD-L1 inhibitor therapy and association with multiple oncologic outcomes: A retrospective case-control study. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 1047-1052.	1.2	95
7	SOX10 immunostaining distinguishes desmoplastic melanoma from excision scar. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 944-952.	1.3	91
8	Pilot studies demonstrate the potential benefits of antiinflammatory therapy in human lymphedema. <i>JCI Insight</i> , 2018, 3, .	5.0	89
9	An independent validation of a gene expression signature to differentiate malignant melanoma from benign melanocytic nevi. <i>Cancer</i> , 2017, 123, 617-628.	4.1	86
10	A Case Report of Unresectable Cutaneous Squamous Cell Carcinoma Responsive to Pembrolizumab, a Programmed Cell Death Protein 1 Inhibitor. <i>JAMA Dermatology</i> , 2016, 152, 106.	4.1	83
11	Primary Cilium Depletion Typifies Cutaneous Melanoma In Situ and Malignant Melanoma. <i>PLoS ONE</i> , 2011, 6, e27410.	2.5	83
12	Primary cutaneous aggressive epidermotropic cytotoxic T-cell lymphomas: reappraisal of a provisional entity in the 2016 WHO classification of cutaneous lymphomas. <i>Modern Pathology</i> , 2017, 30, 761-772.	5.5	74
13	Useful Parameters for Distinguishing Subcutaneous Panniculitis-like T-Cell Lymphoma From Lupus Erythematosus Panniculitis. <i>American Journal of Surgical Pathology</i> , 2016, 40, 745-754.	3.7	69
14	Sox10 is expressed in primary melanocytic neoplasms of various histologies but not in fibrohistiocytic proliferations and histiocytoses. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, 717-726.	1.2	63
15	Mosaic Activating RAS Mutations in Nevus Sebaceus and Nevus Sebaceus Syndrome. <i>Journal of Investigative Dermatology</i> , 2013, 133, 824-827.	0.7	55
16	Diagnostic Distinction of Malignant Melanoma and Benign Nevi by a Gene Expression Signature and Correlation to Clinical Outcomes. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 1107-1113.	2.5	53
17	Primary cutaneous anaplastic large cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 570-577.	1.3	47
18	Ibrutinibâ€associated rash: a singleâ€centre experience of clinicopathological features and management. <i>British Journal of Haematology</i> , 2018, 180, 164-166.	2.5	45

#	ARTICLE	IF	CITATIONS
19	ETV3-NCOA2 in indeterminate cell histiocytosis: clonal translocation supports sui generis. <i>Blood</i> , 2015, 126, 2344-2345.	1.4	44
20	Intralymphatic Cutaneous Anaplastic Large Cell Lymphoma/Lymphomatoid Papulosis. <i>American Journal of Surgical Pathology</i> , 2014, 38, 1203-1211.	3.7	42
21	Node-positive cutaneous squamous cell carcinoma of the head and neck: Survival, high-risk features, and adjuvant chemoradiotherapy outcomes. <i>Head and Neck</i> , 2017, 39, 881-885.	2.0	41
22	Association Between Programmed Death Ligand 1 Expression in Patients With Basal Cell Carcinomas and the Number of Treatment Modalities. <i>JAMA Dermatology</i> , 2017, 153, 285.	4.1	39
23	Quantitative comparison of MiTF, Melan-A, HMB-45 and Mel-5 in solar lentigines and melanoma in situ. <i>Journal of Cutaneous Pathology</i> , 2011, 38, no-no.	1.3	37
24	A case of metastatic basal cell carcinoma treated with continuous PD-1 inhibitor exposure even after subsequent initiation of radiotherapy and surgery. <i>JAAD Case Reports</i> , 2018, 4, 248-250.	0.8	37
25	Intravascular ALK-negative Anaplastic Large Cell Lymphoma With Localized Cutaneous Involvement and an Indolent Clinical Course. <i>American Journal of Surgical Pathology</i> , 2013, 37, 617-623.	3.7	36
26	Update to an open-label clinical trial of vismodegib as neoadjuvant before surgery for high-risk basal cell carcinoma (BCC). <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 213-215.	1.2	33
27	Reexamining the Threshold for Reexcision of Histologically Transected Dysplastic Nevi. <i>JAMA Dermatology</i> , 2016, 152, 1327.	4.1	32
28	Activating HRAS Mutation in Nevus Spilus. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1766-1768.	0.7	31
29	The frequency of dual TCR-PCR clonality in granulomatous disorders. <i>Journal of Cutaneous Pathology</i> , 2011, 38, 704-709.	1.3	25
30	Indeterminate Dendritic Cell Tumor: A Report of Two New Cases Lacking the ETV3-NCOA2 Translocation and a Literature Review. <i>American Journal of Dermatopathology</i> , 2018, 40, 736-748.	0.6	23
31	PD-L1 Expression and Tumor-Infiltrating Lymphocytes in High-Risk and Metastatic Cutaneous Squamous Cell Carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2019, 160, 93-99.	1.9	23
32	Appropriate use criteria in dermatopathology: Initial recommendations from the American Society of Dermatopathology. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 563-580.	1.3	22
33	Systemic panniculitis-like T-cell lymphoma with involvement of mesenteric fat and subcutis. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 46-49.	1.3	21
34	Localized bullous pemphigoid in a melanoma patient with dual exposure to PD-1 checkpoint inhibition and radiation therapy. <i>JAAD Case Reports</i> , 2017, 3, 404-406.	0.8	19
35	Variability in the Expression of Immunohistochemical Markers: Implications for Biomarker Interpretation in Cutaneous T-Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1204-1206.	0.7	19
36	Fluorescence In Situ Hybridization Analysis of Atypical Melanocytic Proliferations and Melanoma in Young Patients. <i>Pediatric Dermatology</i> , 2014, 31, 561-569.	0.9	17

#	ARTICLE	IF	CITATIONS
37	Subcutaneous panniculitis-like T-cell lymphoma: Pediatric case series demonstrating heterogeneous presentation and option for watchful waiting. <i>Pediatric Blood and Cancer</i> , 2015, 62, 2025-2028.	1.5	16
38	Evidence behind the use of molecular tests in melanocytic lesions and practice patterns of these tests by dermatopathologists. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 839-846.	1.3	16
39	Appropriate use criteria in dermatopathology: Initial recommendations from the American Society of Dermatopathology. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 189-207.e11.	1.2	16
40	TERT and TERT promoter in melanocytic neoplasms: Current concepts in pathogenesis, diagnosis, and prognosis. <i>Journal of Cutaneous Pathology</i> , 2020, 47, 710-719.	1.3	16
41	Expression of the transcription factor ZBTB46 distinguishes human histiocytic disorders of classical dendritic cell origin. <i>Modern Pathology</i> , 2018, 31, 1479-1486.	5.5	14
42	Role of imaging in low-grade cutaneous B-cell lymphoma presenting in the skin. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 970-976.	1.2	14
43	Ciliation Index Is a Useful Diagnostic Tool in Challenging Spitzoid Melanocytic Neoplasms. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1401-1409.e2.	0.7	12
44	High-throughput Sequencing of Subcutaneous Panniculitis-like T-Cell Lymphoma Reveals Candidate Pathogenic Mutations. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019, 27, 740-748.	1.2	11
45	Use of the Ciliation Index to Distinguish Invasive Melanoma From Associated Conventional Melanocytic Nevi. <i>American Journal of Dermatopathology</i> , 2020, 42, 11-15.	0.6	11
46	Utility of CD30, Ki67, and p53 in assisting with the diagnosis of mycosis fungoides with large cell transformation. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 33-43.	1.3	10
47	Loss of primary cilia correlates with cytologic severity in dysplastic melanocytic nevi. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 113-119.	1.3	9
48	Immunohistochemistry reveals an increased proportion of MYC-positive cells in subcutaneous panniculitis-like T-cell lymphoma compared with lupus panniculitis. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 925-930.	1.3	8
49	Mutational profile of primary dermal melanoma: A case series. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 1263-1265.e5.	1.2	7
50	Reply to: "Use of immortal time within survival analysis". <i>Journal of the American Academy of Dermatology</i> , 2019, 80, e19-e20.	1.2	7
51	Depletion of primary cilium in acral melanoma. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 665-671.	1.3	7
52	Molecular Profiling to Diagnose a Case of Atypical Dermatomyositis. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2796-2799.	0.7	6
53	Markers for sebaceoma show a spectrum of cell cycle regulators, tumor suppressor genes, and oncogenes. <i>North American Journal of Medical Sciences</i> , 2015, 7, 275.	1.7	6
54	Dermal eosinophilic infiltrate in junctional epidermolysis bullosa. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 559-563.	1.3	5

#	ARTICLE	IF	CITATIONS
55	Lymph node involvement by mycosis fungoides and Sézary syndrome mimicking angioimmunoblastic T-cell lymphoma. <i>Human Pathology</i> , 2015, 46, 1382-1389.	2.0	5
56	Cutaneous Neonatal Lupus Arising in an Infant Conceived From an Oocyte Donation Pregnancy. <i>JAMA Dermatology</i> , 2016, 152, 846.	4.1	5
57	Appropriate use criteria for ancillary diagnostic testing in dermatopathology: New recommendations for 11 tests and 220 clinical scenarios from the American Society of Dermatopathology Appropriate Use Criteria Committee. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 231-245.	1.3	5
58	Congenital cutaneous Langerhans histiocytosis with mixed cell populations. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 1031-1033.	1.3	4
59	Expression of PD-L1 in mastocytosis. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1010-1012.	1.2	4
60	Identification of novel targetable mutations in metastatic anorectal melanoma by next-generation sequencing. <i>JAAD Case Reports</i> , 2017, 3, 539-541.	0.8	4
61	Acral verruca-like presentation of chronic graft-versus-host disease. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 236-241.	1.3	3
62	A growing nodule on the forearm of an 84-year-old man. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 1-4.	1.3	3
63	Histopathologic approach to epidermotropic lymphocytic infiltrates. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2018, 37, 56-60.	1.6	3
64	Durable Responses with Pembrolizumab in Relapsed/Refractory Mycosis Fungoides and Sézary Syndrome: Final Results from a Phase 2 Multicenter Study. <i>Blood</i> , 2018, 132, 2896-2896.	1.4	2
65	Short Intussusception Valves Prevent Reflux After Jejunal Interposition Bilioduodenal Anastomosis. <i>HPB Surgery</i> , 1991, 5, 29-34.	2.2	1
66	Systemic T cell lymphoma mimicking subcutaneous panniculitis-like T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 919-919.	1.3	0
67	Rapidly spreading subcutaneous nodules in a 2-year-old boy. <i>Pediatric Dermatology</i> , 2018, 35, 137-138.	0.9	0
68	NUTRITIONAL DEFICIENCY CONTRIBUTING TO REFRACTORY ERYTHRODERMA IN HEMATOPOETIC CELL TRANSPLANT PATIENTS: DISTINCTIVE CLINICAL AND HISTOPATHOLOGICAL FINDINGS. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	1.2	0