

Martin Monte

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4822168/publications.pdf>

Version: 2024-02-01

26
papers

1,242
citations

430754

18
h-index

580701

25
g-index

26
all docs

26
docs citations

26
times ranked

4121
citing authors

#	ARTICLE	IF	CITATIONS
1	MAGE-A tumor antigens target p53 transactivation function through histone deacetylase recruitment and confer resistance to chemotherapeutic agents. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11160-11165.	3.3	221
2	The hsp90-FKBP52 Complex Links the Mineralocorticoid Receptor to Motor Proteins and Persists Bound to the Receptor in Early Nuclear Events. <i>Molecular and Cellular Biology</i> , 2010, 30, 1285-1298.	1.1	138
3	TP53INP1, a tumor suppressor, interacts with LC3 and ATG8-family proteins through the LC3-interacting region (LIR) and promotes autophagy-dependent cell death. <i>Cell Death and Differentiation</i> , 2012, 19, 1525-1535.	5.0	109
4	The death substrate Gas2 binds m-calpain and increases susceptibility to p53-dependent apoptosis. <i>EMBO Journal</i> , 2001, 20, 2702-2714.	3.5	100
5	The Cell Cycle-regulated Protein Human GTSE-1 Controls DNA Damage-induced Apoptosis by Affecting p53 Function. <i>Journal of Biological Chemistry</i> , 2003, 278, 30356-30364.	1.6	71
6	The Calpain System Is Involved in the Constitutive Regulation of β -Catenin Signaling Functions. <i>Journal of Biological Chemistry</i> , 2005, 280, 22070-22080.	1.6	65
7	GTSE1 Is a Microtubule Plus-End Tracking Protein That Regulates EB1-Dependent Cell Migration. <i>PLoS ONE</i> , 2012, 7, e51259.	1.1	52
8	Interaction of p53 with Tumor Suppressive and Oncogenic Signaling Pathways to Control Cellular Reactive Oxygen Species Production. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 1749-1761.	2.5	51
9	wt p53 dependent expression of a membrane-associated isoform of adenylate kinase. <i>Oncogene</i> , 1999, 18, 5879-5888.	2.6	50
10	Inhibition of lymphocyte-induced angiogenesis by free radical scavengers. <i>Free Radical Biology and Medicine</i> , 1994, 17, 259-266.	1.3	48
11	MageA2 restrains cellular senescence by targeting the function of PMLIV/p53 axis at the PML-NBs. <i>Cell Death and Differentiation</i> , 2012, 19, 926-936.	5.0	46
12	hGTSE-1 Expression Stimulates Cytoplasmic Localization of p53. <i>Journal of Biological Chemistry</i> , 2004, 279, 11744-11752.	1.6	44
13	Tumor-specific MAGE proteins as regulators of p53 function. <i>Cancer Letters</i> , 2012, 325, 11-17.	3.2	34
14	Human GTSE-1 Regulates p21CIP1/WAF1 Stability Conferring Resistance to Paclitaxel Treatment. <i>Journal of Biological Chemistry</i> , 2010, 285, 5274-5281.	1.6	32
15	Cloning, chromosome mapping and functional characterization of a human homologue of murine Gtse-1 (B99) gene. <i>Gene</i> , 2000, 254, 229-236.	1.0	31
16	Cell-cycle regulation of the p53-inducible gene B99. <i>FEBS Letters</i> , 2000, 481, 57-62.	1.3	28
17	Human MageB2 Protein Expression Enhances E2F Transcriptional Activity, Cell Proliferation, and Resistance to Ribotoxic Stress. <i>Journal of Biological Chemistry</i> , 2015, 290, 29652-29662.	1.6	24
18	Polyamines prevent DFMO-mediated inhibition of angiogenesis. <i>Cancer Letters</i> , 1994, 79, 39-43.	3.2	21

#	ARTICLE	IF	CITATIONS
19	Dengue Non-structural Protein 5 Polymerase Complexes With Promyelocytic Leukemia Protein (PML) Isoforms III and IV to Disrupt PML-Nuclear Bodies in Infected Cells. <i>Frontiers in Cellular and Infection Microbiology</i> , 2019, 9, 284.	1.8	19
20	GTSE1: a novel TEAD4-E2F1 target gene involved in cell protrusions formation in triple-negative breast cancer cell models. <i>Oncotarget</i> , 2017, 8, 67422-67438.	0.8	17
21	Differential regulation of the glucocorticoid receptor nucleocytoplasmic shuttling by TPR-domain proteins. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 119000.	1.9	13
22	Cloning and characterization of the <i>C. elegans</i> gas1 homolog: phas-1. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2002, 1574, 1-9.	2.4	11
23	Functional interaction between co-expressed MAGE-A proteins. <i>PLoS ONE</i> , 2017, 12, e0178370.	1.1	11
24	MageC2 protein is upregulated by oncogenic activation of MAPK pathway and causes impairment of the p53 transactivation function. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 118918.	1.9	3
25	Expression of the tumor-expressed protein MageB2 enhances rRNA transcription. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2021, 1868, 119015.	1.9	3
26	p53 at the Crossroads Between Stress Response Signaling and Tumorigenesis: From Molecular Mechanisms to Therapeutic Opportunities. , 2015, , 51-73.		0