

Xiao Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4822281/publications.pdf>

Version: 2024-02-01

71
papers

1,129
citations

361045

20
h-index

433756

31
g-index

71
all docs

71
docs citations

71
times ranked

1544
citing authors

#	ARTICLE	IF	CITATIONS
1	Top-down Strategy toward Versatile Graphene Quantum Dots for Organic/Inorganic Hybrid Solar Cells. ACS Sustainable Chemistry and Engineering, 2015, 3, 637-644.	3.2	75
2	Balancing the Electron and Hole Transfer for Efficient Quantum Dot Light-Emitting Diodes by Employing a Versatile Organic Electron-Blocking Layer. ACS Applied Materials & Interfaces, 2018, 10, 15803-15811.	4.0	67
3	Nd ₂ (S, Se, Te) ₃ Colloidal Quantum Dots: Synthesis, Energy Level Alignment, Charge Transfer Dynamics, and Their Applications to Solar Cells. Advanced Functional Materials, 2016, 26, 254-266.	7.8	53
4	Solid Ligand-Assisted Storage of Air-Stable Formamidinium Lead Halide Quantum Dots via Restraining the Highly Dynamic Surface toward Brightly Luminescent Light-Emitting Diodes. ACS Photonics, 2017, 4, 2504-2512.	3.2	50
5	Blue quantum dot light-emitting diodes with high luminance by improving the charge transfer balance. Chemical Communications, 2019, 55, 3501-3504.	2.2	49
6	Time-resolved pump-probe technology with phase object for measurements of optical nonlinearities. Optics Express, 2009, 17, 7110.	1.7	48
7	High-Responsivity Photodetectors Based on Formamidinium Lead Halide Perovskite Quantum Dot-Graphene Hybrid. Particle and Particle Systems Characterization, 2018, 35, 1700304.	1.2	46
8	Exciton Generation/Dissociation/Charge-Transfer Enhancement in Inorganic/Organic Hybrid Solar Cells by Robust Single Nanocrystalline LnP _x O _y (Ln = Eu, Y) Doping. ACS Applied Materials & Interfaces, 2014, 6, 8771-8781.	4.0	40
9	Reducing the excess energy offset in organic/inorganic hybrid solar cells: Toward faster electron transfer. Applied Catalysis B: Environmental, 2015, 162, 524-531.	10.8	40
10	The origin of efficiency enhancement of inorganic/organic Hybrid solar Cells by robust samarium phosphate nanophosphors. Solar Energy Materials and Solar Cells, 2014, 130, 426-434.	3.0	33
11	Cation exchange assisted synthesis of ZnCdSe/ZnSe quantum dots with narrow emission line widths and near-unity photoluminescence quantum yields. Chemical Communications, 2020, 56, 6130-6133.	2.2	33
12	Energy level control: toward an efficient hot electron transport. Scientific Reports, 2014, 4, 5983.	1.6	32
13	ZnMgO:ZnO composite films for fast electron transport and high charge balance in quantum dot light emitting diodes. Optical Materials Express, 2018, 8, 909.	1.6	30
14	Emission tunable CdZnS/ZnSe core/shell quantum dots for white light emitting diodes. Journal of Luminescence, 2017, 192, 867-874.	1.5	27
15	Quantum dot white light emitting diodes with high scotopic/photopic ratios. Optics Express, 2017, 25, 21901.	1.7	26
16	Investigation of Two-Photon Absorption Induced Excited State Absorption in a Fluorenyl-Based Chromophore. Journal of Physical Chemistry B, 2009, 113, 15730-15733.	1.2	24
17	Energy gradient architected praseodymium chalcogenide quantum dot solar cells: towards unidirectionally funneling energy transfer. Journal of Materials Chemistry A, 2015, 3, 23876-23887.	5.2	23
18	Role of ytterbium-erbium co-doped gadolinium molybdate (Gd ₂ (MoO ₄) ₃ :Yb/Er) nanophosphors in solar cells. Optics Express, 2016, 24, A1276.	1.7	22

#	ARTICLE	IF	CITATIONS
19	Integration of green CuInS ₂ /ZnS quantum dots for high-efficiency light-emitting diodes and high-responsivity photodetectors. <i>Optical Materials Express</i> , 2018, 8, 314.	1.6	22
20	Core-Shell Nanophosphor Architecture: Toward Efficient Energy Transport in Inorganic/Organic Hybrid Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 12798-12807.	4.0	21
21	Bright alloy type-II quantum dots and their application to light-emitting diodes. <i>Journal of Colloid and Interface Science</i> , 2018, 510, 376-383.	5.0	21
22	Efficient electron/hole transport in inorganic/organic hybrid solar cells by lithium ion and molybdenum trioxide codoping. <i>Journal of Power Sources</i> , 2014, 268, 874-881.	4.0	20
23	Enhancing extraction efficiency of quantum dot light-emitting diodes by surface engineering. <i>Optics Express</i> , 2017, 25, 17683.	1.7	20
24	Highly luminescent red emitting CdZnSe/ZnSe quantum dots synthesis and application for quantum dot light emitting diodes. <i>Optical Materials Express</i> , 2017, 7, 3875.	1.6	19
25	Quaternary quantum dots with gradient valence band for all-inorganic perovskite solar cells. <i>Journal of Colloid and Interface Science</i> , 2019, 549, 33-41.	5.0	19
26	Random Terpolymer Designed with Tunable Fluorescence Lifetime for Efficient Organic/Inorganic Hybrid Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 17408-17415.	4.0	17
27	White light emitting device based on single-phase CdS quantum dots. <i>Nanotechnology</i> , 2018, 29, 205701.	1.3	17
28	Method with a phase object for measurement of optical nonlinearities. <i>Optics Letters</i> , 2009, 34, 2513.	1.7	14
29	Tailoring solar energy spectrum for efficient organic/inorganic hybrid solar cells by up-conversion luminescence nanophosphors. <i>Electrochimica Acta</i> , 2015, 182, 416-423.	2.6	11
30	Efficient light-emitting diodes based on reverse type-I quantum dots. <i>Optical Materials Express</i> , 2017, 7, 4395.	1.6	11
31	Third-order nonlinear optical properties of a π -conjugated phenoxazinium compound: Mechanism and dynamic response. <i>Materials Chemistry and Physics</i> , 2013, 139, 975-978.	2.0	10
32	Ruthenium cation substitutional doping for efficient charge carrier transfer in organic/inorganic hybrid solar cells. <i>Journal of Power Sources</i> , 2015, 274, 701-708.	4.0	10
33	Thick-shell CdZnSe/ZnSe/ZnS quantum dots for bright white light-emitting diodes. <i>Journal of Luminescence</i> , 2021, 229, 117670.	1.5	10
34	Characterization of signs change of nonlinear refraction in ZnSe based on a modified double 4f imaging system with a phase object. <i>Optics Communications</i> , 2010, 283, 1124-1128.	1.0	9
35	In situ synthesis of binary cobalt-ruthenium nanofiber alloy counter electrode for electrolyte-free cadmium sulfide quantum dot solar cells. <i>Journal of Power Sources</i> , 2015, 284, 162-169.	4.0	9
36	Spectral Design of Light-Emitting Diodes for Plant Photosynthesis Based on Quantum Dots. <i>IEEE Access</i> , 2021, 9, 156229-156238.	2.6	9

#	ARTICLE	IF	CITATIONS
37	Characterization of the transient thermal-lens effect using top-hat beam Z-scan. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2009, 42, 225404.	0.6	8
38	Small bandgap naphthalene diimide copolymers for efficient inorganic-organic hybrid solar cells. <i>RSC Advances</i> , 2015, 5, 2147-2154.	1.7	8
39	The role of deep-red emission CuInS ₂ /ZnS QDs in white light emitting diodes. <i>Semiconductor Science and Technology</i> , 2019, 34, 035025.	1.0	8
40	White light-emitting diodes based on quaternary Ag-In-Ga-S quantum dots and their influences on melatonin suppression index. <i>Journal of Luminescence</i> , 2021, 233, 117903.	1.5	8
41	Efficiency enhancement via tailoring energy level alignment induced by vanadium ion doping in organic/inorganic hybrid solar cells. <i>RSC Advances</i> , 2014, 4, 46008-46015.	1.7	7
42	Enhanced charge transport and photovoltaic performance induced by incorporating rare-earth phosphor into organic-inorganic hybrid solar cells. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 24499-24508.	1.3	7
43	Ytterbium-erbium ion doped strontium molybdate (SrMoO ₄): synthesis, characterization, photophysical properties and application in solar cells. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 33320-33328.	1.3	7
44	One pot synthesis of thick shell blue emitting CdZnS/ZnS quantum dots with narrow emission line width. <i>Optical Materials Express</i> , 2020, 10, 1232.	1.6	7
45	High efficient light-emitting diodes with improved the balance of electron and hole transfer via optimizing quantum dot structure. <i>Optical Materials Express</i> , 2019, 9, 3089.	1.6	6
46	Bright Alloy CdZnSe/ZnSe QDs with Nonquenching Photoluminescence at High Temperature and Their Application to Light-Emitting Diodes. <i>Journal of Nanomaterials</i> , 2019, 2019, 1-8.	1.5	6
47	The Variation of Sediment Bacterial Community in Response to Anthropogenic Disturbances of Poyang Lake, China. <i>Wetlands</i> , 2019, 39, 63-73.	0.7	6
48	Efficient Quantum Dot Light-Emitting Diodes Based on Well-Type Thick-Shell Cd _x Zn _{1-x} S/CdSe/Cd _y Zn _{1-y} S Quantum Dots. <i>Particle and Particle Systems Characterization</i> , 2020, 37, 2000115.	1.2	6
49	High Color-Rendering Index and Stable White Light-Emitting Diodes Based on Highly Luminescent Quantum Dots. <i>Particle and Particle Systems Characterization</i> , 2021, 38, 2100120.	1.2	6
50	Bright and efficient quantum dot light-emitting diodes with double light-emitting layers. <i>Optics Letters</i> , 2018, 43, 5925.	1.7	6
51	Stretchable silica gel-ZnSe:Mn/ZnS quantum dots for encoding. <i>Optical Materials Express</i> , 2018, 8, 1154.	1.6	5
52	Third-order nonlinearity measurements of PbPc(CP) ₄ /DMF. <i>Journal of Optics (United Kingdom)</i> 10, 10, 10.	1.0	4
53	Solvent effect induced solute damage in an organic inner salt. <i>Optics Express</i> , 2010, 18, 27387.	1.7	4
54	Reduced energy offset via substitutional doping for efficient organic/inorganic hybrid solar cells. <i>Optics Express</i> , 2015, 23, A444.	1.7	4

#	ARTICLE	IF	CITATIONS
55	Efficient charge transfer and utilization of near-infrared solar spectrum by ytterbium and thulium codoped gadolinium molybdate (Gd ₂ (MoO ₄) ₃ :Yb/Tm) nanophosphor in hybrid solar cells. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 30837-30844.	1.3	4
56	High quality quarternary-alloyed ZnCdSSe/ZnS quantum dots with single photoluminescence decay channel and high device stability. <i>Journal of Luminescence</i> , 2021, 240, 118463.	1.5	4
57	Zinc and Acetate Co-doping for Stable Carbon-Based CsPbIBr ₂ Solar Cells with Efficiency over 10.6%. <i>ACS Applied Energy Materials</i> , 2022, 5, 2720-2726.	2.5	4
58	Investigation of nonlinear dynamics in CdS by time-resolved nondegenerate pump-probe system with phase object. <i>Journal of Modern Optics</i> , 2011, 58, 973-977.	0.6	3
59	Measurements of dynamics of nondegenerate optical nonlinearity in ZnS with pulses from optical parameter generation. <i>Optics Communications</i> , 2012, 285, 1940-1944.	1.0	3
60	Investigation of nonlinear refraction on a thick sample using a simple technique with a phase object. <i>Journal of Physics B: Atomic, Molecular and Optical Physics</i> , 2010, 43, 105401.	0.6	2
61	Tuning the fluorescence lifetime of donor polymers containing different proportion of electron withdrawing groups in hybrid solar cells. <i>Synthetic Metals</i> , 2016, 221, 19-24.	2.1	2
62	Photovoltaic-targeted photoluminescence lifetime engineering in bright type-II alloy quantum dots. <i>Solar Energy</i> , 2018, 169, 75-83.	2.9	2
63	Simultaneously Mitigating Anion and Cation Defects Both in Bulk and Interface for High-Effective Perovskite Solar Cells. <i>Solar Rrl</i> , 2022, 6, .	3.1	2
64	Controlling the emission linewidths of alloy quantum dots with asymmetric strain. <i>Journal of Colloid and Interface Science</i> , 2022, 624, 287-295.	5.0	2
65	Sodium Gadolinium Fluoride Nanophosphor-Based Solar Cells: Toward Subbandgap Light Harvesting and Efficient Charge Transfer. <i>IEEE Journal of Photovoltaics</i> , 2017, 7, 199-205.	1.5	1
66	Energy transfer induced by femtosecond two-beam coupling in two Kerr liquids. <i>Journal of Modern Optics</i> , 2009, 56, 2363-2367.	0.6	0
67	Nonlinear absorption measurements using a lens imaging technique. , 2009, , .		0
68	Determination of nonlinear refraction in (TCBD) ₂ OPV ₃ /CH ₂ Cl ₂ solution by using the phase-object Z-scan technique. , 2009, , .		0
69	Investigation on nonlinear dynamics of ZnO using time-resolved pump-probe technique with phase object. <i>Proceedings of SPIE</i> , 2011, , .	0.8	0
70	Optical nonlinearity measurement of 4-(N-methyl, N-hydroxyethyl)amino, 4-nitroazobenzene using a transmittance technique with a phase object (T-PO) with top-hat beams at 600-nm wavelength. <i>Chinese Physics B</i> , 2012, 21, 104201.	0.7	0
71	Photodetectors: High-Responsivity Photodetectors Based on Formamidinium Lead Halide Perovskite Quantum Dot-Graphene Hybrid (Part. Part. Syst. Charact. 4/2018). <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1870012.	1.2	0