

# Jacques Giraudeau

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4822613/jacques-giraudeau-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

2,389

citations

32

h-index

47

g-index

67

ext. papers

2,672

ext. citations

4.4

avg, IF

4.78

L-index

#	Paper	IF	Citations
67	Distribution of Recent nannofossils beneath the Benguela system: Southwest African continental margin. <i>Marine Geology</i> , <b>1992</b> , 108, 219-237	3.3	109
66	New Arabian Sea records help decipher orbital timing of Indo-Asian monsoon. <i>Earth and Planetary Science Letters</i> , <b>2011</b> , 308, 433-444	5.3	101
65	A 1.2 Ma record of glaciation and fluvial discharge from the West European Atlantic margin. <i>Quaternary Science Reviews</i> , <b>2009</b> , 28, 2974-2981	3.9	99
64	Coccolith evidence for instabilities in surface circulation south of Iceland during Holocene times. <i>Earth and Planetary Science Letters</i> , <b>2000</b> , 179, 257-268	5.3	87
63	Multi-proxy records showing significant Holocene environmental variability: the inner N. Iceland shelf (HÍðaflið). <i>Quaternary Science Reviews</i> , <b>2003</b> , 22, 175-193	3.9	86
62	Extant calcareous nanoplankton in the Australian Sector of the Southern Ocean (austral summers 1994 and 1995). <i>Marine Micropaleontology</i> , <b>2000</b> , 40, 417-439	1.7	86
61	Distribution and malformation of living coccolithophores in the northern Benguela upwelling system off Namibia. <i>Marine Micropaleontology</i> , <b>1993</b> , 22, 93-110	1.7	84
60	Planktonic foraminiferal assemblages in surface sediments from the southwest African continental margin. <i>Marine Geology</i> , <b>1993</b> , 110, 47-62	3.3	71
59	A 190 ky record of lithogenic grain-size on the Namibian slope: Forging a tight link between past wind-strength and coastal upwelling dynamics. <i>Marine Geology</i> , <b>2005</b> , 218, 81-96	3.3	70
58	Timing and mechanisms of surface and intermediate water circulation changes in the Nordic Seas over the last 10,000calyears: a view from the North Iceland shelf. <i>Quaternary Science Reviews</i> , <b>2004</b> , 23, 2127-2139	3.9	68
57	Sea-surface distribution of coccolithophores, diatoms, silicoflagellates and dinoflagellates in the South Atlantic Ocean during the late austral summer 1995. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>1999</b> , 46, 451-482	2.5	68
56	High-latitude obliquity as a dominant forcing in the Agulhas current system. <i>Climate of the Past</i> , <b>2011</b> , 7, 1285-1296	3.9	66
55	A 450-kyr record of hydrological conditions on the western Agulhas Bank Slope, south of Africa. <i>Marine Geology</i> , <b>2002</b> , 180, 183-201	3.3	66
54	Millennial-scale variability in Atlantic water advection to the Nordic Seas derived from Holocene coccolith concentration records. <i>Quaternary Science Reviews</i> , <b>2010</b> , 29, 1276-1287	3.9	63
53	Spatial dynamics of coccolithophore communities during an upwelling event in the Southern Benguela system. <i>Continental Shelf Research</i> , <b>1995</b> , 15, 1825-1852	2.4	63
52	A 2500 year record of natural and anthropogenic soil erosion in South Greenland. <i>Quaternary Science Reviews</i> , <b>2012</b> , 32, 119-130	3.9	62
51	Holocene sea surface conditions in the western North Atlantic: Spatial and temporal heterogeneities. <i>Paleoceanography</i> , <b>2006</b> , 21, n/a-n/a		61

50	Agulhas leakage as a key process in the modes of Quaternary climate changes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 6835-9	11.5	56
49	Glacial-interglacial vegetation dynamics in South Eastern Africa coupled to sea surface temperature variations in the Western Indian Ocean. <i>Climate of the Past</i> , <b>2011</b> , 7, 1209-1224	3.9	49
48	Highstand vs. lowstand turbidite system growth in the Makran active margin: Imprints of high-frequency external controls on sediment delivery mechanisms to deep water systems. <i>Marine Geology</i> , <b>2010</b> , 274, 187-208	3.3	49
47	A two-million-year-long hydroclimatic context for hominin evolution in southeastern Africa. <i>Nature</i> , <b>2018</b> , 560, 76-79	50.4	47
46	Sea ice and wind variability during the Holocene in East Antarctica: insight on middle-high latitude coupling. <i>Quaternary Science Reviews</i> , <b>2010</b> , 29, 3709-3719	3.9	47
45	A high-resolution time-series analyses of particle fluxes in the Northern Benguela coastal upwelling system: carbonate record of changes in biogenic production and particle transfer processes. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , <b>2000</b> , 47, 1999-2028	2.3	47
44	Phytoplankton Biomass and Sea-Surface Temperature Estimates from Sea-Bed Distribution of Nannofossils and Planktonic Foraminifera in the Benguela Upwelling System. <i>Micropaleontology</i> , <b>1994</b> , 40, 275	2	44
43	Multiproxy Late Quaternary stratigraphy of the Nile deep-sea turbidite system – Towards a chronology of deep-sea terrigenous systems. <i>Sedimentary Geology</i> , <b>2007</b> , 200, 1-13	2.8	40
42	Alkenone and coccolith records of the mid-Pleistocene in the south-east Atlantic: Implications for the U37K' index and South African climate. <i>Quaternary Science Reviews</i> , <b>2005</b> , 24, 1559-1572	3.9	39
41	Temporal variability in phytoplankton pigments, picoplankton and coccolithophores along a transect through the North Atlantic and tropical southwestern Pacific. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2006</b> , 53, 689-712	2.5	39
40	Reconstruction of the late-Holocene changes in the Sub-Arctic Front position at the Reykjanes Ridge, north Atlantic. <i>Holocene</i> , <b>2012</b> , 22, 877-886	2.6	35
39	Consistently dated Atlantic sediment cores over the last 40 thousand years. <i>Scientific Data</i> , <b>2019</b> , 6, 165 8.2		33
38	Norwegian fjord sediments reveal NAO related winter temperature and precipitation changes of the past 2800 years. <i>Earth and Planetary Science Letters</i> , <b>2016</b> , 435, 84-93	5.3	33
37	Nitrogen cycling on the Namibian shelf and slope over the last two climatic cycles: Local and global forcings. <i>Paleoceanography</i> , <b>2005</b> , 20, n/a-n/a		33
36	Holocene glacier and deep water dynamics, Adèle Land region, East Antarctica. <i>Quaternary Science Reviews</i> , <b>2009</b> , 28, 1291-1303	3.9	32
35	Northward advection of Atlantic water in the eastern Nordic Seas over the last 3000 yr. <i>Climate of the Past</i> , <b>2013</b> , 9, 1505-1518	3.9	30
34	The influence of bottom currents on the Zambezi Valley morphology (Mozambique Channel, SW Indian Ocean): In situ current observations and hydrodynamic modelling. <i>Marine Geology</i> , <b>2019</b> , 410, 42-55	3.3	29
33	Holocene productivity changes off Adèle Land (East Antarctica). <i>Paleoceanography</i> , <b>2009</b> , 24,		26

32	Sedimentary processes determining the modern carbonate periplatform drift of Little Bahama Bank. <i>Marine Geology</i> , <b>2016</b> , 378, 213-229	3.3	24
31	Quantitative estimate of the paleo-Agulhas leakage. <i>Geophysical Research Letters</i> , <b>2014</b> , 41, 1238-1246	4.9	23
30	Accumulation of organic and inorganic carbon in Pliocene-Pleistocene sediments along the SW African margin. <i>Marine Geology</i> , <b>2002</b> , 180, 49-69	3.3	22
29	A survey of the summer coccolithophore community in the western Barents Sea. <i>Journal of Marine Systems</i> , <b>2016</b> , 158, 93-105	2.7	21
28	Benthic Ostracoda in the Benguela System (SE Atlantic): A multivariate analysis. <i>Marine Micropaleontology</i> , <b>1993</b> , 22, 71-92	1.7	21
27	Comparison of coccolith and dinocyst assemblages in the northern North Atlantic: How well do they relate with surface hydrography?. <i>Marine Micropaleontology</i> , <b>2008</b> , 68, 115-135	1.7	19
26	Movement of oceanic fronts south of Australia during the last 10 ka: interpretation of calcareous nannoplankton in surface sediments from the Southern Ocean. <i>Marine Micropaleontology</i> , <b>2002</b> , 46, 431-444	1.7	18
25	Deglacial to postglacial history of Nares Strait, Northwest Greenland: a marine perspective from Kane Basin. <i>Climate of the Past</i> , <b>2018</b> , 14, 1991-2010	3.9	18
24	Geochemical composition of Trondheimsfjord surface sediments: Sources and spatial variability of marine and terrigenous components. <i>Continental Shelf Research</i> , <b>2014</b> , 88, 61-71	2.4	17
23	Occurrence of an exceptional carbonate dissolution episode during early glacial isotope stage 6 in the Southeastern Atlantic. <i>Marine Geology</i> , <b>2002</b> , 180, 235-248	3.3	17
22	Reorganization of the upper ocean circulation in the mid-Holocene in the northeastern Atlantic This article is one of a series of papers published in this Special Issue on the theme Polar Climate Stability Network. GEOTOP Publication 2009-0002.. <i>Canadian Journal of Earth Sciences</i> , <b>2008</b> , 45, 1417-1433	1.5	16
21	Modern and palaeo-oceanographic environments under Benguela upwelling cells off southern Namibia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>1996</b> , 123, 85-105	2.9	15
20	Impacts of Mayan land use on Laguna Tusp̄ watershed (Pet̄, Guatemala) as seen through clay and ostracode analysis. <i>Journal of Archaeological Science</i> , <b>2014</b> , 49, 372-382	2.9	13
19	Terrigenous input to a fjord in central Norway records the environmental response to the North Atlantic Oscillation over the past 50 years. <i>Holocene</i> , <b>2014</b> , 24, 1411-1418	2.6	12
18	Spatial distribution of benthic foraminiferal stable isotopes and dinocyst assemblages in surface sediments of the Trondheimsfjord, central Norway. <i>Biogeosciences</i> , <b>2013</b> , 10, 4433-4448	4.6	12
17	Reconstruction of Holocene oceanographic conditions in eastern Baffin Bay. <i>Climate of the Past</i> , <b>2020</b> , 16, 1075-1095	3.9	11
16	Local and regional controls on Holocene sea ice dynamics and oceanography in Nares Strait, Northwest Greenland. <i>Marine Geology</i> , <b>2020</b> , 422, 106115	3.3	10
15	The coccolithophores <i>Emiliania huxleyi</i> and <i>Coccolithus pelagicus</i> : Extant populations from the Norwegian-Iceland Seas and Fram Strait. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , <b>2015</b> , 98, 1-9	2.5	10

14	Learning from the past: Impact of the Arctic Oscillation on sea ice and marine productivity off northwest Greenland over the last 9,000 years. <i>Global Change Biology</i> , <b>2020</b> , 26, 6767-6786	11.4	9
13	The expansion of Central and Northern European Neolithic populations was associated with a multi-century warm winter and wetter climate. <i>Holocene</i> , <b>2016</b> , 26, 1188-1199	2.6	9
12	A Late Quaternary record of highstand shedding from an isolated carbonate platform (Juan de Nova, southern Indian Ocean). <i>Depositional Record</i> , <b>2019</b> , 5, 540-557	2	8
11	Quaternary sediment dispersal in the Zambezi turbidite system (SW Indian Ocean). <i>Marine Geology</i> , <b>2020</b> , 428, 106276	3.3	8
10	Holocene chronostratigraphy of northeastern Baffin Bay based on radiocarbon and palaeomagnetic data. <i>Boreas</i> , <b>2019</b> , 48, 147-165	2.4	8
9	Qualitative and quantitative reconstructions of surface water characteristics and recent hydrographical changes in the Trondheimsfjord, central Norway. <i>Climate of the Past</i> , <b>2014</b> , 10, 305-323	3.9	6
8	Vulnerability of the North Water ecosystem to climate change. <i>Nature Communications</i> , <b>2021</b> , 12, 4475	17.4	6
7	Holocene polynya dynamics and their interaction with oceanic heat transport in northernmost Baffin Bay. <i>Scientific Reports</i> , <b>2021</b> , 11, 10095	4.9	5
6	Reprint of: Impacts of Mayan land use on Laguna Tusp̄ watershed (Pet̄, Guatemala) as seen through clay and ostracode analysis. <i>Journal of Archaeological Science</i> , <b>2015</b> , 54, 410-420	2.9	4
5	Neogene and Quaternary evolution of the Benguela upwelling system. <i>Marine Geology</i> , <b>2002</b> , 180, 1-2	3.3	4
4	Benthic stable isotope variability in the Trondheimsfjord during the last 50 years: Proxy records of mixing dynamics related to NAO. <i>Estuarine, Coastal and Shelf Science</i> , <b>2016</b> , 172, 34-46	2.9	3
3	A high-resolution elemental record of post-glacial lithic sedimentation in Upernavik Trough, western Greenland: History of ice-sheet dynamics and ocean circulation changes over the last 9100 years. <i>Global and Planetary Change</i> , <b>2020</b> , 191, 103217	4.2	2
2	Characterization of organic matter in marine sediments to estimate age offset of bulk radiocarbon dating. <i>Quaternary Geochronology</i> , <b>2022</b> , 67, 101242	2.7	0
1	Isotope Stratigraphy and Biostratigraphy of a Modern Carbonate System: The Northern Bahamas Slope Over the Late Quaternary. <i>Springer Geology</i> , <b>2014</b> , 1287-1291	0.8	