

Yongjun Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4822692/yongjun-huang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93

papers

1,552

citations

22

h-index

36

g-index

137

ext. papers

2,049

ext. citations

3.3

avg, IF

4.89

L-index

#	Paper	IF	Citations
93	Intermittent Magnetic Field Monitoring System Based on Passive RFID Sensor Tags. <i>IEEE Sensors Journal</i> , 2022 , 22, 819-831	4	1
92	Research on the reflection-type ELC-based optomechanical metamaterial.. <i>Optics Express</i> , 2022 , 30, 5498-5511	5.511	0
91	A Novel TRNG Based on Traditional ADC Nonlinear Effect and Chaotic Map for IoT Security and Anticollision. <i>Security and Communication Networks</i> , 2021 , 2021, 1-16	1.9	
90	Spin-Encoded Wavelength-Direction Multitasking Janus Metasurfaces. <i>Advanced Optical Materials</i> , 2021 , 9, 2100190	8.1	28
89	Deterministic Approach to Achieve Full-Polarization Cloak. <i>Research</i> , 2021 , 2021, 6382172	7.8	12
88	Microwave Airy Beam Generation With Microstrip Patch Antenna Array. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 69, 2290-2301	4.9	2
87	Polarization-insensitive 3D conformal-skin metasurface cloak. <i>Light: Science and Applications</i> , 2021 , 10, 75	16.7	39
86	Focus Beam Synthesis With Circular Antenna Array Based on Radial Waveguide Feed Network. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2021 , 20, 748-752	3.8	
85	High-Q Hg-anapole resonator with microstrip line coupling for high-precision temperature sensing applications. <i>Results in Physics</i> , 2021 , 24, 104172	3.7	2
84	. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 9244-9256	10.7	2
83	. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 916-925	4.1	10
82	Electromagnetic Metasurfaces and Reconfigurable Metasurfaces: A Review. <i>Frontiers in Physics</i> , 2021 , 8,	3.9	9
81	Thermally tunable high-Q metamaterial and sensing application based on liquid metals. <i>Optics Express</i> , 2021 , 29, 6069-6079	3.3	8
80	Design of Discrete Apertures for High Efficiency Wireless Power Transfer. <i>IEEE Transactions on Antennas and Propagation</i> , 2021 , 1-1	4.9	1
79	Experimental Demonstration of Microwave Two-Dimensional Airy Beam Generation Based on Single-Layer Metasurface. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 7507-7516	4.9	10
78	Dielectric metasurfaces: From wavefront shaping to quantum platforms. <i>Progress in Surface Science</i> , 2020 , 95, 100584	6.6	12
77	Multiplexed Metasurfaces: Wavevector and Frequency Multiplexing Performed by a Spin-Decoupled Multichannel Metasurface (Adv. Mater. Technol. 1/2020). <i>Advanced Materials Technologies</i> , 2020 , 5, 2070005	6.8	2

76	A Chip-Scale Oscillation-Mode Optomechanical Inertial Sensor Near the Thermodynamical Limits. <i>Laser and Photonics Reviews</i> , 2020 , 14, 1800329	8.3	11
75	Optimization of Large Antenna Arrays for Radiative Wireless Power Transfer 2020 ,		1
74	Broadband mid-infrared perfect absorber using fractal Gosper curve. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 105106	3	17
73	Wavevector and Frequency Multiplexing Performed by a Spin-Decoupled Multichannel Metasurface. <i>Advanced Materials Technologies</i> , 2020 , 5, 1900710	6.8	44
72	. <i>IEEE Access</i> , 2020 , 8, 189163-189178	3.5	3
71	Experimental investigations of wave-DSRR interactions in liquid-phase media. <i>Applied Physics Letters</i> , 2019 , 114, 144101	3.4	1
70	A Circularly Polarized Antenna Array with Gain Enhancement for Long-Range UHF RFID Systems. <i>Electronics (Switzerland)</i> , 2019 , 8, 400	2.6	9
69	38-GHz SIW filter based on the stepped-impedance face-to-face E-shaped DGSs for 5G application. <i>Microwave and Optical Technology Letters</i> , 2019 , 61, 1500-1504	1.2	2
68	A Compact High-Efficiency Watt-Level Microwave Rectifier With a Novel Harmonic Termination Network. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 418-420	2.6	14
67	Low-Cost Air Gap Metasurface Structure for High Absorption Efficiency Energy Harvesting. <i>International Journal of Antennas and Propagation</i> , 2019 , 2019, 1-8	1.2	6
66	Fast and Automatic RF Design Based on MATLAB-HFSS Control Applied on Magnetic Absorber with Metasurface 2019 ,		1
65	A High-Efficiency Inverse Class-F Microwave Rectifier for Wireless Power Transmission. <i>IEEE Microwave and Wireless Components Letters</i> , 2019 , 29, 725-728	2.6	12
64	Broadband Metamaterial Absorbers. <i>Advanced Optical Materials</i> , 2019 , 7, 1800995	8.1	236
63	A Compact Broadband Cross-Shaped Circularly Polarized Planar Monopole Antenna With a Ground Plane Extension. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2018 , 17, 335-338	3.8	45
62	A CPW-fed broadband quasi-Yagi antenna with low cross-polarization performance. <i>AEU - International Journal of Electronics and Communications</i> , 2018 , 83, 188-192	2.8	7
61	Nonlinear coupling states study of electromagnetic force actuated plasmonic nonlinear metamaterials. <i>Optics Express</i> , 2018 , 26, 3211-3220	3.3	7
60	Metamaterial perfect absorber with unabated size-independent absorption. <i>Optics Express</i> , 2018 , 26, 20471-20480	3.3	42
59	Propagation range enhancement of truncated airy beam with antenna array at microwave frequencies 2018 ,		4

58	Spatial Correlation Models of Large-Scale Antenna Topologies Using Maximum Power of Offset Distribution and its Application. <i>IEEE Access</i> , 2018 , 6, 36295-36304	3.5	6
57	Low-Profile Ultra-Broadband Log-Period Monopole End-Fire Antenna. <i>International Journal of Antennas and Propagation</i> , 2018 , 2018, 1-8	1.2	1
56	Tri-band planar monopole antenna with two circularly polarised bandwidths for WiMAX applications. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 2350-2355	1.6	4
55	High Efficiency Electromagnetic Energy Harvesting with Metasurface 2018 ,		2
54	Chirality-Assisted High-Efficiency Metasurfaces with Independent Control of Phase, Amplitude, and Polarization. <i>Advanced Optical Materials</i> , 2018 , 7, 1801479	8.1	87
53	Dynamics Analysis of a Pair of Ring Resonators in Liquid Media. <i>Physical Review Applied</i> , 2018 , 10,	4.3	5
52	Compact Wideband CPW-Fed Meandered-Slot Antenna With Slotted Y-Shaped Central Element for Wi-Fi, WiMAX, and 5G Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 7395-7399	4.9	23
51	Compact UHF RFID Tag Antenna for Application of Domestic Animals Management 2018 ,		2
50	A Compact Broadband Circularly Polarized Slot Antenna With Two Linked Rectangular Slots and an Inverted-F Feed Line. <i>IEEE Transactions on Antennas and Propagation</i> , 2018 , 66, 7374-7377	4.9	17
49	CPW slot antenna with Y-shaped central monopole and matching arms. <i>International Journal of Microwave and Wireless Technologies</i> , 2018 , 10, 1166-1174	0.8	1
48	Wideband high gain circularly polarized UHF RFID reader microstrip antenna and array. <i>AEU - International Journal of Electronics and Communications</i> , 2017 , 77, 76-81	2.8	6
47	Mesoscopic chaos mediated by Drude electron-hole plasma in silicon optomechanical oscillators. <i>Nature Communications</i> , 2017 , 8, 15570	17.4	27
46	Wideband transition between rectangular waveguide and microstrip using asymmetric fin line probe. <i>Electronics Letters</i> , 2017 , 53, 490-492	1.1	2
45	Wideband SIW H-plane dual-ridged end-fire antenna for conformal application. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 286-292	1.2	3
44	Broadband circularly polarized square slot antenna with a G-shaped feedline. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 3055-3063	1.2	8
43	Synchronization in air-slot photonic crystal optomechanical oscillators. <i>Applied Physics Letters</i> , 2017 , 110, 111107	3.4	5
42	A low-frequency chip-scale optomechanical oscillator with 58 kHz mechanical stiffening and more than 100-order stable harmonics. <i>Scientific Reports</i> , 2017 , 7, 4383	4.9	3
41	Wideband cavity-backed log-periodic-slot end-fire antenna with vertical polarization for conformal application. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2017 , 27, e21067	1.5	2

40	Compact CP antenna based on resonant quadrifilar spiral structure for UHF RFID handheld reader 2017 ,		1
39	A compact and broadband CPW-fed folded-slot antenna for c-band application 2017 ,		1
38	Controllable optomechanical coupling and Drude self-pulsation plasma locking in chip-scale optomechanical cavities. <i>Optics Express</i> , 2017 , 25, 6851-6859	3.3	2
37	A chip-scale sub- μ /Hz ^{1/2} optomechanical DC accelerometer at the thermodynamical limit 2016 ,		2
36	Polarization conversion of metasurface for the application of wide band low-profile circular polarization slot antenna. <i>Applied Physics Letters</i> , 2016 , 109, 054101	3.4	83
35	Compact and high-selectivity microstrip bandpass filter using two-stage twist-modified asymmetric split-ring resonators. <i>Electronics Letters</i> , 2015 , 51, 635-637	1.1	12
34	Comparison Analysis of Single Loop Resonator Based Miniaturized Triple-Band Planar Monopole Antennas. <i>International Journal of Antennas and Propagation</i> , 2015 , 2015, 1-10	1.2	2
33	Compact Microstrip Bandpass Diplexer Based on Twist Revised Split Ring Resonators. <i>International Journal of Antennas and Propagation</i> , 2015 , 2015, 1-6	1.2	3
32	ULTRA-COMPACT METAMATERIAL ABSORBER WITH LOW-PERMITTIVITY DIELECTRIC SUBSTRATE. <i>Progress in Electromagnetics Research M</i> , 2015 , 41, 25-32	0.6	3
31	Numerical and theoretical analysis on the absorption properties of metasurface-based terahertz absorbers with different thicknesses. <i>Applied Optics</i> , 2015 , 54, 299-305	1.7	19
30	Low-index-metamaterial for gain enhancement of planar terahertz antenna. <i>AIP Advances</i> , 2014 , 4, 037103	0.3	30
29	An integrated low phase noise radiation-pressure-driven optomechanical oscillator chipset. <i>Scientific Reports</i> , 2014 , 4, 6842	4.9	31
28	Dual-Band Notch Filter Based on Twist Split Ring Resonators. <i>International Journal of Antennas and Propagation</i> , 2014 , 2014, 1-6	1.2	2
27	Ka-Band Slot-Microstrip-Covered and Waveguide-Cavity-Backed Monopulse Antenna Array. <i>International Journal of Antennas and Propagation</i> , 2014 , 2014, 1-5	1.2	1
26	Compact microstrip triplexer based on twist-modified asymmetric split-ring resonators. <i>Electronics Letters</i> , 2014 , 50, 1712-1713	1.1	11
25	Experimental demonstration of a magnetically tunable ferrite based metamaterial absorber. <i>Optics Express</i> , 2014 , 22, 16408-17	3.3	63
24	Systematical analysis for the mixed couplings of two adjacent modified split ring resonators and the application to compact microstrip bandpass filters. <i>AIP Advances</i> , 2014 , 4, 107119	1.5	8
23	Compact meander T-shaped monopole antenna for dual-band WLAN applications. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2013 , 23, 67-73	1.5	7

22	Tunable triple-band negative permeability metamaterial consisting of single-loop resonators and ferrite. <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 267-275	1.3	6
21	Wideband giant optical activity and negligible circular dichroism of near-infrared chiral metamaterial based on a complementary twisted configuration. <i>Journal of Optics (United Kingdom)</i> , 2013 , 15, 125101	1.7	24
20	Wide-angle and polarization-independent metamaterial absorber based on snowflake-shaped configuration. <i>Journal of Electromagnetic Waves and Applications</i> , 2013 , 27, 552-559	1.3	26
19	Gain enhancement for wide bandwidth endfire antenna with I-shaped resonator (ISR) structures. <i>Electronics Letters</i> , 2013 , 49, 736-737	1.1	21
18	Tunable band notch filters by manipulating couplings of split ring resonators. <i>Applied Optics</i> , 2013 , 52, 7517-22	1.7	5
17	Experimental study of absorption band controllable planar metamaterial absorber using asymmetrical snowflake-shaped configuration. <i>Journal of Optics (United Kingdom)</i> , 2013 , 15, 055104	1.7	14
16	Analysis of metamaterial absorber in normal and oblique incidence by using interference theory. <i>AIP Advances</i> , 2013 , 3, 102118	1.5	64
15	Multiband Negative Permittivity Metamaterials and Absorbers. <i>Advances in OptoElectronics</i> , 2013 , 2013, 1-7	0.5	2
14	Research of metamaterial absorbers and their rectangular waveguide matching terminal applications based on the electric resonators. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2013 , 62, 087801	0.6	1
13	Tunable dual-band ferrite-based metamaterials with dual negative refractions. <i>Applied Physics A: Materials Science and Processing</i> , 2012 , 106, 79-86	2.6	28
12	Hiding inside an arbitrarily shaped metal pit using homogeneous metamaterials. <i>Journal of Electromagnetic Waves and Applications</i> , 2012 , 26, 2315-2322	1.3	6
11	Configurable metamaterial absorber with pseudo wideband spectrum. <i>Optics Express</i> , 2012 , 20, 6616-2133	3.3	85
10	Compact CPW-fed planar monopole antenna with distinct triple bands for WiFi/WiMAX applications. <i>Electronics Letters</i> , 2012 , 48, 357	1.1	38
9	Dual-Band Negative Permittivity Metamaterial Based on Cross Circular Loop Resonator With Shorting Stubs. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012 , 11, 803-806	3.8	29
8	Design and Characterization of Tunable Terahertz Metamaterials With Broad Bandwidth and Low Loss. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2012 , 11, 264-267	3.8	12
7	Tunable Dual-Band Negative Refractive Index Metamaterial Consisting of Ferrites and SRR-Wires. <i>Procedia Engineering</i> , 2012 , 29, 797-801		
6	The Design and Applications of Tunable Metamaterials. <i>Procedia Engineering</i> , 2012 , 29, 802-807		5
5	Tunable broadband metamaterial absorber consisting of ferrite slabs and a copper wire. <i>Chinese Physics B</i> , 2012 , 21, 038501	1.2	39

4	WIDEBAND CIRCULARLY POLARIZED UHF RFID READER ANTENNA WITH HIGH GAIN AND WIDE AXIAL RATIO BEAMWIDTHS. <i>Progress in Electromagnetics Research</i> , 2012 , 129, 365-385	3.8	18
3	Single-/dual-band metamaterial absorber based on cross-circular-loop resonator with shorted stubs. <i>Applied Physics A: Materials Science and Processing</i> , 2012 , 108, 329-335	2.6	33
2	Metamaterial absorbers realized in an X-band rectangular waveguide. <i>Chinese Physics B</i> , 2012 , 21, 117801.2		7
1	Left handed metamaterial with $\epsilon = -\mu$ and $\epsilon = \mu$ and some applications 2009 ,		1