

# Hanna Lagström

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4822697/hanna-lagstrom-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76  
papers

2,486  
citations

28  
h-index

48  
g-index

82  
ext. papers

3,139  
ext. citations

6.2  
avg. IF

4.61  
L-index

#	Paper	IF	Citations
76	Diet quality in preschool children and associations with individual eating behavior and neighborhood socioeconomic disadvantage. The STEPS Study.. <i>Appetite</i> , <b>2022</b> , 172, 105950	4.5	0
75	Neighborhood Socioeconomic Disadvantage and Childhood Body Mass Index Trajectories From Birth to 7 Years of Age. <i>Epidemiology</i> , <b>2022</b> , 33, 121-130	3.1	3
74	Parental feeding practices and child eating behavior in different socioeconomic neighborhoods and their association with childhood weight. The STEPS study.. <i>Health and Place</i> , <b>2022</b> , 74, 102745	4.6	2
73	Changed health behavior improves subjective well-being and vice versa in a follow-up of 9 years.. <i>Health and Quality of Life Outcomes</i> , <b>2022</b> , 20, 66	3	0
72	Subjective well-being predicts health behavior in a population-based 9-years follow-up of working-aged Finns.. <i>Preventive Medicine Reports</i> , <b>2021</b> , 24, 101635	2.6	2
71	Health behavior of working-aged Finns predicts self-reported life satisfaction in a population-based 9-years follow-up. <i>BMC Public Health</i> , <b>2021</b> , 21, 1815	4.1	2
70	Longitudinal stability and interrelations between health behavior and subjective well-being in a follow-up of nine years. <i>PLoS ONE</i> , <b>2021</b> , 16, e0259280	3.7	2
69	Changes in body composition by age and obesity status in preschool-aged children: the STEPS study. <i>European Journal of Clinical Nutrition</i> , <b>2021</b> , 75, 57-65	5.2	2
68	Effects of Randomized Controlled Infancy-Onset Dietary Intervention on Leukocyte Telomere Length-The Special Turku Coronary Risk Factor Intervention Project (STRIP). <i>Nutrients</i> , <b>2021</b> , 13,	6.7	1
67	Achievement of the Targets of the 20-Year Infancy-Onset Dietary Intervention-Association with Metabolic Profile from Childhood to Adulthood. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	2
66	Neonatal antibiotic exposure impairs child growth during the first six years of life by perturbing intestinal microbial colonization. <i>Nature Communications</i> , <b>2021</b> , 12, 443	17.4	43
65	Effects of 20-year infancy-onset dietary counselling on cardiometabolic risk factors in the Special Turku Coronary Risk Factor Intervention Project (STRIP): 6-year post-intervention follow-up. <i>The Lancet Child and Adolescent Health</i> , <b>2020</b> , 4, 359-369	14.5	11
64	Sexually Dimorphic Associations between Maternal Factors and Human Milk Hormonal Concentrations. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	10
63	Motor Skills of 5-Year-Old Children: Gender Differences and Activity and Family Correlates. <i>Perceptual and Motor Skills</i> , <b>2020</b> , 127, 367-385	2.2	8
62	Diet quality as a predictor of cardiometabolic disease-free life expectancy: the Whitehall II cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> , 111, 787-794	7	17
61	Associations between human milk oligosaccharides and growth in infancy and early childhood. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> , 111, 769-778	7	47
60	Growth Factor Concentrations in Human Milk Are Associated With Infant Weight and BMI From Birth to 5 Years. <i>Frontiers in Nutrition</i> , <b>2020</b> , 7, 110	6.2	13

59	Attainment of Targets of the 20-Year Infancy-Onset Dietary Intervention and Blood Pressure Across Childhood and Young Adulthood: The Special Turku Coronary Risk Factor Intervention Project (STRIP). <i>Hypertension</i> , <b>2020</b> , 76, 1572-1579	8.5	0
58	Neighbourhood characteristics as a predictor of adherence to dietary recommendations: A population-based cohort study of Finnish adults. <i>Scandinavian Journal of Public Health</i> , <b>2020</b> , 1403494820971497	2.9	17
57	Temperament profiles are associated with dietary behavior from childhood to adulthood. <i>Appetite</i> , <b>2020</b> , 151, 104681	4.5	1
56	Dietary Fats and Atherosclerosis From Childhood to Adulthood. <i>Pediatrics</i> , <b>2020</b> , 145,	7.4	2
55	Association of Gestational Weight Gain With Adverse Maternal and Infant Outcomes. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 1702-1715	27.4	176
54	Maternal body mass index, gestational weight gain, and the risk of overweight and obesity across childhood: An individual participant data meta-analysis. <i>PLoS Medicine</i> , <b>2019</b> , 16, e1002744	11.6	152
53	Maternal influences on the glucocorticoid concentrations of human milk: The STEPS study. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 1913-1920	5.9	10
52	Neighborhood socioeconomic status and adherence to dietary recommendations among Finnish adults: A retrospective follow-up study. <i>Health and Place</i> , <b>2019</b> , 55, 43-50	4.6	15
51	Longitudinal effect of 20-year infancy-onset dietary intervention on food consumption and nutrient intake: the randomized controlled STRIP study. <i>European Journal of Clinical Nutrition</i> , <b>2019</b> , 73, 937-949	5.2	8
50	Effect of Dietary Counseling on a Comprehensive Metabolic Profile from Childhood to Adulthood. <i>Journal of Pediatrics</i> , <b>2018</b> , 195, 190-198.e3	3.6	10
49	Genetic variation in the TAS2R38 bitter taste receptor and overweight among adults in Southwest Finland. <i>Nutrition and Food Science</i> , <b>2018</b> , 48, 88-96	1.5	
48	Success in Achieving the Targets of the 20-Year Infancy-Onset Dietary Intervention: Association With Insulin Sensitivity and Serum Lipids. <i>Diabetes Care</i> , <b>2018</b> , 41, 2236-2244	14.6	19
47	Motor skills in association with physical activity, sedentary time, body fat, and day care attendance in 5-6-year-old children-The STEPS Study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , <b>2018</b> , 28, 2668-2676	4.6	20
46	Human Milk Oligosaccharides: 2'-Fucosyllactose (2'-FL) and Lacto-N-Neotetraose (LNnT) in Infant Formula. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	124
45	Gestational weight gain charts for different body mass index groups for women in Europe, North America, and Oceania. <i>BMC Medicine</i> , <b>2018</b> , 16, 201	11.4	45
44	Influence of maternal obesity on the association between common pregnancy complications and risk of childhood obesity: an individual participant data meta-analysis. <i>The Lancet Child and Adolescent Health</i> , <b>2018</b> , 2, 812-821	14.5	45
43	Composition of School Meals in Sweden, Finland, and Iceland: Official Guidelines and Comparison With Practice and Availability. <i>Journal of School Health</i> , <b>2018</b> , 88, 744-753	2.1	5
42	Factors associated with objectively measured physical activity and sedentary time of 58-year-old children in the STEPS Study. <i>Early Child Development and Care</i> , <b>2017</b> , 187, 1863-1873	0.9	9

41	Nordic children's conceptualizations of healthy eating in relation to school lunch. <i>Health Education</i> , <b>2017</b> , 117, 130-147	1	6
40	The Effect of Schooling on Basic Cognition in Selected Nordic Countries. <i>Europe's Journal of Psychology</i> , <b>2017</b> , 13, 645-666	1.3	3
39	Longitudinal child-oriented dietary intervention: Association with parental diet and cardio-metabolic risk factors. The Special Turku Coronary Risk Factor Intervention Project. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 1779-1787	3.9	7
38	Pleasantness, familiarity, and identification of spice odors are interrelated and enhanced by consumption of herbs and food neophilia. <i>Appetite</i> , <b>2017</b> , 109, 190-200	4.5	21
37	The factors associated with toddlers' screen time change in the STEPS Study: A two-year follow-up. <i>Preventive Medicine</i> , <b>2016</b> , 84, 27-33	4.3	10
36	School meal provision, health, and cognitive function in a Nordic setting - the ProMeal-study: description of methodology and the Nordic context. <i>Food and Nutrition Research</i> , <b>2016</b> , 60, 30468	3.1	8
35	Initiation and exclusivity of breastfeeding: association with mothers' and fathers' prenatal and postnatal depression and marital distress. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , <b>2016</b> , 95, 396-404	3.8	22
34	Future for food education of children. <i>Futures</i> , <b>2016</b> , 83, 15-23	3.6	14
33	High sucrose intake at 3 years of age is associated with increased salivary counts of mutans streptococci and lactobacilli, and with increased caries rate from 3 to 16 years of age. <i>Caries Research</i> , <b>2015</b> , 49, 125-32	4.2	19
32	Psychological wellbeing in 20-year-old adults receiving repeated lifestyle counselling since infancy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , <b>2015</b> , 104, 815-22	3.1	3
31	Mothers' restrictive eating and food neophobia and fathers' dietary quality are associated with breast-feeding duration and introduction of solid foods: the STEPS study. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 1991-2000	3.3	5
30	Food neophobia associates with lower dietary quality and higher BMI in Finnish adults. <i>Public Health Nutrition</i> , <b>2015</b> , 18, 2161-71	3.3	49
29	Association of Adiponectin with Adolescent Cardiovascular Health in a Dietary Intervention Study. <i>Journal of Pediatrics</i> , <b>2015</b> , 167, 353-60.e1	3.6	12
28	Metabolic syndrome from adolescence to early adulthood: effect of infancy-onset dietary counseling of low saturated fat: the Special Turku Coronary Risk Factor Intervention Project (STRIP). <i>Circulation</i> , <b>2015</b> , 131, 605-13	16.7	52
27	Tandem mass spectrometric analysis of human milk triacylglycerols from normal weight and overweight mothers on different diets. <i>Food Chemistry</i> , <b>2014</b> , 146, 583-90	8.5	36
26	The STRIP Study: Long-Term Impact of a Low Saturated Fat/Low Cholesterol Diet. <i>Current Cardiovascular Risk Reports</i> , <b>2014</b> , 8, 1	0.9	9
25	Breast milk fatty acid composition differs between overweight and normal weight women: the STEPS Study. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 727-35	5.2	59
24	Response to the letter to the editor "Indices of insulin sensitivity and resistance: adequate logarithmic transformation are needed to keep mathematical equivalence" by Tomoyuki Kawada. <i>Early Human Development</i> , <b>2013</b> , 89, 517	2.2	1

23	Hyperglycemia and lower diet quality in pregnant overweight women and increased infant size at birth and at 13 months of age--STEPS study. <i>Early Human Development</i> , <b>2013</b> , 89, 439-44	2.2	6
22	Breastfeeding, introduction of other foods and effects on health: a systematic literature review for the 5th Nordic Nutrition Recommendations. <i>Food and Nutrition Research</i> , <b>2013</b> , 57,	3.1	83
21	Body mass index, fitness and physical activity from childhood through adolescence. <i>British Journal of Sports Medicine</i> , <b>2013</b> , 47, 71-7	10.3	36
20	Infancy-onset dietary counseling of low-saturated-fat diet improves insulin sensitivity in healthy adolescents 15-20 years of age: the Special Turku Coronary Risk Factor Intervention Project (STRIP) study. <i>Diabetes Care</i> , <b>2013</b> , 36, 2952-9	14.6	28
19	Ideal cardiovascular health in adolescence: effect of lifestyle intervention and association with vascular intima-media thickness and elasticity (the Special Turku Coronary Risk Factor Intervention Project for Children [STRIP] study). <i>Circulation</i> , <b>2013</b> , 127, 2088-96	16.7	110
18	Cohort profile: Steps to the healthy development and well-being of children (the STEPS Study). <i>International Journal of Epidemiology</i> , <b>2013</b> , 42, 1273-84	7.8	79
17	Protein intake from 0 to 18 years of age and its relation to health: a systematic literature review for the 5th Nordic Nutrition Recommendations. <i>Food and Nutrition Research</i> , <b>2013</b> , 57,	3.1	89
16	The Weighty Matter intervention: a family-centered way to tackle an overweight childhood. <i>Journal of Community Health Nursing</i> , <b>2012</b> , 29, 39-52	1	6
15	Clustered metabolic risk and leisure-time physical activity in adolescents: effect of dose?. <i>British Journal of Sports Medicine</i> , <b>2012</b> , 46, 131-7	10.3	23
14	Effect of repeated dietary counseling on serum lipoproteins from infancy to adulthood. <i>Pediatrics</i> , <b>2012</b> , 129, e704-13	7.4	46
13	Parental eating attitudes and indicators of healthy eating in a longitudinal randomized dietary intervention trial (the STRIP study). <i>Public Health Nutrition</i> , <b>2011</b> , 14, 2065-73	3.3	12
12	Construction and evaluation of a self-contained index for assessment of diet quality. <i>Scandinavian Journal of Public Health</i> , <b>2010</b> , 38, 794-802	3	32
11	Cohort Profile: the STRIP Study (Special Turku Coronary Risk Factor Intervention Project), an Infancy-onset Dietary and Life-style Intervention Trial. <i>International Journal of Epidemiology</i> , <b>2009</b> , 38, 650-5	7.8	72
10	FTO genotype is associated with body mass index after the age of seven years but not with energy intake or leisure-time physical activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 1281-7	5.6	128
9	Blood pressure is lower in children and adolescents with a low-saturated-fat diet since infancy: the special turku coronary risk factor intervention project. <i>Hypertension</i> , <b>2009</b> , 53, 918-24	8.5	75
8	Vascular endothelial function and leisure-time physical activity in adolescents. <i>Circulation</i> , <b>2008</b> , 118, 2353-9	16.7	57
7	Growth patterns and obesity development in overweight or normal-weight 13-year-old adolescents: the STRIP study. <i>Pediatrics</i> , <b>2008</b> , 122, e876-83	7.4	52
6	Impact of repeated dietary counseling between infancy and 14 years of age on dietary intakes and serum lipids and lipoproteins: the STRIP study. <i>Circulation</i> , <b>2007</b> , 116, 1032-40	16.7	132

5	Serum cholesterol-lowering efficacy of stanol ester incorporated in gelatin capsules. <i>Food Nutrition Research</i> , <b>2006</b> , 50, 124-130		9
4	Endothelial function in healthy 11-year-old children after dietary intervention with onset in infancy: the Special Turku Coronary Risk Factor Intervention Project for children (STRIP). <i>Circulation</i> , <b>2005</b> , 112, 3786-94	16.7	84
3	A randomized intervention since infancy to reduce intake of saturated fat: calorie (energy) and nutrient intakes up to the age of 10 years in the Special Turku Coronary Risk Factor Intervention Project. <i>JAMA Pediatrics</i> , <b>2004</b> , 158, 41-7		68
2	Influence of dietary fat on the nutrient intake and growth of children from 1 to 5 y of age: the Special Turku Coronary Risk Factor Intervention Project. <i>American Journal of Clinical Nutrition</i> , <b>1999</b> , 69, 516-23	7	50
1	Nutrient intakes by young children in a prospective randomized trial of a low-saturated fat, low-cholesterol diet. The STRIP Baby Project. Special Turku Coronary Risk Factor Intervention Project for Babies. <i>JAMA Pediatrics</i> , <b>1997</b> , 151, 181-8		66