

K-Q Shi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4823041/k-q-shi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137
papers

2,444
citations

26
h-index

42
g-index

144
ext. papers

3,105
ext. citations

5.3
avg, IF

4.99
L-index

#	Paper	IF	Citations
137	Quantitative metabolic analysis of plasma extracellular vesicles for the diagnosis of severe acute pancreatitis.. <i>Journal of Nanobiotechnology</i> , 2022 , 20, 52	9.4	2
136	Hierarchical magnetic nanoparticles for highly effective capture of small extracellular vesicles.. <i>Journal of Colloid and Interface Science</i> , 2022 , 615, 408-416	9.3	0
135	Linearly shifting ferromagnetic resonance response of LaSrMnO thin film for body temperature sensors.. <i>Frontiers of Materials Science</i> , 2022 , 16, 220589	2.5	
134	Strain-Induced Magnetoelectric Coupling in FeO/BaTiO Nanopillar Composites.. <i>ACS Applied Materials & Interfaces</i> , 2022 ,	9.5	2
133	Suppressing Magnetic Damping Related to Two-Magnon Scattering in Ultrathin NiFe Films by Interface Engineering. <i>Journal of Physical Chemistry C</i> , 2022 , 126, 7748-7754	3.8	1
132	Accurate prediction of acute pancreatitis severity with integrative blood molecular measurements. <i>Aging</i> , 2021 , 13, 8817-8834	5.6	1
131	PINK1/PARK2 dependent mitophagy effectively suppresses NLRP3 inflammasome to alleviate acute pancreatitis. <i>Free Radical Biology and Medicine</i> , 2021 , 166, 147-164	7.8	1
130	Porous hydrogel arrays for hepatoma cell spheroid formation and drug resistance investigation. <i>Bio-Design and Manufacturing</i> , 2021 , 4, 842-850	4.7	3
129	ACOT4 accumulation via AKT-mediated phosphorylation promotes pancreatic tumourigenesis. <i>Cancer Letters</i> , 2021 , 498, 19-30	9.9	3
128	Deep dive on the proteome of salivary extracellular vesicles: comparison between ultracentrifugation and polymer-based precipitation isolation. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 365-375	4.4	8
127	Pollens derived magnetic porous particles for adsorption of low-density lipoprotein from plasma. <i>Bioactive Materials</i> , 2021 , 6, 1555-1562	16.7	6
126	Development and validation of the trans-omics model for pancreatic adenocarcinoma. <i>Epigenomics</i> , 2021 , 13, 15-30	4.4	0
125	A signature of 13 autophagy-related gene pairs predicts prognosis in hepatocellular carcinoma. <i>Bioengineered</i> , 2021 , 12, 697-707	5.7	8
124	Long non-coding RNA-based signature for predicting prognosis of hepatocellular carcinoma. <i>Bioengineered</i> , 2021 , 12, 673-681	5.7	1
123	Thalidomide combined with short-term low-dose glucocorticoid therapy for the treatment of severe COVID-19: A case-series study. <i>International Journal of Infectious Diseases</i> , 2021 , 103, 507-513	10.5	13
122	Microfluidic 3D Printing Responsive Scaffolds with Biomimetic Enrichment Channels for Bone Regeneration. <i>Advanced Functional Materials</i> , 2021 , 31, 2105190	15.6	13
121	AICAR, an AMP-Activated Protein Kinase Activator, Ameliorates Acute Pancreatitis-Associated Liver Injury Partially Through Nrf2-Mediated Antioxidant Effects and Inhibition of NLRP3 Inflammasome Activation. <i>Frontiers in Pharmacology</i> , 2021 , 12, 724514	5.6	4

120	An immunogenomic signature for molecular classification in hepatocellular carcinoma. <i>Molecular Therapy - Nucleic Acids</i> , 2021 , 25, 105-115	10.7	0
119	A Nomogram Integrating Ferroptosis- and Immune-Related Biomarkers for Prediction of Overall Survival in Lung Adenocarcinoma. <i>Frontiers in Genetics</i> , 2021 , 12, 706814	4.5	2
118	Sulfarotene, a synthetic retinoid, overcomes stemness and sorafenib resistance of hepatocellular carcinoma via suppressing SOS2-RAS pathway. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 280	12.8	2
117	Aptamer-decorated porous microneedles arrays for extraction and detection of skin interstitial fluid biomarkers. <i>Biosensors and Bioelectronics</i> , 2021 , 190, 113404	11.8	6
116	Multifunctional Composite Inverse Opal Film with Multiactives for Wound Healing. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 4567-4573	9.5	13
115	Accurate prediction of acute pancreatitis severity based on genome-wide cell free DNA methylation profiles.. <i>Clinical Epigenetics</i> , 2021 , 13, 223	7.7	0
114	Identification of a competing endogenous RNA network associated with prognosis of pancreatic adenocarcinoma. <i>Cancer Cell International</i> , 2020 , 20, 231	6.4	13
113	Thalidomide combined with low-dose short-term glucocorticoid in the treatment of critical Coronavirus Disease 2019. <i>Clinical and Translational Medicine</i> , 2020 , 10, e35	5.7	24
112	Stabilization of HIF-1 α alleviates osteoarthritis via enhancing mitophagy. <i>Cell Death and Disease</i> , 2020 , 11, 481	9.8	30
111	Extract Polysaccharide H-1-2 Suppresses Pancreatic Cancer by Inhibiting Hypoxia-Induced AG2. <i>Molecular Therapy - Oncolytics</i> , 2020 , 17, 61-69	6.4	1
110	Nanoliter-scale next-generation sequencing library-mediated high-throughput 16S rRNA microbial community profiling. <i>BioTechniques</i> , 2020 , 68, 204-210	2.5	0
109	Screening and verification of microRNA promoter methylation sites in hepatocellular carcinoma. <i>Journal of Cellular Biochemistry</i> , 2020 , 121, 3626-3641	4.7	3
108	Cocaine detection using aptamer and molybdenum disulfide-gold nanoparticle-based sensors. <i>Nanomedicine</i> , 2020 , 15, 325-335	5.6	5
107	A novel genomic-clinicopathologic nomogram to improve prognosis prediction of hepatocellular carcinoma. <i>Clinica Chimica Acta</i> , 2020 , 504, 88-97	6.2	9
106	A novel molecular-clinicopathologic nomogram to improve prognosis prediction of hepatocellular carcinoma. <i>Aging</i> , 2020 , 12, 12896-12920	5.6	3
105	Bio-inspired multiple composite film with anisotropic surface wettability and adhesion for tissue repair. <i>Chemical Engineering Journal</i> , 2020 , 398, 125563	14.7	13
104	Stomatocyte structural color-barcode micromotors for multiplex assays. <i>National Science Review</i> , 2020 , 7, 644-651	10.8	24
103	The chances of hepatic resection curing hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2020 , 72, 711-714	15.4	15

102	STRAP as a New Therapeutic Target for Poor Prognosis of Pancreatic Ductal Adenocarcinoma Patients Mainly Caused by Mutation. <i>Frontiers in Oncology</i> , 2020 , 10, 594224	5.3	2
101	Screening and verification of long noncoding RNA promoter methylation sites in hepatocellular carcinoma. <i>Cancer Cell International</i> , 2020 , 20, 311	6.4	5
100	Highly sensitive detection of carcinoembryonic antigen using copper-free click chemistry on the surface of azide cofunctionalized graphene oxide. <i>Analytica Chimica Acta</i> , 2020 , 1127, 156-162	6.6	9
99	Flexible CoFeB/Silk Films for Biocompatible RF/Microwave Applications. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 51654-51661	9.5	3
98	The DNA methylation profile of non-coding RNAs improves prognosis prediction for pancreatic adenocarcinoma. <i>Cancer Cell International</i> , 2019 , 19, 107	6.4	9
97	NRAL mediates cisplatin resistance in hepatocellular carcinoma via miR-340-5p/Nrf2 axis. <i>Journal of Cell Communication and Signaling</i> , 2019 , 13, 99-112	5.2	28
96	Reply to: Comments on "Nomograms based on inflammatory biomarkers for predicting tumor grade and micro-vascular invasion in stage I/II hepatocellular carcinoma". <i>Bioscience Reports</i> , 2019 , 39,	4.1	
95	Expression of the Wnt ligands gene family and its relationship to prognosis in hepatocellular carcinoma. <i>Cancer Cell International</i> , 2019 , 19, 34	6.4	8
94	Natural Killer Cell-Derived Exosomal miR-3607-3p Inhibits Pancreatic Cancer Progression by Targeting IL-26. <i>Frontiers in Immunology</i> , 2019 , 10, 2819	8.4	29
93	DPP4 Inhibitor Attenuates Severe Acute Pancreatitis-Associated Intestinal Inflammation via Nrf2 Signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 6181754	6.7	11
92	Lipoxin A4 Ameliorates Acute Pancreatitis-Associated Acute Lung Injury through the Antioxidative and Anti-Inflammatory Effects of the Nrf2 Pathway. <i>Oxidative Medicine and Cellular Longevity</i> , 2019 , 2019, 2197017	6.7	17
91	TRIM24 promotes hepatocellular carcinoma progression via AMPK signaling. <i>Experimental Cell Research</i> , 2018 , 367, 274-281	4.2	11
90	The Combined Effect of Nonalcoholic Fatty Liver Disease and Metabolic Syndrome on Osteoporosis in Postmenopausal Females in Eastern China. <i>International Journal of Endocrinology</i> , 2018 , 2018, 2314769	3.7	10
89	A nomogram integrating hepatic reserve and tumor characteristics for hepatocellular carcinoma following curative liver resection. <i>Clinica Chimica Acta</i> , 2018 , 485, 187-194	6.2	9
88	Nomograms based on inflammatory biomarkers for predicting tumor grade and micro-vascular invasion in stage I/II hepatocellular carcinoma. <i>Bioscience Reports</i> , 2018 , 38,	4.1	19
87	Inhibition of mRNA Expression Slows Down the Proliferation Rate of Prostate Cancer Cells That Have Transited to Androgen Independence. <i>Journal of Cancer</i> , 2018 , 9, 3620-3625	4.5	2
86	Development of pre and post-operative models to predict early recurrence of hepatocellular carcinoma after surgical resection. <i>Journal of Hepatology</i> , 2018 , 69, 1284-1293	13.4	183
85	Serum alkaline phosphatase, a risk factor for non-alcoholic fatty liver, but only for women in their 30s and 40s: evidence from a large cohort study. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 269-276	4.2	8

84	Neutrophil-lymphocyte ratio predicts hospital-acquired bacterial infections in decompensated cirrhosis. <i>Clinica Chimica Acta</i> , 2017 , 469, 201-207	6.2	15
83	A diagnostic algorithm for assessment of liver fibrosis by liver stiffness measurement in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 1005-1015	3.4	21
82	Scoring model to predict outcome in critically ill cirrhotic patients with acute respiratory failure: comparison with MELD scoring models and CLIF-SOFA score. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 857-864	4.2	2
81	A microRNA expression profile for vascular invasion can predict overall survival in hepatocellular carcinoma. <i>Clinica Chimica Acta</i> , 2017 , 469, 171-179	6.2	12
80	A nomogram for predicting prognostic value of inflammatory response biomarkers in decompensated cirrhotic patients without acute-on-chronic liver failure. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 1413-1426	6.1	39
79	A MELD-based nomogram for predicting 3-month mortality of patients with acute-on-chronic hepatitis B liver failure. <i>Clinica Chimica Acta</i> , 2017 , 468, 195-200	6.2	9
78	Nucleos(t)ide analogues for preventing HBV reactivation in immunosuppressed patients with hematological malignancies: a network meta-analysis. <i>Expert Review of Anti-Infective Therapy</i> , 2017 , 15, 503-513	5.5	14
77	A nomogram based on preoperative inflammatory markers predicting the overall survival of pancreatic ductal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1394-1402	4	23
76	NAFL screening score: A basic score identifying ultrasound-diagnosed non-alcoholic fatty liver. <i>Clinica Chimica Acta</i> , 2017 , 475, 44-50	6.2	5
75	Comparison of prognostic, clinical, and renal histopathological characteristics of overlapping idiopathic membranous nephropathy and IgA nephropathy versus idiopathic membranous nephropathy. <i>Scientific Reports</i> , 2017 , 7, 11468	4.9	12
74	Letter: there is something about the Neutrophil-to-Lymphocyte ratio (NLR) Authors Reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 475-476	6.1	
73	Four-year entecavir therapy reduces hepatocellular carcinoma, cirrhotic events and mortality in chronic hepatitis B patients. <i>Liver International</i> , 2017 , 37, 309-310	7.9	2
72	Real life Egyptian experience of efficacy and safety of Simeprevir/Sofosbuvir therapy in HCV genotype IV infected patients. <i>Liver International</i> , 2017 , 37, 765	7.9	0
71	Development and validation of a prognostic nomogram for acute-on-chronic hepatitis B liver failure. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 497-505	4	13
70	Classification and regression tree analysis of acute-on-chronic hepatitis B liver failure: Seeing the forest for the trees. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 132-140	3.4	13
69	AKI-CLIF-SOFA: a novel prognostic score for critically ill cirrhotic patients with acute kidney injury. <i>Aging</i> , 2017 , 9, 286-296	5.6	7
68	Stratified Platelet-to-lymphocyte Ratio: A Novel Target for Prognostic Prediction of Hepatocellular Carcinoma after Curative Liver Resection. <i>Journal of Clinical and Translational Hepatology</i> , 2017 , 5, 35-42 ^{5.2}		3
67	Serum uric acid: a new therapeutic target for nonalcoholic fatty liver disease. <i>Expert Opinion on Therapeutic Targets</i> , 2016 , 20, 375-87	6.4	16

66	Ten-year follow-up analysis of chronic hepatitis C patients after getting sustained virological response to pegylated interferon- α and ribavirin therapy. <i>Journal of Viral Hepatitis</i> , 2016 , 23, 971-976	3.4	9
65	Prognostic value of DNA repair based stratification of hepatocellular carcinoma. <i>Scientific Reports</i> , 2016 , 6, 25999	4.9	19
64	The role of lncRNAs in hepatocellular carcinoma: opportunities as novel targets for pharmacological intervention. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 331-40	4.2	16
63	Dicer interacts with SIRT7 and regulates H3K18 deacetylation in response to DNA damaging agents. <i>Nucleic Acids Research</i> , 2016 , 44, 3629-42	20.1	40
62	MiR-122 Reverses the Doxorubicin-Resistance in Hepatocellular Carcinoma Cells through Regulating the Tumor Metabolism. <i>PLoS ONE</i> , 2016 , 11, e0152090	3.7	53
61	National incidence of autoimmune liver diseases and its relationship with the human development index. <i>Oncotarget</i> , 2016 , 7, 46273-46282	3.3	7
60	Increased levels of low-density lipoprotein cholesterol within the normal range as a risk factor for nonalcoholic fatty liver disease. <i>Oncotarget</i> , 2016 , 7, 5728-37	3.3	25
59	Systematic review with network meta-analysis: Comparative efficacy of oral nucleos(t)ide analogues for the prevention of chemotherapy-induced hepatitis B virus reactivation. <i>Oncotarget</i> , 2016 , 7, 30642-58	3.3	40
58	Systematic Review and Network Meta-Analysis of Randomized Controlled Trials: Comparative Effectiveness and Safety of Direct-Acting Antiviral Agents for Treatment-Naive Hepatitis C Genotype 1. <i>Medicine (United States)</i> , 2016 , 95, e3004	1.8	22
57	Association of low-density lipoprotein cholesterol within the normal range and NAFLD in the non-obese Chinese population: a cross-sectional and longitudinal study. <i>BMJ Open</i> , 2016 , 6, e013781	3	26
56	Systematic review with network meta-analysis: the comparative effectiveness and safety of interventions in patients with overt hepatic encephalopathy. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 41, 624-35	6.1	57
55	Network meta-analysis of randomized controlled trials: efficacy and safety of UDCA-based therapies in primary biliary cirrhosis. <i>Medicine (United States)</i> , 2015 , 94, e609	1.8	16
54	Nonalcoholic fatty liver disease: a negative risk factor for colorectal cancer prognosis. <i>Medicine (United States)</i> , 2015 , 94, e479	1.8	15
53	Systematic review with network meta-analysis: adjuvant chemotherapy for resected colorectal liver metastases. <i>Medicine (United States)</i> , 2015 , 94, e379	1.8	8
52	Autophagy in ethanol-exposed liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1031-7	4.2	8
51	Skin lesion in a critically ill man. <i>BMJ, The</i> , 2015 , 351, h4570	5.9	3
50	Increased levels of systolic blood pressure within the normal range are associated with significantly elevated risks of nonalcoholic fatty liver disease. <i>Medicine (United States)</i> , 2015 , 94, e842	1.8	22
49	Optimal adjuvant therapy for resected hepatocellular carcinoma: a systematic review with network meta-analysis. <i>Oncotarget</i> , 2015 , 6, 18151-61	3.3	33

48	Establishment and Validation of SSCLIP Scoring System to Estimate Survival in Hepatocellular Carcinoma Patients Who Received Curative Liver Resection. <i>PLoS ONE</i> , 2015 , 10, e0129000	3.7	10
47	Hepatocellular carcinoma associated microRNA expression signature: integrated bioinformatics analysis, experimental validation and clinical significance. <i>Oncotarget</i> , 2015 , 6, 25093-108	3.3	81
46	Clinical value of integrated-signature miRNAs in colorectal cancer: miRNA expression profiling analysis and experimental validation. <i>Oncotarget</i> , 2015 , 6, 37544-56	3.3	53
45	Establishment and validation of ALPH-Q score to predict mortality risk in patients with acute-on-chronic hepatitis B liver failure: a prospective cohort study. <i>Medicine (United States)</i> , 2015 , 94, e403	1.8	15
44	Association between sex-specific serum uric acid and non-alcoholic fatty liver disease in Chinese adults: a large population-based study. <i>Medicine (United States)</i> , 2015 , 94, e802	1.8	40
43	Combined AFP-CRUT with microvascular invasion accurately predicts mortality risk in patients with hepatocellular carcinoma following curative liver resection. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1127-38	4.2	2
42	Targeting fibroblast growth factor 19 in liver disease: a potential biomarker and therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 675-85	6.4	19
41	Metabolic syndrome contributes to an increased recurrence risk of non-metastatic colorectal cancer. <i>Oncotarget</i> , 2015 , 6, 19880-90	3.3	32
40	Optimal drug regimens for primary biliary cirrhosis: a systematic review and network meta-analysis. <i>Oncotarget</i> , 2015 , 6, 24533-49	3.3	10
39	Conditional survival estimate of acute-on-chronic hepatitis B liver failure: a dynamic prediction based on a multicenter cohort. <i>Oncotarget</i> , 2015 , 6, 23261-71	3.3	12
38	A network meta-analysis of the efficacy and side effects of UDCA-based therapies for primary sclerosing cholangitis. <i>Oncotarget</i> , 2015 , 6, 26757-69	3.3	20
37	Systematic review with network meta-analysis: adjuvant therapy for resected biliary tract cancer. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 759-70	6.1	26
36	Controlled attenuation parameter for the detection of steatosis severity in chronic liver disease: a meta-analysis of diagnostic accuracy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1149-58	4	98
35	Increased risk of colorectal malignant neoplasm in patients with nonalcoholic fatty liver disease: a large study. <i>Molecular Biology Reports</i> , 2014 , 41, 2989-97	2.8	46
34	Non-alcoholic fatty liver disease and risk of in-stent restenosis after bare metal stenting in native coronary arteries. <i>Molecular Biology Reports</i> , 2014 , 41, 4713-20	2.8	4
33	Hepatitis B surface antigen inhibits MICA and MICB expression via induction of cellular miRNAs in hepatocellular carcinoma cells. <i>Carcinogenesis</i> , 2014 , 35, 155-63	4.6	28
32	Factors associated with efficacy of pegylated interferon- β plus ribavirin for chronic hepatitis C after renal transplantation. <i>Gene</i> , 2014 , 544, 101-6	3.8	3
31	MicroRNA-581 promotes hepatitis B virus surface antigen expression by targeting Dicer and EDEM1. <i>Carcinogenesis</i> , 2014 , 35, 2127-33	4.6	21

30	The role of fibroblast growth factor 21 in the pathogenesis of liver disease: a novel predictor and therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2014 , 18, 1305-13	6.4	21
29	Scoring systems predict the prognosis of acute-on-chronic hepatitis B liver failure: an evidence-based review. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 623-32	4.2	12
28	Association between a lumican promoter polymorphism and high myopia in the Chinese population: a meta-analysis of case-control studies. <i>Ophthalmologica</i> , 2014 , 232, 110-7	3.7	5
27	Artificial neural network accurately predicts hepatitis B surface antigen seroclearance. <i>PLoS ONE</i> , 2014 , 9, e99422	3.7	7
26	Association between a polymorphism in miR-34b/c and susceptibility to cancer--a meta-analysis. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 7251-5	1.7	8
25	Relationship between IL-10 gene -1082A/G and -592C/A polymorphisms and the risk of hepatitis C infection: a meta-analysis. <i>Journal of Viral Hepatitis</i> , 2013 , 20, 602-11	3.4	10
24	A new strategy for treatment of liver fibrosis: letting MicroRNAs do the job. <i>BioDrugs</i> , 2013 , 27, 25-34	7.9	24
23	Transient elastography: a meta-analysis of diagnostic accuracy in evaluation of portal hypertension in chronic liver disease. <i>Liver International</i> , 2013 , 33, 62-71	7.9	140
22	A model to predict 3-month mortality risk of acute-on-chronic hepatitis B liver failure using artificial neural network. <i>Journal of Viral Hepatitis</i> , 2013 , 20, 248-55	3.4	33
21	Interleukin-28B rs12979860C/T and rs8099917T/G contribute to spontaneous clearance of hepatitis C virus in Caucasians. <i>Gene</i> , 2013 , 518, 479-82	3.8	16
20	Clinical utility of endoscopic ultrasound elastography for identification of malignant pancreatic masses: a meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1434-43	4	35
19	Meta-analysis of the association between a polymorphism in microRNA-196a2 and susceptibility to colorectal cancer. <i>Onkologie</i> , 2013 , 36, 560-5		4
18	Secondary prophylaxis of variceal bleeding for cirrhotic patients: a multiple-treatments meta-analysis. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 844-54	4.6	18
17	Decreased dicer expression enhances SRP-mediated protein targeting. <i>PLoS ONE</i> , 2013 , 8, e56950	3.7	6
16	Oral Acetyl-L-Carnitine treatment in hepatic encephalopathy: view of evidence-based medicine. <i>Annals of Hepatology</i> , 2013 , 12, 803-809	3.1	27
15	Clinical utility of acoustic radiation force impulse imaging for identification of malignant liver lesions: a meta-analysis. <i>European Radiology</i> , 2012 , 22, 2798-805	8	43
14	Interleukin-28B polymorphisms on the SVR in the treatment of naïve chronic hepatitis C with pegylated interferon- β plus ribavirin: a meta-analysis. <i>Gene</i> , 2012 , 507, 27-35	3.8	14
13	Traditional Chinese medicines benefit to nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Molecular Biology Reports</i> , 2012 , 39, 9715-22	2.8	58

12	Performance of platelet count/spleen diameter ratio for diagnosis of esophageal varices in cirrhosis: a meta-analysis. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1672-81	4	53
11	Risk stratification of spontaneous bacterial peritonitis in cirrhosis with ascites based on classification and regression tree analysis. <i>Molecular Biology Reports</i> , 2012 , 39, 6161-9	2.8	12
10	The tumour necrosis factor- β 38A allele increases the risk of chronic HBV infection in European populations. <i>Journal of Viral Hepatitis</i> , 2012 , 19, e11-7	3.4	20
9	Tumour necrosis factor- β 57T allele reduces the risk of hepatitis B virus infection in an Asian population. <i>Journal of Viral Hepatitis</i> , 2012 , 19, e66-72	3.4	15
8	Upper limits of normal for serum alanine aminotransferase levels in Chinese Han population. <i>PLoS ONE</i> , 2012 , 7, e43736	3.7	22
7	A model to determine 3-month mortality risk in patients with acute-on-chronic hepatitis B liver failure. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 351-356.e3	6.9	59
6	Methodological quality assessment for traditional Chinese medicine: CONSORT is better. <i>Hepatology</i> , 2011 , 53, 2148-9	11.2	3
5	Meta-analysis using individual participant data is the gold standard for diagnostic studies. <i>Hepatology</i> , 2011 , 53, 1062; author reply 1062-3	11.2	2
4	Tumor necrosis factor-alpha-308A allele may have a protective effect for chronic hepatitis B virus infection in Mongoloid populations. <i>International Journal of Infectious Diseases</i> , 2010 , 14, e580-5	10.5	17
3	A 24-week, parallel-group, open-label, randomized clinical trial comparing the early antiviral efficacy of telbivudine and entecavir in the treatment of hepatitis B e antigen-positive chronic hepatitis B virus infection in adult Chinese patients. <i>Clinical Therapeutics</i> , 2010 , 32, 649-58	3.5	19
2	Monotonically Decreasing Ferromagnetic Resonance Linewidth of Cu/Ni _{0.81} Fe _{0.19} Bilayer Heterostructures with the Increasing Sputtering Rate of the Cu Layer. <i>Journal of Physical Chemistry C</i> ,	3.8	1
1	Vector imaging of electric field-induced reversible magnetization reversal in exchange-biased multiferroic heterostructures. <i>Science China Materials</i> ,1	7.1	