Koen Hufkens

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4823267/koen-hufkens-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

2,787
citations

47
papers

3,412
ext. papers

27
h-index

7.7
avg, IF

5.06
L-index

#	Paper	IF	Citations
43	Seasonal variation in the canopy color of temperate evergreen conifer forests. <i>New Phytologist</i> , 2021 , 229, 2586-2600	9.8	9
42	Developmental changes in the reflectance spectra of temperate deciduous tree leaves and implications for thermal emissivity and leaf temperature. <i>New Phytologist</i> , 2021 , 229, 791-804	9.8	5
41	Improving the Performance of Index Insurance Using Crop Models and Phenological Monitoring. <i>Remote Sensing</i> , 2021 , 13, 924	5	5
40	Calibrating vegetation phenology from Sentinel-2 using eddy covariance, PhenoCam, and PEP725 networks across Europe. <i>Remote Sensing of Environment</i> , 2021 , 260, 112456	13.2	11
39	Historical Aerial Surveys Map Long-Term Changes of Forest Cover and Structure in the Central Congo Basin. <i>Remote Sensing</i> , 2020 , 12, 638	5	3
38	Asymmetric responses of ecosystem productivity to rainfall anomalies vary inversely with mean annual rainfall over the conterminous United States. <i>Global Change Biology</i> , 2020 , 26, 6959-6973	11.4	9
37	On quantifying the apparent temperature sensitivity of plant phenology. <i>New Phytologist</i> , 2020 , 225, 1033-1040	9.8	27
36	Wood anatomy variability under contrasted environmental conditions of common deciduous and evergreen species from central African forests. <i>Trees - Structure and Function</i> , 2019 , 33, 893-909	2.6	7
35	Testing HopkinsaBioclimatic Law with PhenoCam data. <i>Applications in Plant Sciences</i> , 2019 , 7, e01228	2.3	24
34	Large-sized rare tree species contribute disproportionately to functional diversity in resource acquisition in African tropical forest. <i>Ecology and Evolution</i> , 2019 , 9, 4349-4361	2.8	7
33	Satellite-observed pantropical carbon dynamics. <i>Nature Plants</i> , 2019 , 5, 944-951	11.5	82
32	Tracking vegetation phenology across diverse biomes using Version 2.0 of the PhenoCam Dataset. <i>Scientific Data</i> , 2019 , 6, 222	8.2	38
31	Weather dataset choice introduces uncertainty to estimates of crop yield responses to climate variability and change. <i>Environmental Research Letters</i> , 2019 , 14, 124089	6.2	28
30	Monitoring crop phenology using a smartphone based near-surface remote sensing approach. <i>Agricultural and Forest Meteorology</i> , 2019 , 265, 327-337	5.8	49
29	Limitations to winter and spring photosynthesis of a Rocky Mountain subalpine forest. <i>Agricultural and Forest Meteorology</i> , 2018 , 252, 241-255	5.8	45
28	Intercomparison of phenological transition dates derived from the PhenoCam Dataset V1.0 and MODIS satellite remote sensing. <i>Scientific Reports</i> , 2018 , 8, 5679	4.9	71
27	An integrated phenology modelling framework in r. <i>Methods in Ecology and Evolution</i> , 2018 , 9, 1276-12	8 <i>5</i> 7.7	73

(2012-2018)

26	Tracking vegetation phenology across diverse North American biomes using PhenoCam imagery. <i>Scientific Data</i> , 2018 , 5, 180028	8.2	187
25	Ecosystem warming extends vegetation activity but heightens vulnerability to cold temperatures. <i>Nature</i> , 2018 , 560, 368-371	50.4	149
24	Assimilating phenology datasets automatically across ICOS ecosystem stations. <i>International Agrophysics</i> , 2018 , 32, 677-687	2	11
23	NDVI derived from near-infrared-enabled digital cameras: Applicability across different plant functional types. <i>Agricultural and Forest Meteorology</i> , 2018 , 249, 275-285	5.8	44
22	Integrating camera imagery, crowdsourcing, and deep learning to improve high-frequency automated monitoring of snow at continental-to-global scales. <i>PLoS ONE</i> , 2018 , 13, e0209649	3.7	8
21	Pan-tropical prediction of forest structure from the largest trees. <i>Global Ecology and Biogeography</i> , 2018 , 27, 1366-1383	6.1	52
20	Later springs green-up faster: the relation between onset and completion of green-up in deciduous forests of North America. <i>International Journal of Biometeorology</i> , 2018 , 62, 1645-1655	3.7	15
19	Model performance of tree height-diameter relationships in the central Congo Basin. <i>Annals of Forest Science</i> , 2017 , 74, 1	3.1	29
18	Using data from Landsat, MODIS, VIIRS and PhenoCams to monitor the phenology of California oak/grass savanna and open grassland across spatial scales. <i>Agricultural and Forest Meteorology</i> , 2017 , 237-238, 311-325	5.8	96
17	Functional community structure of African monodominant forest influenced by local environmental filtering. <i>Ecology and Evolution</i> , 2017 , 7, 295-304	2.8	29
16	Season Spotter: Using Citizen Science to Validate and Scale Plant Phenology from Near-Surface Remote Sensing. <i>Remote Sensing</i> , 2016 , 8, 726	5	39
15	Productivity of North American grasslands is increased under future climate scenarios despite rising aridity. <i>Nature Climate Change</i> , 2016 , 6, 710-714	21.4	99
14	Greenness indices from digital cameras predict the timing and seasonal dynamics of canopy-scale photosynthesis 2015 , 25, 99-115		100
13	Aboveground vs. Belowground Carbon Stocks in African Tropical Lowland Rainforest: Drivers and Implications. <i>PLoS ONE</i> , 2015 , 10, e0143209	3.7	19
12	A tale of two springs: using recent climate anomalies to characterize the sensitivity of temperate forest phenology to climate change. <i>Environmental Research Letters</i> , 2014 , 9, 054006	6.2	67
11	Conventional tree height-diameter relationships significantly overestimate aboveground carbon stocks in the Central Congo Basin. <i>Nature Communications</i> , 2013 , 4, 2269	17.4	81
10	Above-ground biomass and structure of 260 African tropical forests. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2013 , 368, 20120295	5.8	204
9	Ecological impacts of a widespread frost event following early spring leaf-out. <i>Global Change Biology</i> , 2012 , 18, 2365-2377	11.4	168

8	Linking near-surface and satellite remote sensing measurements of deciduous broadleaf forest phenology. <i>Remote Sensing of Environment</i> , 2012 , 117, 307-321	13.2	201
7	Digital repeat photography for phenological research in forest ecosystems. <i>Agricultural and Forest Meteorology</i> , 2012 , 152, 159-177	5.8	352
6	Seasonal patterns of foliar reflectance in relation to photosynthetic capacity and color index in two co-occurring tree species, Quercus rubra and Betula papyrifera. <i>Agricultural and Forest Meteorology</i> , 2012 , 160, 60-68	5.8	64
5	Accuracy assessment of contextual classification results for vegetation mapping. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2012 , 15, 7-15	7.3	10
4	Terrestrial biosphere model performance for inter-annual variability of land-atmosphere CO2 exchange. <i>Global Change Biology</i> , 2012 , 18, 1971-1987	11.4	191
3	Habitat reporting of a heathland site: Classification probabilities as additional information, a case study. <i>Ecological Informatics</i> , 2010 , 5, 248-255	4.2	3
2	Ecotones in vegetation ecology: methodologies and definitions revisited. <i>Ecological Research</i> , 2009 , 24, 977-986	1.9	68
1	Validation of the sigmoid wave curve fitting algorithm on a forest-tundra ecotone in the Northwest Territories, Canada. <i>Ecological Informatics</i> , 2009 , 4, 1-7	4.2	4