

Luis Santamaria

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4823978/luis-santamaria-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

3,666
citations

30
h-index

60
g-index

74
ext. papers

4,190
ext. citations

5.4
avg, IF

5.77
L-index

#	Paper	IF	Citations
72	Complementary Differences in Primary Production and Phenology among Vegetation Types Increase Ecosystem Resilience to Climate Change and Grazing Pressure in an Iconic Mediterranean Ecosystem. <i>Remote Sensing</i> , 2021 , 13, 3920	5	1
71	COVID-19 effective reproduction number dropped during Spain's nationwide dropdown, then spiked at lower-incidence regions. <i>Science of the Total Environment</i> , 2021 , 751, 142257	10.2	20
70	Digital conservation in biosphere reserves: Earth observations, social media, and nature's cultural contributions to people. <i>Conservation Letters</i> , 2020 , 13, e12704	6.9	14
69	Continuous variation in herkogamy enhances the reproductive response of to spatial variation in pollinator assemblages. <i>AOB PLANTS</i> , 2020 , 12, plz078	2.9	1
68	Chasing the ghost of infection past: identifying thresholds of change during the COVID-19 infection in Spain. <i>Epidemiology and Infection</i> , 2020 , 148, e282	4.3	5
67	Modeling Biomass Production in Seasonal Wetlands Using MODIS NDVI Land Surface Phenology. <i>Remote Sensing</i> , 2017 , 9, 392	5	51
66	Strong dependence of a pioneer shrub on seed dispersal services provided by an endemic endangered lizard in a Mediterranean island ecosystem. <i>PLoS ONE</i> , 2017 , 12, e0183072	3.7	14
65	Optimal methods for fitting probability distributions to propagule retention time in studies of zoochorous dispersal. <i>BMC Ecology</i> , 2016 , 16, 3	2.7	5
64	Flower-visitor selection on floral integration in three contrasting populations of <i>Lonicera implexa</i> . <i>American Journal of Botany</i> , 2016 , 103, 325-36	2.7	9
63	Herbivory on freshwater and marine macrophytes: A review and perspective. <i>Aquatic Botany</i> , 2016 , 135, 18-36	1.8	131
62	Selective logging in tropical forests decreases the robustness of liana-tree interaction networks to the loss of host tree species. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283, 20153008	4.4	18
61	Disentangling the roles of diversity resistance and priority effects in community assembly. <i>Oecologia</i> , 2016 , 182, 865-75	2.9	8
60	Selecting appropriate methods of knowledge synthesis to inform biodiversity policy. <i>Biodiversity and Conservation</i> , 2016 , 25, 1285-1300	3.4	53
59	The network Biodiversity Knowledge in practice: insights from three trial assessments. <i>Biodiversity and Conservation</i> , 2016 , 25, 1301-1318	3.4	13
58	The Network of Knowledge approach: improving the science and society dialogue on biodiversity and ecosystem services in Europe. <i>Biodiversity and Conservation</i> , 2016 , 25, 1215-1233	3.4	39
57	Migratory Birds as Global Dispersal Vectors. <i>Trends in Ecology and Evolution</i> , 2016 , 31, 763-775	10.9	99
56	Long corollas as nectar barriers in <i>Lonicera implexa</i> : interactions between corolla tube length and nectar volume. <i>Evolutionary Ecology</i> , 2015 , 29, 419-435	1.8	14

55	Passive partner choice through exploitation barriers. <i>Evolutionary Ecology</i> , 2015 , 29, 323-340	1.8	7
54	Divergent effects of forest edges on host distribution and seed disperser activity influence mistletoe distribution and recruitment. <i>Journal of Ecology</i> , 2015 , 103, 1475-1486	6	5
53	Meta-analysis of the effects of forest fragmentation on interspecific interactions. <i>Conservation Biology</i> , 2014 , 28, 1342-8	6	57
52	Space, time and complexity in plant dispersal ecology. <i>Movement Ecology</i> , 2014 , 2, 16	4.6	55
51	Possible role of weaver ants, <i>Oecophylla smaragdina</i> , in shaping plant-pollinator interactions in South-East Asia. <i>Journal of Ecology</i> , 2013 , 101, 1000-1006	6	21
50	Edge effects in a three-dimensional world: height in the canopy modulates edge effects on the epiphyte <i>Sarmienta repens</i> (Gesneriaceae). <i>Plant Ecology</i> , 2013 , 214, 965-973	1.7	2
49	Combined impact of multiple exotic herbivores on different life stages of an endangered plant endemism, <i>Medicago citrina</i> . <i>Journal of Ecology</i> , 2013 , 101, 107-117	6	15
48	Flowers attract weaver ants that deter less effective pollinators. <i>Journal of Ecology</i> , 2013 , 101, 78-85	6	33
47	Migratory strategies of waterbirds shape the continental-scale dispersal of aquatic organisms. <i>Ecography</i> , 2013 , 36, 430-438	6.5	69
46	Forest edges show contrasting effects on an austral mistletoe due to differences in pollination and seed dispersal. <i>Journal of Ecology</i> , 2013 , 101, 713-721	6	11
45	Allometric scaling of long-distance seed dispersal by migratory birds. <i>American Naturalist</i> , 2013 , 181, 649-662	3.7	35
44	Science in Europe. Dark clouds over Spanish science. <i>Science</i> , 2013 , 340, 1292	33.3	3
43	Rats and seabirds: effects of egg size on predation risk and the potential of conditioned taste aversion as a mitigation method. <i>PLoS ONE</i> , 2013 , 8, e76138	3.7	7
42	Seed dispersal by lizards on a continental-shelf island: predicting interspecific variation in seed rain based on plant distribution and lizard movement patterns. <i>Journal of Biogeography</i> , 2012 , 39, 1984-1995 ^{4.1}	4.1	7
41	Evolution in biodiversity policy - current gaps and future needs. <i>Evolutionary Applications</i> , 2012 , 5, 202-218	1.8	55
40	Evolution and Biodiversity: the evolutionary basis of biodiversity and its potential for adaptation to global change. <i>Evolutionary Applications</i> , 2012 , 5, 103-6	4.8	17
39	Frugivore behaviour determines plant distribution: a spatially-explicit analysis of a plant-disperser interaction. <i>Ecography</i> , 2012 , 35, 113-123	6.5	28
38	Effects of matrix characteristics and interpatch distance on functional connectivity in fragmented temperate rainforests. <i>Conservation Biology</i> , 2012 , 26, 238-47	6	21

37	Seed dispersal in changing landscapes. <i>Biological Conservation</i> , 2012 , 146, 1-13	6.2	285
36	Effects of frugivore preferences and habitat heterogeneity on seed rain: a multi-scale analysis. <i>PLoS ONE</i> , 2012 , 7, e33246	3.7	19
35	Internal habitat quality determines the effects of fragmentation on austral forest climbing and epiphytic angiosperms. <i>PLoS ONE</i> , 2012 , 7, e48743	3.7	8
34	Facilitating Transitional Processes in Rigid Institutional Regimes for Water Management and Wetland Conservation: Experience from the Guadalquivir Estuary. <i>Ecology and Society</i> , 2012 , 17,	4.1	19
33	Differential effects of anthropogenic edges and gaps on the reproduction of a forest-dwelling plant: The role of plant reproductive effort and nectar robbing by bumblebees. <i>Austral Ecology</i> , 2012 , 37, 600-609	1.5	8
32	Asian Tapirs Are No Elephants When It Comes To Seed Dispersal. <i>Biotropica</i> , 2012 , 44, 220-227	2.3	44
31	Are nested networks more robust to disturbance? A test using epiphyte-tree, comensalistic networks. <i>PLoS ONE</i> , 2011 , 6, e19637	3.7	29
30	Changes in patch features may exacerbate or compensate for the effect of habitat loss on forest bird populations. <i>PLoS ONE</i> , 2011 , 6, e21596	3.7	13
29	Internal dispersal of seeds by waterfowl: effect of seed size on gut passage time and germination patterns. <i>Die Naturwissenschaften</i> , 2010 , 97, 555-65	2	49
28	How Foraging Behaviour and Resource Partitioning Can Drive the Evolution of Flowers and the Structure of Pollination Networks. <i>Open Ecology Journal</i> , 2010 , 3, 1-11	2	168
27	Behavior rather than diet mediates seasonal differences in seed dispersal by Asian elephants. <i>Ecology</i> , 2008 , 89, 2684-91	4.6	71
26	Contrasting effects of invasive plants in plant-pollinator networks. <i>Oecologia</i> , 2008 , 155, 761-70	2.9	223
25	Predicting spatial patterns of plant recruitment using animal-displacement kernels. <i>PLoS ONE</i> , 2007 , 2, e1008	3.7	28
24	Resource competition, character displacement, and the evolution of deep corolla tubes. <i>American Naturalist</i> , 2007 , 170, 455-64	3.7	40
23	Linkage rules for plant-pollinator networks: trait complementarity or exploitation barriers?. <i>PLoS Biology</i> , 2007 , 5, e31	9.7	150
22	Models of optimal foraging and resource partitioning: deep corollas for long tongues. <i>Behavioral Ecology</i> , 2006 , 17, 905-910	2.3	28
21	Seed size variability: from carob to carats. <i>Biology Letters</i> , 2006 , 2, 397-400	3.6	20
20	A new algorithm to calculate the nestedness temperature of presence-absence matrices. <i>Journal of Biogeography</i> , 2006 , 33, 924-935	4.1	298

19	Animal-plant-microbe interactions: direct and indirect effects of swan foraging behaviour modulate methane cycling in temperate shallow wetlands. <i>Oecologia</i> , 2006 , 149, 233-44	2.9	28
18	Field evidence for the potential of waterbirds as dispersers of aquatic organisms. <i>Wetlands</i> , 2005 , 25, 252-258	1.7	54
17	Resource partitioning among flower visitors and evolution of nectar concealment in multi-species communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005 , 272, 187-92	4.4	21
16	Endozoochorous dispersal of aquatic plants: does seed gut passage affect plant performance?. <i>American Journal of Botany</i> , 2005 , 92, 696-9	2.7	24
15	Why are so many bird flowers red?. <i>PLoS Biology</i> , 2004 , 2, e350	9.7	114
14	How far can the freshwater bryozoan <i>Cristatella mucedo</i> disperse in duck guts?. <i>Archiv für Hydrobiologie</i> , 2003 , 157, 547-554		30
13	Local adaptation of the pondweed <i>Potamogeton pectinatus</i> to contrasting substrate types mediated by changes in propagule provisioning. <i>Journal of Ecology</i> , 2003 , 91, 1081-1092	6	38
12	Endozoochory by ducks: influence of developmental stage of <i>Bythotrephes</i> diapause eggs on dispersal probability. <i>Diversity and Distributions</i> , 2003 , 9, 367-374	5	22
11	Passive internal transport of aquatic organisms by waterfowl in Doñana, south-west Spain. <i>Global Ecology and Biogeography</i> , 2003 , 12, 427-436	6.1	104
10	Clonal variation in the thermal response of the submerged aquatic macrophyte <i>Potamogeton pectinatus</i> . <i>Journal of Ecology</i> , 2002 , 90, 141-152	6	22
9	Clonal variation in morphological and physiological responses to irradiance and photoperiod for the aquatic angiosperm <i>Potamogeton pectinatus</i> . <i>Journal of Ecology</i> , 2002 , 90, 859-870	6	25
8	Comparative dispersal effectiveness of wigeongrass seeds by waterfowl wintering in south-west Spain: quantitative and qualitative aspects. <i>Journal of Ecology</i> , 2002 , 90, 989-1001	6	88
7	Effect of passage through duck gut on germination of fennel pondweed seeds. <i>Archiv für Hydrobiologie</i> , 2002 , 156, 11-22		45
6	Why are most aquatic plants widely distributed? Dispersal, clonal growth and small-scale heterogeneity in a stressful environment. <i>Acta Oecologica</i> , 2002 , 23, 137-154	1.7	406
5	Waterbirds as endozoochorous dispersers of aquatic organisms: a review of experimental evidence. <i>Acta Oecologica</i> , 2002 , 23, 165-176	1.7	90
4	Seasonal acclimation in the photosynthetic and respiratory temperature responses of three submerged freshwater macrophyte species. <i>New Phytologist</i> , 2001 , 151, 659-670	9.8	20
3	Toxic spill caught Spain off guard. <i>Nature</i> , 1998 , 395, 110-110	50.4	4
2	Photosynthetic temperature responses of fresh- and brackish-water macrophytes: a review. <i>Aquatic Botany</i> , 1997 , 58, 135-150	1.8	60

1 Chasing the ghost of infection past: identifying thresholds of change during the COVID-19 infection in Spain

5