

Josep Lluís Torres

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4824242/josep-lluis-torres-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

4,542
citations

37
h-index

59
g-index

156
ext. papers

4,995
ext. citations

4.9
avg, IF

5.19
L-index

#	Paper	IF	Citations
152	Fish Oil Improves Pathway-Oriented Profiling of Lipid Mediators for Maintaining Metabolic Homeostasis in Adipose Tissue of Prediabetic Rats. <i>Frontiers in Immunology</i> , 2021 , 12, 608875	8.4	3
151	Physiological Effects of Intermittent Passive Exposure to Hypobaric Hypoxia and Cold in Rats. <i>Frontiers in Physiology</i> , 2021 , 12, 673095	4.6	0
150	Edible Microalgae and Their Bioactive Compounds in the Prevention and Treatment of Metabolic Alterations. <i>Nutrients</i> , 2021 , 13,	6.7	27
149	Effects of Fish Oil and Grape Seed Extract Combination on Hepatic Endogenous Antioxidants and Bioactive Lipids in Diet-Induced Early Stages of Insulin Resistance in Rats. <i>Marine Drugs</i> , 2020 , 18,	6	7
148	Implication of gut microbiota in the physiology of rats intermittently exposed to cold and hypobaric hypoxia. <i>PLoS ONE</i> , 2020 , 15, e0240686	3.7	7
147	Modifications of Gut Microbiota after Grape Pomace Supplementation in Subjects at Cardiometabolic Risk: A Randomized Cross-Over Controlled Clinical Trial. <i>Foods</i> , 2020 , 9,	4.9	4
146	The Buckwheat Iminosugar d-Fagomine Attenuates Sucrose-Induced Steatosis and Hypertension in Rats. <i>Molecular Nutrition and Food Research</i> , 2020 , 64, e1900564	5.9	4
145	Combined Buckwheat d-Fagomine and Fish Omega-3 PUFAs Stabilize the Populations of Gut and While Reducing Weight Gain in Rats. <i>Nutrients</i> , 2019 , 11,	6.7	10
144	Effects of combined D-fagomine and omega-3 PUFAs on gut microbiota subpopulations and diabetes risk factors in rats fed a high-fat diet. <i>Scientific Reports</i> , 2019 , 9, 16628	4.9	8
143	Modulation of the Liver Protein Carbonylome by the Combined Effect of Marine Omega-3 PUFAs and Grape Polyphenols Supplementation in Rats Fed an Obesogenic High Fat and High Sucrose Diet. <i>Marine Drugs</i> , 2019 , 18,	6	5
142	A high-fat high-sucrose diet affects the long-term metabolic fate of grape proanthocyanidins in rats. <i>European Journal of Nutrition</i> , 2018 , 57, 339-349	5.2	8
141	Mechanistically different effects of fat and sugar on insulin resistance, hypertension, and gut microbiota in rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018 , 314, E552-E563	6	31
140	Functional Effects of the Buckwheat Iminosugar d-Fagomine on Rats with Diet-Induced Prediabetes. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800373	5.9	12
139	Targeting Hepatic Protein Carbonylation and Oxidative Stress Occurring on Diet-Induced Metabolic Diseases through the Supplementation with Fish Oils. <i>Marine Drugs</i> , 2018 , 16,	6	10
138	Eubiotic effect of buckwheat d-fagomine in healthy rats. <i>Journal of Functional Foods</i> , 2018 , 50, 120-126	5.1	8
137	Changes in liver proteins of rats fed standard and high-fat and sucrose diets induced by fish omega-3 PUFAs and their combination with grape polyphenols according to quantitative proteomics. <i>Journal of Nutritional Biochemistry</i> , 2017 , 41, 84-97	6.3	18
136	A lipidomic study on the regulation of inflammation and oxidative stress targeted by marine PUFA and polyphenols in high-fat high-sucrose diets. <i>Journal of Nutritional Biochemistry</i> , 2017 , 43, 53-67	6.3	18

135	Influence of omega-3 PUFAs on the metabolism of proanthocyanidins in rats. <i>Food Research International</i> , 2017 , 97, 133-140	7	8
134	Fate of d-Fagomine after Oral Administration to Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 4414-4420	5.7	11
133	Effects of the combination of Ω PUFAs and proanthocyanidins on the gut microbiota of healthy rats. <i>Food Research International</i> , 2017 , 97, 364-371	7	20
132	Protective effects of fish oil on pre-diabetes: a lipidomic analysis of liver ceramides in rats. <i>Food and Function</i> , 2016 , 7, 3981-3988	6.1	17
131	The combined action of omega-3 polyunsaturated fatty acids and grape proanthocyanidins on a rat model of diet-induced metabolic alterations. <i>Food and Function</i> , 2016 , 7, 3516-23	6.1	12
130	Advances in the analysis of iminocyclitols: Methods, sources and bioavailability. <i>Talanta</i> , 2016 , 151, 157-171	17.1	2
129	Lipidomics to analyze the influence of diets with different EPA:DHA ratios in the progression of Metabolic Syndrome using SHROB rats as a model. <i>Food Chemistry</i> , 2016 , 205, 196-203	8.5	25
128	D-Fagomine attenuates metabolic alterations induced by a high-energy-dense diet in rats. <i>Food and Function</i> , 2015 , 6, 2614-9	6.1	12
127	Effect of n-3 PUFA supplementation at different EPA:DHA ratios on the spontaneously hypertensive obese rat model of the metabolic syndrome. <i>British Journal of Nutrition</i> , 2015 , 113, 878-87	3.6	35
126	Eicosapentaenoic acid/docosahexaenoic acid 1:1 ratio improves histological alterations in obese rats with metabolic syndrome. <i>Lipids in Health and Disease</i> , 2014 , 13, 31	4.4	18
125	Targets of protein carbonylation in spontaneously hypertensive obese Koletsky rats and healthy Wistar counterparts: a potential role on metabolic disorders. <i>Journal of Proteomics</i> , 2014 , 106, 246-59	3.9	12
124	Protein carbonylation associated to high-fat, high-sucrose diet and its metabolic effects. <i>Journal of Nutritional Biochemistry</i> , 2014 , 25, 1243-53	6.3	23
123	Identification of phenolic compounds by HPLC-ESI-MS/MS and antioxidant activity from Chilean propolis. <i>Food Research International</i> , 2014 , 64, 873-879	7	40
122	Identification of polyphenols from antiviral <i>Chamaecrista nictitans</i> extract using high-resolution LC-ESI-MS/MS. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 5501-6	4.4	7
121	Cardiovascular disease-related parameters and oxidative stress in SHROB rats, a model for metabolic syndrome. <i>PLoS ONE</i> , 2014 , 9, e104637	3.7	15
120	Effect of (D)-fagomine on excreted Enterobacteria and weight gain in rats fed a high-fat high-sucrose diet. <i>Obesity</i> , 2014 , 22, 976-9	8	21
119	Resveratrol and EGCG bind directly and distinctively to miR-33a and miR-122 and modulate divergently their levels in hepatic cells. <i>Nucleic Acids Research</i> , 2014 , 42, 882-92	20.1	82
118	Reduced protein oxidation in Wistar rats supplemented with marine Ω PUFAs. <i>Free Radical Biology and Medicine</i> , 2013 , 55, 8-20	7.8	41

117	Mexican Ataulfo mango (<i>Mangifera indica</i> L) as a source of hydrolyzable tannins. Analysis by MALDI-TOF/TOF MS. <i>Food Research International</i> , 2013 , 51, 188-194	7	36
116	Protective effect of the omega-3 polyunsaturated fatty acids: Eicosapentaenoic acid/Docosahexaenoic acid 1:1 ratio on cardiovascular disease risk markers in rats. <i>Lipids in Health and Disease</i> , 2013 , 12, 140	4.4	48
115	A new approach to produce plant antioxidant-loaded chitosan for modulating proteolytic environment and bacterial growth. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 1241-1248	7.3	5
114	A tri(potassium sulfonate) derivative of perchlorotriphenylmethyl radical (PTM) as a stable water soluble radical-scavenger of the hydroxyl radical more powerful than 5,5-dimethyl-1-pyrroline-N-oxide. <i>RSC Advances</i> , 2013 , 3, 9949	3.7	3
113	Epicatechin gallate impairs colon cancer cell metabolic productivity. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 4310-7	5.7	26
112	The presence of D-fagomine in the human diet from buckwheat-based foodstuffs. <i>Food Chemistry</i> , 2013 , 136, 1316-21	8.5	19
111	Effect of pressurized hot water extraction on antioxidants from grape pomace before and after enological fermentation. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 6929-36	5.7	84
110	High electron transfer capacity of thio-derivatives of tea catechins measured using a water soluble stable free radical and their effects on colon cancer cells. <i>New Journal of Chemistry</i> , 2013 , 37, 2043	3.6	4
109	Grape antioxidant dietary fiber inhibits intestinal polyposis in ApcMin/+ mice: relation to cell cycle and immune response. <i>Carcinogenesis</i> , 2013 , 34, 1881-8	4.6	27
108	New identification of proanthocyanidins in cinnamon (<i>Cinnamomum zeylanicum</i> L.) using MALDI-TOF/TOF mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1327-36	4.4	46
107	Determination of D-fagomine in buckwheat and mulberry by cation exchange HPLC/ESI-Q-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 1953-60	4.4	25
106	Effects of temperature and time on polyphenolic content and antioxidant activity in the pressurized hot water extraction of deodorized thyme (<i>Thymus vulgaris</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10920-9	5.7	87
105	Selective control of the radical-scavenging activity of poly(phenols) in aqueous media in terms of their electron-donor properties, using a stable organic radical as chemical sensor. <i>Talanta</i> , 2012 , 101, 141-7	6.2	5
104	Analysis of proanthocyanidins in almond blanch water by HPLC/ESI-Q-MS/MS and MALDI-TOF/TOF MS. <i>Food Research International</i> , 2012 , 49, 798-806	7	32
103	Punicalagin and catechins contain polyphenolic substructures that influence cell viability and can be monitored by radical chemosensors sensitive to electron transfer. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 1659-65	5.7	8
102	Preparation and characterization of persistent maltose-conjugated triphenylmethyl radicals. <i>Journal of Organic Chemistry</i> , 2012 , 77, 1081-6	4.2	4
101	A polyphenol-enriched cocoa extract reduces free radicals produced by mycotoxins. <i>Food and Chemical Toxicology</i> , 2012 , 50, 989-95	4.7	21
100	Grape epicatechin conjugates prevent erythrocyte membrane protein oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 4090-5	5.7	23

99	Non-extractable proanthocyanidins from grapes are a source of bioavailable (epi)catechin and derived metabolites in rats. <i>British Journal of Nutrition</i> , 2012 , 108, 290-7	3.6	47
98	Hamamelitannin from witch hazel (<i>Hamamelis virginiana</i>) displays specific cytotoxic activity against colon cancer cells. <i>Journal of Natural Products</i> , 2012 , 75, 26-33	4.9	29
97	Profile of urinary and fecal proanthocyanidin metabolites from common cinnamon (<i>Cinnamomum zeylanicum</i> L.) in rats. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 671-5	5.9	22
96	Antioxidant mechanism of grape procyanidins in muscle tissues: redox interactions with endogenous ascorbic acid and α -tocopherol. <i>Food Chemistry</i> , 2012 , 134, 1767-74	8.5	36
95	D-Fagomine lowers postprandial blood glucose and modulates bacterial adhesion. <i>British Journal of Nutrition</i> , 2012 , 107, 1739-46	3.6	46
94	Inhibition of deleterious chronic wound enzymes with plant polyphenols. <i>Biocatalysis and Biotransformation</i> , 2012 , 30, 102-110	2.5	19
93	Analysis of nonextractable phenolic compounds in foods: the current state of the art. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 12713-24	5.7	127
92	Role of galloylation and polymerization in cytoprotective effects of polyphenolic fractions against hydrogen peroxide insult. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 2113-9	5.7	11
91	Metabolites in contact with the rat digestive tract after ingestion of a phenolic-rich dietary fiber matrix. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 5955-63	5.7	41
90	Galloylated polyphenols as inhibitors of hemoglobin-catalyzed lipid oxidation in fish muscle. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 5684-91	5.7	10
89	Protective effect of structurally diverse grape procyanidin fractions against UV-induced cell damage and death. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4489-95	5.7	23
88	Synthesis of a new stable and water-soluble tris(4-hydroxysulfonyltetrachlorophenyl)methyl radical with selective oxidative capacity. <i>Tetrahedron</i> , 2011 , 67, 3119-3123	2.4	6
87	A lyophilized red grape pomace containing proanthocyanidin-rich dietary fiber induces genetic and metabolic alterations in colon mucosa of female C57BL/6J mice. <i>Journal of Nutrition</i> , 2011 , 141, 1597-604	4.1	39
86	ZmMYB31 directly represses maize lignin genes and redirects the phenylpropanoid metabolic flux. <i>Plant Journal</i> , 2010 , 64, 633-44	6.9	178
85	Antioxidant activities of hydroxytyrosol main metabolites do not contribute to beneficial health effects after olive oil ingestion. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 1417-21	4	50
84	Absorption and metabolism of cytoprotective epicatechin thio conjugates in rats. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 2188-94	4	4
83	Impact of thermal processing on the activity of gallotannins and condensed tannins from <i>Hamamelis virginiana</i> used as functional ingredients in seafood. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4274-83	5.7	37
82	Proanthocyanidin metabolites associated with dietary fibre from in vitro colonic fermentation and proanthocyanidin metabolites in human plasma. <i>Molecular Nutrition and Food Research</i> , 2010 , 54, 939-46	5.9	107

81	The maize ZmMYB42 represses the phenylpropanoid pathway and affects the cell wall structure, composition and degradability in <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2009 , 70, 283-96	4.6	121
80	ZmMYB31 & ZmMYB42: two maize R2R3-MYB transcription factors having complementary roles in the lignin and phenylpropanoid metabolism regulation. <i>New Biotechnology</i> , 2009 , 25, S279-S280	6.4	6
79	Phenolic metabolites of grape antioxidant dietary fiber in rat urine. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 11418-26	5.7	26
78	Galloylated polyphenols efficiently reduce alpha-tocopherol radicals in a phospholipid model system composed of sodium dodecyl sulfate (SDS) micelles. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 5042-8	5.7	21
77	Oxidant activity of tris(2,4,6-trichloro-3,5-dinitrophenyl)methyl radical with catechol and pyrogallol. Mechanistic considerations. <i>Journal of Organic Chemistry</i> , 2009 , 74, 2368-73	4.2	10
76	Biobased epicatechin conjugates protect erythrocytes and nontumoral cell lines from H ₂ O ₂ -induced oxidative stress. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 4459-65	5.7	16
75	A novel approach to enhancing cellular glutathione levels. <i>Journal of Neurochemistry</i> , 2008 , 107, 690-700		39
74	Novel separation of bioactive catechin derivatives from complex plant mixtures by anion-exchange chromatography. <i>Separation and Purification Technology</i> , 2008 , 62, 317-322	8.3	7
73	Highly galloylated tannin fractions from witch hazel (<i>Hamamelis virginiana</i>) bark: electron transfer capacity, in vitro antioxidant activity, and effects on skin-related cells. <i>Chemical Research in Toxicology</i> , 2008 , 21, 696-704	4	49
72	Witch hazel (<i>Hamamelis virginiana</i>) fractions and the importance of gallate moieties--electron transfer capacities in their antitumoral properties. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 11675-82	5.7	36
71	High-resolution liquid chromatography/electrospray ionization time-of-flight mass spectrometry combined with liquid chromatography/electrospray ionization tandem mass spectrometry to identify polyphenols from grape antioxidant dietary fiber. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 3489-500	2.2	34
70	Comparative antioxidant and cytotoxic effect of procyanidin fractions from grape and pine. <i>Chemical Research in Toxicology</i> , 2007 , 20, 1543-8	4	31
69	Reducing power of simple polyphenols by electron-transfer reactions using a new stable radical of the PTM series, tris(2,3,5,6-tetrachloro-4-nitrophenyl)methyl radical. <i>Journal of Organic Chemistry</i> , 2007 , 72, 3750-6	4.2	26
68	Interaction of antioxidant biobased epicatechin conjugates with biomembrane models. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2901-5	5.7	9
67	Procyanidins from pine bark: Relationships between structure, composition and antiradical activity. <i>Food Chemistry</i> , 2007 , 104, 518-527	8.5	74
66	A comparison between bark extracts from <i>Pinus pinaster</i> and <i>Pinus radiata</i> : Antioxidant activity and procyanidin composition. <i>Food Chemistry</i> , 2007 , 100, 439-444	8.5	85
65	The importance of polymerization and galloylation for the antiproliferative properties of procyanidin-rich natural extracts. <i>FEBS Journal</i> , 2007 , 274, 4802-11	5.7	83
64	Continuous enzymatic synthesis of Z-kyotorphin amide in an enzyme-immobilized fixed-bed reactor. <i>Journal of Chemical Technology and Biotechnology</i> , 2007 , 45, 191-202	3.5	5

63	Physicochemical properties of natural phenolics from grapes and olive oil byproducts and their antioxidant activity in frozen horse mackerel fillets. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 366-73	5.7	55
62	Inhibition of hemoglobin- and iron-promoted oxidation in fish microsomes by natural phenolics. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 4417-23	5.7	39
61	Comparative study of the cytotoxicity induced by antioxidant epicatechin conjugates obtained from grape. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6945-50	5.7	31
60	Functional fatty fish supplemented with grape procyanidins. Antioxidant and proapoptotic properties on colon cell lines. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 3598-603	5.7	12
59	Electron-transfer capacity of catechin derivatives and influence on the cell cycle and apoptosis in HT29 cells. <i>FEBS Journal</i> , 2006 , 273, 2475-86	5.7	22
58	Procyanidin fractions from pine (<i>Pinus pinaster</i>) bark: radical scavenging power in solution, antioxidant activity in emulsion, and antiproliferative effect in melanoma cells. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 4728-35	5.7	101
57	Efficient preparation of catechin thio conjugates by one step extraction/depolymerization of pine (<i>Pinus pinaster</i>) bark procyanidins. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 7760-5	5.7	24
56	Effect of new antioxidant cysteinyl-flavanol conjugates on skin cancer cells. <i>FEBS Letters</i> , 2005 , 579, 4219-25	5.7	36
55	Conjugation of catechins with cysteine generates antioxidant compounds with enhanced neuroprotective activity. <i>Phytochemistry</i> , 2005 , 66, 2032-7	4	33
54	Activity of grape polyphenols as inhibitors of the oxidation of fish lipids and frozen fish muscle. <i>Food Chemistry</i> , 2005 , 92, 547-557	8.5	164
53	Preservation of the endogenous antioxidant system of fish muscle by grape polyphenols during frozen storage. <i>European Food Research and Technology</i> , 2005 , 220, 514-519	3.4	48
52	A uniquely selective inhibitor of the mammalian fetal neuromuscular nicotinic acetylcholine receptor. <i>Journal of Neuroscience</i> , 2005 , 25, 732-6	6.6	33
51	Novel epicatechin derivatives with antioxidant activity modulate interleukin-1beta release in lipopolysaccharide-stimulated human blood. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 5031-4	2.9	10
50	Reducing activity of polyphenols with stable radicals of the TTM series. Electron transfer versus H-abstraction reactions in flavan-3-ols. <i>Organic Letters</i> , 2004 , 6, 4583-6	6.2	55
49	Efficient one pot extraction and depolymerization of grape (<i>Vitis vinifera</i>) pomace procyanidins for the preparation of antioxidant thio-conjugates. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 467-73	5.7	18
48	Immunomodulatory activity of a new family of antioxidants obtained from grape polyphenols. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7297-9	5.7	23
47	Procyanidin size and composition by thiolysis with cysteamine hydrochloride and chromatography. <i>Chromatographia</i> , 2003 , 57, 441-445	2.1	45
46	Antiproliferative effect of antioxidant polyphenols from grape in murine Hepa-1c1c7. <i>European Journal of Nutrition</i> , 2003 , 42, 43-9	5.2	84

45	Mixed micellar electrokinetic capillary chromatography separation of depolymerized grape procyanidins. <i>Electrophoresis</i> , 2003 , 24, 707-13	3.6	15
44	Micellar electrokinetic chromatography estimation of size and composition of procyanidins after thiolysis with cysteine. <i>Electrophoresis</i> , 2003 , 24, 1404-10	3.6	20
43	Tris(2,4,6-trichloro-3,5-dinitrophenyl)methyl radical: a new stable coloured magnetic species as a chemosensor for natural polyphenols. <i>Chemical Communications</i> , 2003 , 74-5	5.8	20
42	Cysteinyl-flavan-3-ol conjugates from grape procyanidins. Antioxidant and antiproliferative properties. <i>Bioorganic and Medicinal Chemistry</i> , 2002 , 10, 2497-509	3.4	64
41	Cation-exchange micropreparative separation of galloylated and non-galloylated sulphur conjugated catechins. <i>Journal of Chromatography A</i> , 2002 , 973, 229-34	4.5	3
40	Fermented wheat germ extract inhibits glycolysis/pentose cycle enzymes and induces apoptosis through poly(ADP-ribose) polymerase activation in Jurkat T-cell leukemia tumor cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 46408-14	5.4	71
39	Valorization of grape (<i>Vitis vinifera</i>) byproducts. Antioxidant and biological properties of polyphenolic fractions differing in procyanidin composition and flavonol content. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 7548-55	5.7	175
38	Chromatographic characterization of proanthocyanidins after thiolysis with cysteamine. <i>Chromatographia</i> , 2001 , 54, 523-526	2.1	24
37	New flavanol derivatives from grape (<i>Vitis vinifera</i>) byproducts. Antioxidant aminoethylthio-flavan-3-ol conjugates from a polymeric waste fraction used as a source of flavanols. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 4627-34	5.7	117
36	Purification of non-toxic, biodegradable arginine-based gemini surfactants, bis(Args), by ion exchange chromatography. <i>Preparative Biochemistry and Biotechnology</i> , 2001 , 31, 259-74	2.4	6
35	Metal binding properties of three Cys ₂ X ₂ (X = His, Asp) metallothionein-related peptides. <i>Inorganica Chimica Acta</i> , 1998 , 278, 10-14	2.7	7
34	Reaction medium engineering in enzymatic peptide fragment condensation: synthesis of eledoisin and LH-RH. <i>Bioorganic and Medicinal Chemistry</i> , 1998 , 6, 891-901	3.4	9
33	A noncompetitive peptide inhibitor of the nicotinic acetylcholine receptor from <i>Conus purpurascens</i> venom. <i>Biochemistry</i> , 1997 , 36, 9581-7	3.2	80
32	Peptide bond formation by the industrial protease, neutrase, in organic media. <i>Biotechnology Letters</i> , 1997 , 19, 1023-1026	3	16
31	Neoglycopeptide synthesis and purification in multi-gram scale: preparation of O-(2,3,4,6-tetra-O-acetyl-beta-D-galactopyranosyl)-N-alpha-fluoren-9-yl-methoxycarbonyl-hydroxyproline and its use in the pilot-scale synthesis of the potent analgesic glycopeptide O1.5-beta-D-galactopyranosyl [D ^{Met} 2, Hyp ⁵]enkephalinamide.	2.1	2
30	Synthesis, Aggregation, and Biological Properties of a New Class of Gemini Cationic Amphiphilic Compounds from Arginine, bis(Args). <i>Langmuir</i> , 1996 , 12, 5296-5301	4	143
29	Enzymatic Peptide Synthesis in Organic Media. Synthesis of CCK-8 Dipeptide Fragments. <i>Biocatalysis and Biotransformation</i> , 1996 , 13, 201-216	2.5	7
28	Enzymatic resolution of Z- β -di-tert-butyl-D,L-carboxyglutamic acid methyl ester. <i>Tetrahedron Letters</i> , 1996 , 37, 417-418	2	11

27	Enzymatic synthesis of carboxyglutamic acid containing peptides in organic media. <i>Tetrahedron Letters</i> , 1996 , 37, 3609-3612	2	3
26	Rapid and efficient preparative purification of building blocks suitable for solid-phase synthesis of neoglycopeptides: Synthesis and purification of O-(2,3,4,6-tetra-O-acetyl-β-D-galactopyranosyl/galucopyranosyl)-N-(9-fluoren-9-yl-methoxycarbonyl-hydroxyproline. <i>International Journal of Peptide Research and Therapeutics</i> , 1996 , 3, 61-68		3
25	Synthesis of sulfated bioactive peptides using immobilized arylsulfotransferase from <i>Eubacterium</i> sp.. <i>Biotechnology Letters</i> , 1996 , 18, 609-614	3	3
24	Enzymatic peptide synthesis in low water content systems: preparative enzymatic synthesis of [Leu]- and [Met]-enkephalin derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 1995 , 3, 245-55	3.4	43
23	Ethyl acetate modified AOT water-in-oil microemulsions for the chymotrypsin catalyzed synthesis of a model dipeptide derivative. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1995 , 96, 47-52	5.1	6
22	Enzymatic synthesis of X-Phe-Leu-NH ₂ in low water content systems: influence of the N-alpha protecting group and the reaction medium composition. <i>BBA - Proteins and Proteomics</i> , 1993 , 1164, 189-96		14
21	Optimization and kinetic studies of the enzymatic synthesis of Ac-Phe-Leu-NH ₂ in reversed micelles. <i>Enzyme and Microbial Technology</i> , 1992 , 14, 117-124	3.8	28
20	Enzymatic peptide fragment condensation. Choice of reaction media for the synthesis of an insect neuropeptide derivative. <i>Biotechnology Letters</i> , 1992 , 6, 69-72		2
19	Application of empirical design methodologies to the study of the influence of reaction conditions and N-alpha-protecting group structure on the enzymatic X-Phe-Leu-NH(2) dipeptide synthesis in buffer/dimethylformamide solvents systems. <i>Biotechnology and Bioengineering</i> , 1992 , 39, 539-49	4.9	8
18	Synthesis and biological activity of O-glycosylated morphiceptin analogues. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1991 , 1755-1759		34
17	Synthesis of Glycosyl Neuropeptides. <i>Methods in Neurosciences</i> , 1991 , 6, 35-50		2
16	Synthesis and activity of new N,N-dialkyl-morphiceptin analogs 1991 , 623-625		
15	Solid-phase synthesis of new glycosyl enkephalinamides 1991 , 416-417		
14	Antinociceptive activity of glycosidic enkephalin analogues. <i>Psychopharmacology</i> , 1990 , 101, 222-5	4.7	8
13	Solid-Phase Synthesis of Glycopeptide Amides under Mild Conditions: Morphiceptin Analogues. <i>Angewandte Chemie International Edition in English</i> , 1990 , 29, 291-292		20
12	Festphasen-Synthese von Glycopeptidamiden unter milden Bedingungen: Morphiceptin-Analoga. <i>Angewandte Chemie</i> , 1990 , 102, 311-313	3.6	12
11	A synthetic glycopeptide of substance P analogue (SP6-11) with enhanced NK-1 receptor specificity. <i>Journal of Pharmaceutical Sciences</i> , 1990 , 79, 74-6	3.9	4
10	Improved method for the synthesis of o-glycosylated fmoc amino acids to be used in solid-phase glycopeptide synthesis (Fmoc = fluoren-9-ylmethoxycarbonyl). <i>Journal of the Chemical Society Chemical Communications</i> , 1990 , 965-967		26

9	Synthesis of O1.5-(beta-D-galactopyranosyl) [DMet2, Hyp5] enkephalin amide, a new highly potent analgesic enkephalin-related glycosyl peptide. <i>Experientia</i> , 1989 , 45, 574-6		8
8	Hydrolysis of N-protected amino acid allyl esters by enzymatic catalysis. <i>Biotechnology Letters</i> , 1989 , 11, 393-396	3	5
7	New enzymatic approach to the synthesis of convenient aspartic acid intermediates in peptide chemistry. Synthesis of n-benzyloxycarbonyl-l-aspartic acid allyl ester.. <i>Tetrahedron</i> , 1989 , 45, 7421-7426	2.4	9
6	New glycosylpeptides with high antinociceptive activity. <i>Neuroscience Letters</i> , 1989 , 101, 89-94	3.3	44
5	The incorporation of sugar moieties to neuropeptides: comparative study of different methods. <i>Tetrahedron</i> , 1988 , 44, 6131-6136	2.4	10
4	Chromatographic behaviour and purification of N1.5-glycosyl enkephalins. <i>Chromatographia</i> , 1988 , 25, 891-894	2.1	1
3	Kinetic study of alpha-chymotrypsin-catalyzed synthesis of kyotorphin. <i>BBA - Proteins and Proteomics</i> , 1988 , 953, 157-63		13
2	Mixed anhydrides in peptide synthesis. Influence of the solvent and the amine on the racemization of dmet residue of an enkephalin sequence. <i>Tetrahedron</i> , 1987 , 43, 4031-4034	2.4	5
1	Mixed anhydrides in peptide synthesis. factors affecting urethane formation and racemization. <i>Tetrahedron</i> , 1986 , 42, 193-198	2.4	14