HannsjĶrg Weber

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4824829/publications.pdf

Version: 2024-02-01

369 papers 16,141 citations

20036 63 h-index 33145 104 g-index

380 all docs

380 does citations

times ranked

380

9398 citing authors

#	Article	IF	CITATIONS
1	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
2	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
3	Search for long-lived particles decaying to leptons with large impact parameter in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2022, 82, 153.	1.4	14
4	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
5	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	1.4	18
6	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
7	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
8	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
9	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
10	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
11	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
12	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
13	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
14	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
15	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
16	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	1.4	1
17	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	1.4	33
18	Search for top squark pair production using dilepton final states in $\{p\}$ {ext $\{p\}$ } \$ collision data collected at $\{p\}$ = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 3.	1.4	33

#	Article	IF	CITATIONS
19	Measurements of $f^{p}} {\mathrm{mathrm}\{p\}} $ ightarrow $\mathrm{Z}} {\mathrm{mathrm}\{Z\}} $ production cross sections and constraints on anomalous triple gauge couplings at $f^{z} = 13$, ext	1.4	24
20	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
21	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s. European Physical Journal C, 2021, 81, 378.	1.4	40
22	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	1.4	35
23	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
24	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$\$qrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	1.4	18
25	Search for a heavy vector resonance decaying to a $f(z)_{mathrm{Z}}_{mathrm{}}^{mathrm{}}$ Aboson and a Higgs boson in proton-proton collisions at $f(z)_{mathrm{}}^{mathrm{}}$ European Physical Journal C, 2021, 81, 688.	1.4	9
26	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in protonâ \in proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	1.4	19
27	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ ext $\{p\}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
28	Precision luminosity measurement in protonâ \in "proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
29	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	1.4	18
30	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
31	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\} = 5.02$ \$ and 13TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
32	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\frac{1}{s}=13,\{ext \{TeV\}\} $ \$. European Physical Journal C, 2020, 80, 752.	1.4	23
33	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
34	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
35	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{{}^{}}\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22
36	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in ${\bf PbPb}$ collisions at ${\bf Sqrt}$ mathrm ${\bf NN}$ = 2.76\$\$ and 5.02\$\$, ext ${\bf TeV}$ \$\$. European Physical Journal C, 2020, 80, 534.	1.4	14

#	Article	IF	CITATIONS
37	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
38	Evidence for $\$$ ext $\{W\}$ production from double-parton interactions in protona from collisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
39	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
40	Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	1.4	70
41	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
42	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
43	A multi-dimensional search for new heavy resonances decaying to boosted $\$ ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$ \$\$ext{ W }{}{}\$\$ \$\$ext{ Z }{}{}\$\$ \$\$ext{ Z }{}{}\$\$ boson pairs in the dijet final state at 13Â\$\$ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 237.	1.4	31
44	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
45	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
46	Measurement of $\$hbox \{t\}{ar\{hbox \{t\}}\}$ normalised multi-differential cross sections in $\$\$\{ext \{p\}\}\{ext \{p\}\}\}$ \$\$ collisions at $\$\$qrt\{s\}=13,\{ext \{TeV\}\}\}$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
47	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
48	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
49	$\label{lem:measurement} Measurement of exclusive $$\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\} $$ ^{0}$$ $$\hat{p}hotoproduction in ultraperipheral pPb collisions at $$sqrt{smash [b]{s_{_}{mathrm }NN}}} = 5.02,ext {Te}ext {V} $$. European Physical Journal C, 2019, 79, 702.}$	1.4	33
50	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$. European Physical Journal C, 2019, 79, 564.	1.4	50
51	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}$ =13,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
52	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	1.4	8
53	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
54	Search for the pair production of light top squarks in the e± $\hat{1}^{1}/4\hat{a}^{-}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5

#	Article	IF	Citations
55	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
56	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1.4	11
57	Measurements of the pp \hat{a} WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
58	Measurement of the f mathrm f werline mathrm f to f to f production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
59	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
60	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
61	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
62	Search for single production of vector-like quarks decaying to a top quark and a $\mbox{smathrm }\{W\}$ \$\ W boson in protona\(\mathre{\mathre{C}}\) \(\mathre{C}\) \\ S = 13 \) TeV. European Physical Journal C, 2019, 79, 90.	1.4	34
63	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
64	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20
65	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the $\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$$ decay channel with leptonic $\$$ mathrm{t}overline{mathrm{t}} $\$$ decays in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
66	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
67	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
68	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\$$ mathrm{p}mathrm{p}\$\$ collisions at $\$$ qrt{s} = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	1.4	6
69	Measurement of the differential Drell-Yan cross section in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
70	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\$$ sqrt $\{s\}=13$,ext $\{TeV\}$ $\$$. European Physical Journal C, 2019, 79, 893.	1.4	12
71	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $s=13,ext TeV$. European Physical Journal C, 2019, 79, 886.	1.4	16
72	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28

#	Article	IF	CITATIONS
73	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	1.4	10
74	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{NN}}}= $5.02 $ \$ and $8.16 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
75	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$, " \hat{l} / $2\hat{a}$," \hat{l} / $2\hat{a}$, " \hat{l} / $2\hat{a}$," \hat{l} / $2\hat{a}$,	1.6	36
76	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
77	Measurements of the \$\$mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p â†' Z Z production cross section and the \$\$mathrm{Z}ightarrow 4ell \$\$ Z â†' 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
78	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	1.4	16
79	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
80	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	O
81	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
82	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
83	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
84	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
85	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
86	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
87	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
88	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
89	Search for natural and split supersymmetry in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
90	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12

#	Article	IF	Citations
91	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	1.4	34
92	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
93	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
94	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
95	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ sqrt $\{s\}=13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46
96	Measurement of differential cross sections for $\{z\}$ z boson production in association with jets in proton-proton collisions at $\{z\}$ z	1.4	39
97	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$, "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
98	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	1.4	17
99	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\hat{1}$ /4 final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
100	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	1.4	40
101	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13-hbox $\{TeV\}$ \$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	1.4	9
102	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25
103	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
104	Measurement of the $\frac{Z}{gamma}^{*}$ ightarrow au au $Z / \hat{1}^3 \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, cross section in pp collisions at $\frac{1}{3} \hat{a} - \hat{a}^7 , \ddot{I}$, $\frac{1}{3} \hat{a} - \hat{a}^7 $	1.4	10
105	Search for dark matter produced in association with a Higgs boson decaying to $\hat{I}^3\hat{I}^3$ or \hat{I}_3 , \hat{I}_3 , \hat{I}_3 at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
106	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
107	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
108	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58

#	Article	IF	Citations
109	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ \$ collisions at 5.02 $\$$ 9, ext {Te}ext {V} $\$$ 8. European Physical Journal C, 2018, 78, 509.	1.4	83
110	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying \ddot{l} , leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
111	Electroweak production of two jets in association with a Z boson in protonâ \in "proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17
112	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
113	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
114	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
115	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
116	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
117	Jet properties in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm{N};mathrm{N}}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
118	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in proton collisions at $\frac{1}{s} = 13$, ext TeV \$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
119	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
120	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{$\hat{A}$}$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to 7 $\mbox{$\hat{A}$}$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
121	Measurement of the \mbox{mathrm}_{t} overline{mathrm} \mbox{mathrm}_{t} \$\$ t t $\mbox{$\hat{A}}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\mbox{$\hat{I}}_4$ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
122	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
123	Search for electroweak production of charginos in final states with two \ddot{l} , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
124	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8\{$, mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
125	Measurement of the WZ production cross section in pp collisions at $\$\$qrt\{s\} = 7\$\$ s = 7$ and 8 $\$\$,ext\{TeV\}\$\$ TeV$ and search for anomalous triple gauge couplings at $\$\$qrt\{s\} = 8,ext\{TeV\} \$\$ s = 8 TeV$. European Physical Journal C, 2017, 77, 236.	1.4	37
126	Measurement of prompt and nonprompt $\$$ mathrm{J}/{psi}\$\$ J / $\ddot{\Gamma}$ production in $\$$ mathrm {p}mathrm {p}\$\$ p p and $\$$ mathrm {p}mathrm {Pb}\$\$ p Pb collisions at $\$$ sqrt{s_{mathrm {NN}}} =5.02,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53

#	Article	IF	CITATIONS
127	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ \$\$ \hat{l} ± T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
128	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
129	Measurement of double-differential cross sections for top quark pair production in pp collisions at $$$ sqrt ${s} = 8$ \$ $s = 8$ \$,ext ${TeV}$ \$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	1.4	52
130	Measurement of the jet mass in highly boosted ${\rm mathrm\{t\}}$ overline{mathrm{t}}\$\$ events from pp collisions at ${\rm s}=8$ \$\$, ext {TeV}\$\$. European Physical Journal C, 2017, 77, 467.	1.4	23
131	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$\$$ sqrt $\{s_{mathrm{N};mathrm{N}}\}=5.02 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
132	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
133	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
134	Observation of Y(1S) pair production in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
135	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s=7$ \$\$ sqrt $\{s\}=7$ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
136	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
137	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
138	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{3}\hat{3}}$ and pp \hat{a} †' $\hat{Z}^{\hat{3}\hat{3}}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	^S 1.6	10
139	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	1.4	98
140	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
141	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
142	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
143	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
144	Suppression and azimuthal anisotropy of prompt and nonprompt $f(x) = 10^{\circ} \$ production in PbPb collisions at $f(x) = 10^{\circ} \$ production PbPb collisions at $f(x) = 10^{\circ} \$ production Physical Journal C, 2017, 77, 252.	1.4	82

#	Article	IF	Citations
145	Searches for pair production of third-generation squarks in $\$$ sqrt $\{s\}=13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
146	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95
147	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
148	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
149	Measurement of electroweak-induced production of \hat{W}^3 with two jets in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
150	Searches for $W\hat{a}\in^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
151	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13 $ \$\$ sqrt{ $s}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
152	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
153	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
154	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
155	Search for top squark pair production in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
156	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
157	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
158	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
159	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	1.4	57
160	Search for top quark partners with charge 5/3 in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
161	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
162	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17

#	Article	IF	Citations
163	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
164	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
165	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
166	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
167	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
168	Search for high-mass $Z\hat{1}^3$ resonances in e+eâ ⁻ ' $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â ⁻ ' $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
169	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $I_{\rm m}$, leptons and two jets in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
170	Search for CP violation in t t \hat{A}^- \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4
171	Measurement of the triple-differential dijet cross section in proton-proton collisions at $s=0.00$ % s = 8 TeV and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
172	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
173	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13 $ \$ sqrt{ s }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
174	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
175	Measurements of the associated production of a Z boson and b jets in pp collisions at $\{\text{sqrt}\{s\}\}$ = 8,ext $\{\text{TeV}\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
176	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
177	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
178	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{N};mathrm{N}}}= $2.76 \$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
179	Measurement of the double-differential inclusive jet cross section in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
180	Measurement of the $f(w) ^{+} \$ mathrm $f(w)^{-} \$ W + W - cross section in pp collisions at $s_{s} = 8$ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74

#	Article	IF	Citations
181	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33
182	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
183	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm $\{e\}$ mu \$\$ e 1^{1} 4 pair in proton $a\in$ "proton collisions at \$\$sqrt $\{s\}=8$ ~ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
184	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
185	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
186	Search for anomalous single top quark production in association with a photon in pp collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
187	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
188	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
189	Forward–backward asymmetry of Drell–Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
190	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
191	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
192	Search for dark matter particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
193	Search for s channel single top quark production in pp collisions at $s = 7 $ \$ sqrt $s=7 $ \$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
194	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$$ sqrt $\{s_{mathrm {NN}}\} = 5.02$, mathrm $\{TeV\}$ $\$$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29
195	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
196	Measurement of the t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
197	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
198	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13

#	Article	IF	Citations
199	Evidence for exclusive $\hat{I}^3\hat{I}^3$ \hat{a}^4 , \hat{W} + \hat{W} \hat{a}^2 production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42
200	Search for supersymmetry in pp collisions at $s=13 $ \$\$ $sqrt{s}=13 $ \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
201	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ sqrt $\{s\} = 8$;ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
202	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 $ \$ sqrt $\{s\}=7 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
203	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s = 7 $ \$\$ sqrt{ s }=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
204	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$, ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
205	Measurement of $\mbox{mathrm {t}overline{mathrm {t}}$$ t t Â^- production with additional jet activity, including $$mathrm {b}$$ b quark jets, in the dilepton decay channel using pp collisions at $$$qrt{s} = 8,ext {TeV} $$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.$	1.4	34
206	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ mathrm $\{w\}^{p} + x$ production at $\{q\} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	1.4	83
207	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
208	Search for $W\hat{a}\in ^2\hat{a}\dagger$ to in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
209	Correlations between jets and charged particles in PbPb and pp collisions at s N N = 2.76 \$\$ sqrt{s_{mathrm{NN}}}= 2.76 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
210	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\} = 8 $ \$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
211	Search for excited leptons in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
212	Measurement of the $\mbox{mathrm{t}}$ overline{{mathrm{t}}}\$\$ t t $\mbox{$\hat{A}^-$}$ production cross section in the all-jets final state in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
213	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
214	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ â,," $\hat{l}\frac{1}{2}$ b b \hat{A}^- final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
215	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
216	Search for heavy Majorana neutrinos in $e\hat{A}\pm e\hat{A}\pm + j$ ets and $e\hat{A}\pm \hat{I}^{1}\!\!/4 \hat{A}\pm + j$ ets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35

#	Article	IF	Citations
217	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $I_{\rm s}$, leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
218	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
219	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
220	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
221	Search for third-generation scalar leptoquarks in the tï,, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
222	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
223	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
224	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
225	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
226	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
227	Search for a light charged Higgs boson decaying to c s \hat{A}^- \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
228	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
229	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
230	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015 , 2015 , 1 .	1.6	92
231	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
232	Measurement of the $Z^{\hat{1}^3}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
233	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68
234	Measurement of the differential cross section for top quark pair production in pp collisions at $s=0$ sqrt $s=0$ sqr	1.4	191

#	Article	IF	CITATIONS
235	Measurements of the $\$$ mathrm{Z}\$\$ Z $\$$ mathrm{Z}\$\$ Z production cross sections in the $\$$ 2mathrm{I} 2u $\$$ 5 2 2 Î $\frac{1}{2}$ 2 channel in protonâ \in "proton collisions at $\$$ 5qrt{s} = 7\$\$ s = 7 and $\$$ 5a. European Physical Journal C, 2015, 75, 511.	1.4	32
236	Comparison of the Z/\hat{i}^3 \hat{a} — + jets to \hat{i}^3 + jets cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
237	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
238	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
239	Measurement of electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}=8,ext {TeV}\$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 66.	1.4	31
240	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at $\$$ sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88
241	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
242	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	26
243	and B± â†' Jʃſ`K ± and ℬ B c ± â†' J / Ĭ` Ĭ€ ± Ĭ€ ± Ĭ€ â~" / ℬ B c ± â†' J / Ï` Ĭ€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{pm}o mathrm{J}/psi {pi}^{pm} }{pi}^{pm} Tj ETQq1 1 0.	784314 r	gBT ₁ /Overlock
244	2015. 1. Search for disappearing tracks in proton-proton collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
245	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$$ sqrt{s_{mathrm{NN}}}= $2.76 \$$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
246	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 $ \$\$ sqrt s =8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
247	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10
248	Search for dark matter, extra dimensions, and unparticles in monojet events in protonâ \in proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
249	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\frac{5}{5} = 7$ s, ext TeV TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
250	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{y}}{TeV}$ TeV. European Physical Journal C, 2015, 75, 237.	1.4	58
251	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\$$ sqrt $\{s\} = 7$ \$\$ s = 7 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6
252	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in protonâ \in "proton collisions at \$\$sqrt{s} =8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.	1.4	43

#	Article	IF	CITATIONS
253	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179
254	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
255	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65
256	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
257	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
258	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
259	Measurement of prompt J/ Γ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
260	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
261	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
262	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt{s} = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
263	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
264	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
265	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	1.6	169
266	Measurement of the $\$$ toverline $\{t\}$ $\$$ production cross section in the dilepton channel in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
267	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\frac{1}{s_{NN}}$ \$ =2.76 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	77
268	Measurement of associated W + charm production in pp collisions at $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
269	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrt = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48
270	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{NN}}{1.00} = 5.02$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	75

#	Article	IF	CITATIONS
271	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
272	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	1.4	171
273	Measurement of jet multiplicity distributions in $\frac{t}{v}$ athrm $t}$ overline mathrm $t}$ to \hat{A}^- production in pp collisions at $\frac{s}{v}$ = 7,ext t V s = 7 TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
274	Study of double parton scattering using W + 2-jet events in proton-proton collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
275	Event activity dependence of \$ Y \$ (nS) production in \$ $qrt{\{s_{NN}\}}$ \$ = 5.02 TeV pPb and \$ $qrt{s}$ \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	56
276	Measurements of the \$ mathrm{t}overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ $qt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
277	Search for $W\hat{a}\in \hat{a}$ \hat{a} to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
278	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\$ sqrt $\{s\}$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
279	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
280	Measurement of the t-channel single-top-quark production cross section and of the $ V tb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
281	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $\$ sqrt{s} $\$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
282	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
283	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
284	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
285	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ where $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark mass in all-jets $\frac{1}{2}$ has a sum of the top-quark ma	1.4	35
286	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt{s_{NN}} =; $\$$ s N N = 5.02 $\$$, ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85
287	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	1.4	17
288	Measurement of the (toverline $\{t\}$) production cross section in the dilepton channel in pp collisions at (sqrt $\{s\}$) = 8 TeV., 2014, 2014, 1.		3

#	Article	IF	CITATIONS
289	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
290	Search for microscopic black holes in pp collisions at $q=1$ sqrt $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes in pp collisions at $q=1$ for microscopic black holes i	1.6	44
291	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
292	Searches for long-lived charged particles in pp collisions at $q=0$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
293	Study of exclusive two-photon production of W+Wâ^' in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
294	Observation of a new boson with mass near 125 GeV in pp collisions at $q=125$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
295	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
296	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
297	Measurement of the \$ mathrm{t}overline{mathrm $\{t\}$ } \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
298	Measurement of the X(3872) production cross section via decays to JĬïĬ€ + Ï€ â° in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
299	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
300	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
301	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
302	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
303	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
304	Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20
305	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
306	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ\hat{I}^3$ and $Z\hat{I}^3\hat{I}^3$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14

#	Article	IF	CITATIONS
307	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ production in lepton+jets events in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
308	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}\pm T$ and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2568.	1.4	147
309	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
310	Measurement of masses in the $mathrm{t}$ overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at $q=0$ 013, 73, 2494.	1.4	55
311	Search for physics beyond the standard model in events with \ddot{I} , leptons, jets, and large transverse momentum imbalance in pp collisions at $\frac{s}{1}$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
312	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the \ddot{l} ,+jets channel in pp collisions at $q=1$ mbox $q=1$ mbox $q=1$ by collisions at $q=1$ mbox $q=1$	1.4	24
313	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32
314			

#	Article	IF	Citations
325	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($sqrt\{s\}=8$) TeV. , 2013, 2013, 1.		2
326	Inclusive b-jet production in pp collisions at $sqrt {s} = 7TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
327	Search for quark compositeness in dijet angular distributions from pp collisions at sqrt = 7 } TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	18
328	Suppression of non-prompt J/ Γ , prompt J/ Γ , and \$ Upsilon \$(1S) in PbPb collisions at \$ sqrt $\{\{s_{ext}NN\}\}\}\} = 2.76$ \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	200
329	Search for heavy bottom-like quarks in 4.9 fbâ^'1 of pp collisions at sqrt s} = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
330	Measurement of the cross section for production of $\$$ boverline b X $\$$ decaying to muons in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	6
331	Measurement of the Z $\hat{\beta}$ 3* + b-jet cross section in pp collisions at \$ sqrt {s} = 7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	39
332	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $q=7$; TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	31
333	Search for anomalous production of multilepton events in pp collisions at sqrt s} = 7,TeV 5. Journal of High Energy Physics, 2012, 2012, 1.	1.6	68
334	Search for a light charged Higgs boson in top quark decays in pp collisions at $\$$ sqrt $\{s\}$ = 7;TeV $\$$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	117
335	Search for leptonic decays of $W\hat{a}\in \mathbb{Z}^2$ bosons in pp collisions at \$ sqrt {s} = {7} \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
336	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} 5. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
337	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\$ sqrt $\$ s} = 7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
338	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\{\$\}$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
339	Search for anomalous \$ toverline t \$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	1.6	58
340	Search for dark matter and large extra dimensions in monojet events in pp collisions at $\$$ sqrt $\{s\}$ = $\{7\}$ $\$$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	168
341	Search for a fermiophobic Higgs boson in pp collisions at sqrt = 7 TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
342	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	95

#	Article	IF	CITATIONS
343	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at \$ sqrt{{{s_{mathrm{NN}}}}} = 2.76 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	85
344	Measurement of the \$ mathrm{t}overline{mathrm{t}} \$ production cross section in the dilepton channel in pp collisions at \$ $qt{s}=7 $ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
345	Search for exclusive or semi-exclusive $\hat{j}^3\hat{j}^3$ production and observation of exclusive and semi-exclusive e+e \hat{a}^3 production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
346	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7$ \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
347	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
348	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\ \sqrt{s}=7 \ TeV$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
349	Search for resonant $\mbox{mathrm}\{t\}$ overline{mathrm $\{t\}$ } production in lepton+jets events in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
350	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
351	Measurement of the single-top-quark t-channel cross section in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
352	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $q=1,2,3$ sqrt $s=7$; TeV $q=1,2,3$.	1.6	14
353	Measurement of the top-quark mass in $\mbox{mathrm{t}}$ with lepton+jets final states in pp collisions at $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
354	Measurement of the underlying event in the Drell–Yan process in proton–proton collisions at \$sqrt{s} = 7~mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	33
355	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7-mbox{TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	154
356	A search for a doubly-charged Higgs boson in pp collisions at $sqrt{s} = 7 \mod {TeV}$. European Physical Journal C, 2012, 72, 1.	1.4	129
357	Measurement of the top-quark mass in $mathrm{t}$ overline{mathrm{t}}\$ events with dilepton final states in pp collisions at $q=0$ mbox{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	42
358	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton–proton collisions at \$sqrt{s} = 7 mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	26
359			

#	Article	IF	CITATIONS
361	Search for the standard model Higgs boson in the H \hat{a} † ZZ \hat{a} † \hat{a} , " \hat{a} ", " \hat{a} ", " \hat{a} " decay channel in pp collisions at \hat{s} = $\{7\}$; {ext{TeV}} \$. Journal of High Energy Physics, 2012, 2012, 1.	S sart 1.6	11
362	Search for $\{\text{ext}\{B\}\}_{\text{ext}\{s\}}^0 \ \hat{i}' \ \hat{i}'_4 + \hat{i}'_4 \ \hat{a}'' \ \text{and BO at'} \ \hat{i}'_4 + \hat{i}'_4 \ \hat{a}'' \ \text{decays. Journal of High Energy Physics, 2012, 1.}$	2012, 1.6	57
363	Search for a Higgs boson in the decay channel H \hat{a} † $ZZ(*)$ \hat{a} † \hat{q} overline {ext{q}} \$ \hat{a} ," \hat{a} " \hat{a} ," + in pp collisions at \$ sqrt {s} = 7 \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	30
364	Search for microscopic black holes in pp collisions at $\$\$$ sqrt $\{s\} = \{ext\{7TeV\}\}\$ \$\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
365	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at	1.6	16
366	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
367	Study of high-p T charged particle suppression in PbPb compared to pp collisions at \$sqrt{s_{mathrm{NN}}}=2.76~mathrm{TeV}\$. European Physical Journal C, 2012, 72, 1.	1.4	369
368	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\frac{NN}{= 2.76 \text{ mbox}{TeV}}$. European Physical Journal C, 2012, 72, 1.	1.4	181
369	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\$ sqrt $\$ s} = 7;TeV $\$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	26