

Ole Bernt Fasmer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4825772/ole-bernt-fasmer-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

1,046
citations

18
h-index

31
g-index

55
ext. papers

1,279
ext. citations

4.3
avg, IF

4.32
L-index

#	Paper	IF	Citations
51	Complexity and variability analyses of motor activity distinguish mood states in bipolar disorder.. <i>PLoS ONE</i> , 2022 , 17, e0262232	3.7	1
50	Innovative approaches in investigating inter-beat intervals: Graph theoretical method suggests altered autonomic functioning in adolescents with ADHD.. <i>Psychophysiology</i> , 2022 , e14005	4.1	
49	LongShort Ensemble Network for Bipolar Manic-Euthymic State Recognition Based on Wrist-Worn Sensors. <i>IEEE Pervasive Computing</i> , 2022 , 1-12	1.3	1
48	Individual Variability in Reaction Time and Prediction of Clinical Response to Methylphenidate in Adult ADHD: A Prospective Open Label Study Using Conners-Continuous Performance Test II. <i>Journal of Attention Disorders</i> , 2021 , 25, 657-671	3.7	3
47	Blue-blocking glasses as additive treatment for mania: Effects on actigraphy-derived sleep parameters. <i>Journal of Sleep Research</i> , 2020 , 29, e12984	5.8	10
46	Lower Cardiac Vagal Activity Predicts Self-Reported Difficulties With Emotion Regulation in Adolescents With ADHD. <i>Frontiers in Psychiatry</i> , 2020 , 11, 244	5	0
45	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory. <i>PLoS ONE</i> , 2020 , 15, e0241991	3.7	2
44	Applying machine learning in motor activity time series of depressed bipolar and unipolar patients compared to healthy controls. <i>PLoS ONE</i> , 2020 , 15, e0231995	3.7	12
43	Cyclothymic temperament: Associations with ADHD, other psychopathology, and medical morbidity in the general population. <i>Journal of Affective Disorders</i> , 2020 , 260, 440-447	6.6	5
42	Applying machine learning in motor activity time series of depressed bipolar and unipolar patients compared to healthy controls 2020 , 15, e0231995		
41	Applying machine learning in motor activity time series of depressed bipolar and unipolar patients compared to healthy controls 2020 , 15, e0231995		
40	Applying machine learning in motor activity time series of depressed bipolar and unipolar patients compared to healthy controls 2020 , 15, e0231995		
39	Applying machine learning in motor activity time series of depressed bipolar and unipolar patients compared to healthy controls 2020 , 15, e0231995		
38	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory 2020 , 15, e0241991		
37	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory 2020 , 15, e0241991		
36	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory 2020 , 15, e0241991		
35	Diurnal variation of motor activity in adult ADHD patients analyzed with methods from graph theory 2020 , 15, e0241991		

34	Diabetes is associated with decreased migraine risk: A nationwide cohort study. <i>Cephalalgia</i> , 2018 , 38, 1759-1764	6.1	9
33	Actigraphy as an objective intra-individual marker of activity patterns in acute-phase bipolar disorder: a case series. <i>International Journal of Bipolar Disorders</i> , 2018 , 6, 8	5.4	11
32	Adult ADHD and Comorbid Somatic Disease: A Systematic Literature Review. <i>Journal of Attention Disorders</i> , 2018 , 22, 203-228	3.7	106
31	Graph theory applied to the analysis of motor activity in patients with schizophrenia and depression. <i>PLoS ONE</i> , 2018 , 13, e0194791	3.7	13
30	Motor activity patterns in acute schizophrenia and other psychotic disorders can be differentiated from bipolar mania and unipolar depression. <i>Psychiatry Research</i> , 2018 , 270, 418-425	9.9	9
29	Depresjon 2018 ,		24
28	A pilot study to determine whether combinations of objectively measured activity parameters can be used to differentiate between mixed states, mania, and bipolar depression. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 5	5.4	21
27	Do medical students and young physicians assess reliably their self-efficacy regarding communication skills? A prospective study from end of medical school until end of internship. <i>BMC Medical Education</i> , 2017 , 17, 107	3.3	20
26	Variability of activity patterns across mood disorders and time of day. <i>BMC Psychiatry</i> , 2017 , 17, 404	4.2	22
25	Circadian rest-activity rhythms during benzodiazepine tapering covered by melatonin versus placebo add-on: data derived from a randomized clinical trial. <i>BMC Psychiatry</i> , 2016 , 16, 348	4.2	14
24	Mood and motor activity in euthymic bipolar disorder with sleep disturbance. <i>Journal of Affective Disorders</i> , 2016 , 202, 23-31	6.6	19
23	Distribution and Characteristics of Active and Inactive Periods Distinguish Unipolar Depression With and Without Motor Retardation. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, 841-2	4.6	4
22	Distribution of Active and Resting Periods in the Motor Activity of Patients with Depression and Schizophrenia. <i>Psychiatry Investigation</i> , 2016 , 13, 112-20	3.1	15
21	Linear and non-linear analyses of Conner's Continuous Performance Test-II discriminate adult patients with attention deficit hyperactivity disorder from patients with mood and anxiety disorders. <i>BMC Psychiatry</i> , 2016 , 16, 284	4.2	19
20	Patterns of motor activity in spontaneously hypertensive rats compared to Wistar Kyoto rats. <i>Behavioral and Brain Functions</i> , 2016 , 12, 32	4.1	4
19	Prevalence and clinical features associated to bipolar disorder-migraine comorbidity: a systematic review. <i>Comprehensive Psychiatry</i> , 2015 , 56, 1-16	7.3	20
18	Genome wide association study identifies variants in NBEA associated with migraine in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 172, 453-61	6.6	12
17	Effect of acupuncture at HT7 on heart rate variability: an exploratory study. <i>Acupuncture in Medicine</i> , 2015 , 33, 30-5	1.9	18

16	Actigraphically assessed activity in unipolar depression: a comparison of inpatients with and without motor retardation. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 1181-7	4.6	30
15	Motor Activity in Adult Patients with Attention Deficit Hyperactivity Disorder. <i>Psychiatry Investigation</i> , 2015 , 12, 474-82	3.1	3
14	Actigraphic assessment of motor activity in acutely admitted inpatients with bipolar disorder. <i>PLoS ONE</i> , 2014 , 9, e89574	3.7	67
13	Blocking blue light during mania - markedly increased regularity of sleep and rapid improvement of symptoms: a case report. <i>Bipolar Disorders</i> , 2014 , 16, 894-8	3.8	28
12	The influence of glutamatergic antagonism on motor variability, and comparison to findings in schizophrenia patients. <i>Acta Neuropsychiatrica</i> , 2013 , 25, 105-12	3.9	4
11	A naturalistic study of the effect of acupuncture on heart-rate variability. <i>JAMS Journal of Acupuncture and Meridian Studies</i> , 2012 , 5, 15-20	1.2	8
10	Comorbidity of migraine with ADHD. <i>Journal of Attention Disorders</i> , 2012 , 16, 339-45	3.7	15
9	Nonlinear analysis of motor activity shows differences between schizophrenia and depression: a study using Fourier analysis and sample entropy. <i>PLoS ONE</i> , 2011 , 6, e16291	3.7	57
8	Adult attention deficit hyperactivity disorder is associated with migraine headaches. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2011 , 261, 595-602	5.1	33
7	Adult attention deficit hyperactivity disorder is associated with asthma. <i>BMC Psychiatry</i> , 2011 , 11, 128	4.2	32
6	Comorbidity of asthma with ADHD. <i>Journal of Attention Disorders</i> , 2011 , 15, 564-71	3.7	27
5	Clinical assessment and diagnosis of adults with attention-deficit/hyperactivity disorder. <i>Expert Review of Neurotherapeutics</i> , 2010 , 10, 1569-80	4.3	87
4	Occupational outcome in adult ADHD: impact of symptom profile, comorbid psychiatric problems, and treatment: a cross-sectional study of 414 clinically diagnosed adult ADHD patients. <i>Journal of Attention Disorders</i> , 2009 , 13, 175-87	3.7	189
3	Non-right-handedness is associated with migraine and soft bipolarity in patients with mood disorders. <i>Journal of Affective Disorders</i> , 2008 , 108, 217-24	6.6	12
2	Laterality of pain in migraine with comorbid unipolar depressive and bipolar II disorders. <i>Bipolar Disorders</i> , 2002 , 4, 290-5	3.8	8
1	Clinical characteristics of patients with major affective disorders and comorbid migraine. <i>World Journal of Biological Psychiatry</i> , 2001 , 2, 149-55	3.8	51