

# Kenneth Caidahl

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4827736/kenneth-caidahl-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114  
papers

3,343  
citations

29  
h-index

56  
g-index

122  
ext. papers

3,849  
ext. citations

4.8  
avg. IF

4.81  
L-index

#	Paper	IF	Citations
114	Diffusely Increased Myocardial Extracellular Volume With or Without Focal Late Gadolinium Enhancement: Prevalence and Associations With Left Ventricular Size and Function. <i>Journal of Thoracic Imaging</i> , <b>2022</b> , 37, 17-25	5.6	1
113	Plaque Evaluation by Ultrasound and Transcriptomics Reveals BCLAF1 as a Regulator of Smooth Muscle Cell Lipid Transdifferentiation in Atherosclerosis.. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2022</b> , ATVBAHA121317018	9.4	1
112	Plasma renin activity has a complex prognostic role in patients with acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2021</b> , 329, 198-204	3.2	
111	Generalization of three-dimensional golden-angle radial acquisition to reduce eddy current artifacts in bSSFP CMR imaging. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2021</b> , 34, 109-118	2.8	3
110	The ratio FEV /FVC and its association to respiratory symptoms-A Swedish general population study. <i>Clinical Physiology and Functional Imaging</i> , <b>2021</b> , 41, 181-191	2.4	1
109	Pre- and postoperative left atrial and ventricular volumetric and deformation analyses in severe aortic regurgitation. <i>Cardiovascular Ultrasound</i> , <b>2021</b> , 19, 14	2.4	1
108	Incremental changes in QRS duration as predictor for cardiovascular disease: a 21-year follow-up of a randomly selected general population. <i>Scientific Reports</i> , <b>2021</b> , 11, 13652	4.9	1
107	Early Comprehensive Cardiovascular Magnetic Resonance Imaging in Patients With Myocardial Infarction With Nonobstructive Coronary Arteries. <i>JACC: Cardiovascular Imaging</i> , <b>2021</b> , 14, 1774-1783	8.4	8
106	Plasma catecholamine levels in the acute and subacute stages of takotsubo syndrome: Results from the Stockholm myocardial infarction with normal coronaries 2 study. <i>Clinical Cardiology</i> , <b>2021</b> , 44, 1567-1574	3.3	2
105	Effect of growth hormone treatment on circulating levels of NT-proBNP in patients with ischemic heart failure. <i>Growth Hormone and IGF Research</i> , <b>2020</b> , 55, 101359	2	0
104	Comparison of incidence rates and risk factors of heart failure between two male cohorts born 30 years apart. <i>Heart</i> , <b>2020</b> , 106, 1672-1678	5.1	
103	Cardiovascular magnetic resonance 4D flow analysis has a higher diagnostic yield than Doppler echocardiography for detecting increased pulmonary artery pressure. <i>BMC Medical Imaging</i> , <b>2020</b> , 20, 28	2.9	7
102	Lifetime risk of stroke in the general male population. <i>Acta Neurologica Scandinavica</i> , <b>2020</b> , 142, 30-36	3.8	
101	High-normal blood pressure conferred higher risk of cardiovascular disease in a random population sample of 50-year-old men: A 21-year follow-up. <i>Medicine (United States)</i> , <b>2020</b> , 99, e19895	1.8	3
100	Lack of PCSK6 Increases Flow-Mediated Outward Arterial Remodeling in Mice. <i>Cells</i> , <b>2020</b> , 9,	7.9	1
99	Assessment of Global Lung Function Initiative (GLI) reference equations for diffusing capacity in relation to respiratory burden in the Swedish CARDioPulmonary bioImage Study (SCAPIS). <i>European Respiratory Journal</i> , <b>2020</b> , 56,	13.6	5
98	Prevalence and risk factors of aortic stenosis and aortic sclerosis: a 21-year follow-up of middle-aged men. <i>Scandinavian Cardiovascular Journal</i> , <b>2020</b> , 54, 115-123	2	6

97	Cardiovascular changes in patients with mild-to-moderate chronic kidney disease compared with healthy subjects: a 5-year follow-up study. <i>Clinical Physiology and Functional Imaging</i> , <b>2020</b> , 40, 91-98	2.4	1
96	Sector-wise golden-angle phase contrast with high temporal resolution for evaluation of left ventricular diastolic dysfunction. <i>Magnetic Resonance in Medicine</i> , <b>2020</b> , 83, 1310-1321	4.4	6
95	Chronic airflow limitation and its relation to respiratory symptoms among ever-smokers and never-smokers: a cross-sectional study. <i>BMJ Open Respiratory Research</i> , <b>2020</b> , 7,	5.6	3
94	A negative T-wave in electrocardiogram at 50 years predicted lifetime mortality in a random population-based cohort. <i>Clinical Cardiology</i> , <b>2020</b> , 43, 1279-1285	3.3	1
93	Comprehensive Cardiovascular Magnetic Resonance Diastolic Dysfunction Grading Shows Very Good Agreement Compared With Echocardiography. <i>JACC: Cardiovascular Imaging</i> , <b>2020</b> , 13, 2530-2542	8.4	7
92	Molecular Imaging of Inflammation in a Mouse Model of Atherosclerosis Using a Zirconium-89-Labeled Probe. <i>International Journal of Nanomedicine</i> , <b>2020</b> , 15, 6137-6152	7.3	4
91	Hyperglycemia Induces Myocardial Dysfunction via Epigenetic Regulation of JunD. <i>Circulation Research</i> , <b>2020</b> , 127, 1261-1273	15.7	12
90	High prevalence of cardiac dysfunction or overt heart failure in 71-year-old men: A 21-year follow-up of "The Study of men born in 1943". <i>European Journal of Preventive Cardiology</i> , <b>2020</b> , 27, 717-723	7.9	2
89	The association of body mass index, weight gain and central obesity with activity-related breathlessness: the Swedish Cardiopulmonary Bioimage Study. <i>Thorax</i> , <b>2019</b> , 74, 958-964	7.3	9
88	Projection-based respiratory-resolved left ventricular volume measurements in patients using free-breathing double golden-angle 3D radial acquisition. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2019</b> , 32, 331-341	2.8	0
87	Human serum albumin-based probes for molecular targeting of macrophage scavenger receptors. <i>International Journal of Nanomedicine</i> , <b>2019</b> , 14, 3723-3741	7.3	12
86	Impact of changes in heart rate with age on all-cause death and cardiovascular events in 50-year-old men from the general population. <i>Open Heart</i> , <b>2019</b> , 6, e000856	3	19
85	Contrast Enhancement and Image Quality Influence Two- and Three-dimensional Echocardiographic Determination of Left Ventricular Volumes: Comparison With Magnetic Resonance Imaging. <i>Clinical Medicine Insights: Cardiology</i> , <b>2019</b> , 13, 1179546819831980	3.2	6
84	Changes in Vitamin D Status in Overweight Middle-Aged Adults with or without Impaired Glucose Metabolism in Two Consecutive Nordic Summers. <i>Journal of Nutrition and Metabolism</i> , <b>2019</b> , 2019, 1840374	2.7	4
83	Seventeen-Year Mortality following the Acute Coronary Syndrome: Gender-Specific Baseline Variables and Impact on Outcome. <i>Cardiology</i> , <b>2019</b> , 143, 22-31	1.6	0
82	Homeostatic Chemokines and Prognosis in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , <b>2019</b> , 74, 774-782	15.1	2
81	Molecular Imaging of a New Multimodal Microbubble for Adhesion Molecule Targeting. <i>Cellular and Molecular Bioengineering</i> , <b>2019</b> , 12, 15-32	3.9	8
80	Afternoon exercise is more efficacious than morning exercise at improving blood glucose levels in individuals with type 2 diabetes: a randomised crossover trial. <i>Diabetologia</i> , <b>2019</b> , 62, 233-237	10.3	72

79	Noninvasive in vivo Assessment of the Re-endothelialization Process Using Ultrasound Biomicroscopy in the Rat Carotid Artery Balloon Injury Model. <i>Journal of Ultrasound in Medicine</i> , <b>2019</b> , 38, 1723-1731	2.9	4
78	Personality Traits in Patients with Myocardial Infarction with Nonobstructive Coronary Arteries. <i>American Journal of Medicine</i> , <b>2019</b> , 132, 374-381.e1	2.4	7
77	Circulating Exosomal miR-20b-5p Is Elevated in Type 2 Diabetes and Could Impair Insulin Action in Human Skeletal Muscle. <i>Diabetes</i> , <b>2019</b> , 68, 515-526	0.9	54
76	Cysteinyl leukotriene receptor 1 antagonism prevents experimental abdominal aortic aneurysm. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, 1907-1912	11.5	10
75	Serum neutrophil gelatinase-associated lipocalin (NGAL) concentration is independently associated with mortality in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , <b>2018</b> , 262, 79-84	3.2	8
74	Although Coronary Mortality Has Decreased, Rates of Cardiovascular Disease Remain High: 21 Years of Follow-Up Comparing Cohorts of Men Born in 1913 With Men Born in 1943. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7,	6	10
73	Aortic versus carotid intima-media thickness and impact of aortic valve disease. <i>Clinical Physiology and Functional Imaging</i> , <b>2018</b> , 38, 895-902	2.4	1
72	Long-Term Improvement in Aortic Pulse Wave Velocity After Weight Loss Can Be Predicted by White Adipose Tissue Factors. <i>American Journal of Hypertension</i> , <b>2018</b> , 31, 450-457	2.3	11
71	A genome-wide association study of IgM antibody against phosphorylcholine: shared genetics and phenotypic relationship to chronic lymphocytic leukemia. <i>Human Molecular Genetics</i> , <b>2018</b> , 27, 1809-1818	5.6	3
70	Aspects of carotid structure and function in health and different stages of chronic kidney disease. <i>Clinical Physiology and Functional Imaging</i> , <b>2018</b> , 38, 402-408	2.4	3
69	Circumferential strain by velocity vector imaging and speckle-tracking echocardiography: validation against sonomicrometry in an aortic phantom. <i>Clinical Physiology and Functional Imaging</i> , <b>2018</b> , 38, 269-274	2.7	5
68	Association between left atrial enlargement and obstructive sleep apnea in a general population of 71-year-old men. <i>Journal of Sleep Research</i> , <b>2018</b> , 27, 252-258	5.8	14
67	Natriuretic and Inflammatory Biomarkers as Risk Predictors of Heart Failure in Middle-Aged Men From the General Population: A 21-Year Follow-Up. <i>Journal of Cardiac Failure</i> , <b>2018</b> , 24, 594-600	3.3	3
66	Importance of software version for measurement of arterial stiffness: Arteriograph as an example. <i>PLoS ONE</i> , <b>2018</b> , 13, e0197019	3.7	1
65	Prevalence of Anxiety and Depression Symptoms in Patients with Myocardial Infarction with Non-Obstructive Coronary Arteries. <i>American Journal of Medicine</i> , <b>2018</b> , 131, 1118-1124	2.4	20
64	Resolution of Inflammation Through the Lipoxin and ALX/FPR2 Receptor Pathway Protects Against Abdominal Aortic Aneurysms. <i>JACC Basic To Translational Science</i> , <b>2018</b> , 3, 719-727	8.7	24
63	Gradual reduction in exercise capacity in chronic kidney disease is associated with systemic oxygen delivery factors. <i>PLoS ONE</i> , <b>2018</b> , 13, e0209325	3.7	7
62	The incidence of atrial fibrillation and the added value of thumb ECG for detecting new cases. <i>Scandinavian Cardiovascular Journal</i> , <b>2018</b> , 52, 256-261	2	3

61	Novel Multiomics Profiling of Human Carotid Atherosclerotic Plaques and Plasma Reveals Biliverdin Reductase B as a Marker of Intraplaque Hemorrhage. <i>JACC Basic To Translational Science</i> , <b>2018</b> , 3, 464-480	8.7	27
60	Effect of Myocardial Infarction With Nonobstructive Coronary Arteries on Physical Capacity and Quality-of-Life. <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 341-346	3	22
59	Cellular Uptake of Plain and SPION-Modified Microbubbles for Potential Use in Molecular Imaging. <i>Cellular and Molecular Bioengineering</i> , <b>2017</b> , 10, 537-548	3.9	9
58	Secular changes in cardiovascular risk factors in Swedish 50-year-old men over a 50-year period: The study of men born in 1913, 1923, 1933, 1943, 1953 and 1963. <i>European Journal of Preventive Cardiology</i> , <b>2017</b> , 24, 612-620	3.9	24
57	Intima-media thickness of the descending aorta in patients with bicuspid aortic valve. <i>IJC Heart and Vasculature</i> , <b>2016</b> , 11, 74-79	2.4	4
56	Value of the QRS-T area angle in improving the prediction of sudden cardiac death after acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2016</b> , 218, 1-11	3.2	16
55	Shear Wave Elastography Quantifies Stiffness in Ex Vivo Porcine Artery with Stiffened Arterial Region. <i>Ultrasound in Medicine and Biology</i> , <b>2016</b> , 42, 2423-35	3.5	33
54	Direct effects of exercise on kynurenine metabolism in people with normal glucose tolerance or type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2016</b> , 32, 754-761	7.5	29
53	Risk Factors and Markers for Acute Myocardial Infarction With Angiographically Normal Coronary Arteries. <i>American Journal of Cardiology</i> , <b>2015</b> , 116, 838-44	3	31
52	Secreted Frizzled-Related Protein 3 (sFRP3) in acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2015</b> , 190, 217-9	3.2	7
51	Changes in gene expression in responders and nonresponders to a low-intensity walking intervention. <i>Diabetes Care</i> , <b>2015</b> , 38, 1154-60	14.6	27
50	Fluorescence labeled microbubbles for multimodal imaging. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 464, 737-42	3.4	24
49	Neither endothelial function nor carotid artery intima-media thickness predicts coronary computed tomography angiography plaque burden in clinically healthy subjects: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , <b>2015</b> , 15, 63	2.3	5
48	The risk of atrial fibrillation in the general male population: a lifetime follow-up of 50-year-old men. <i>Europace</i> , <b>2015</b> , 17, 1018-22	3.9	23
47	Ultrasound speckle tracking strain estimation of in vivo carotid artery plaque with in vitro sonomicrometry validation. <i>Ultrasound in Medicine and Biology</i> , <b>2015</b> , 41, 77-88	3.5	25
46	Glycolaldehyde and maleyl conjugated human serum albumin as potential macrophage-targeting carriers for molecular imaging purposes. <i>Contrast Media and Molecular Imaging</i> , <b>2015</b> , 10, 37-42	3.2	4
45	Aortic valve type and calcification as assessed by transthoracic and transoesophageal echocardiography. <i>Clinical Physiology and Functional Imaging</i> , <b>2015</b> , 35, 306-13	2.4	15
44	Influence of physical activity and gender on arterial function in type 2 diabetes, normal and impaired glucose tolerance. <i>Diabetes and Vascular Disease Research</i> , <b>2015</b> , 12, 315-24	3.3	9

43	Investigation of the elimination process of a multimodal polymer-shelled contrast agent in rats using ultrasound and transmission electron microscopy. <i>Biomedical Spectroscopy and Imaging</i> , <b>2015</b> , 4, 81-93	1.3	6
42	Elastic properties of the descending aorta in patients with a bicuspid or tricuspid aortic valve and aortic valvular disease. <i>Journal of the American Society of Echocardiography</i> , <b>2014</b> , 27, 393-404	5.8	24
41	Endocardial border delineation capability of a novel multimodal polymer-shelled contrast agent. <i>Cardiovascular Ultrasound</i> , <b>2014</b> , 12, 24	2.4	4
40	Ascending aortic dilatation is rarely associated with coronary artery disease regardless of aortic valve morphology. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2014</b> , 148, 2973-80.e1	1.5	9
39	Atrial natriuretic peptide as a predictor of atrial fibrillation in a male population study. The Study of Men Born in 1913 and 1923. <i>International Journal of Cardiology</i> , <b>2014</b> , 171, 44-8	3.2	9
38	Transient repolarization alterations dominate the initial phase of an acute anterior infarction--a vectorcardiography study. <i>Journal of Electrocardiology</i> , <b>2014</b> , 47, 478-85	1.4	7
37	Arterial stiffness estimation in healthy subjects: a validation of oscillometric (Arteriograph) and tonometric (SphygmoCor) techniques. <i>Hypertension Research</i> , <b>2014</b> , 37, 999-1007	4.7	54
36	miR-24 limits aortic vascular inflammation and murine abdominal aneurysm development. <i>Nature Communications</i> , <b>2014</b> , 5, 5214	17.4	152
35	Multimodality imaging using SPECT/CT and MRI and ligand functionalized 99mTc-labeled magnetic microbubbles. <i>EJNMMI Research</i> , <b>2013</b> , 3, 12	3.6	26
34	Visualization of multimodal polymer-shelled contrast agents using ultrasound contrast sequences: an experimental study in a tissue mimicking flow phantom. <i>Cardiovascular Ultrasound</i> , <b>2013</b> , 11, 33	2.4	6
33	Valvular osteoclasts in calcification and aortic valve stenosis severity. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 2264-71	3.2	28
32	IgM-phosphorylcholine autoantibodies and outcome in acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 464-9	3.2	34
31	Real-time imaging required for optimal echocardiographic assessment of aortic valve calcification. <i>Clinical Physiology and Functional Imaging</i> , <b>2012</b> , 32, 470-5	2.4	7
30	Magnetite nanoparticles can be coupled to microbubbles to support multimodal imaging. <i>Biomacromolecules</i> , <b>2012</b> , 13, 1390-9	6.9	64
29	Role of the CHADS2 score in acute coronary syndromes: risk of subsequent death or stroke in patients with and without atrial fibrillation. <i>Chest</i> , <b>2012</b> , 141, 1431-1440	5.3	97
28	Multimarker risk assessment including osteoprotegerin and CXCL16 in acute coronary syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2012</b> , 32, 3041-9	9.4	13
27	Shear wave elastography for characterization of carotid artery plaques - A feasibility study in an experimental setup <b>2012</b> ,		2
26	Bicuspid aortic valve leaflet morphology in relation to aortic root morphology: a study of 300 patients undergoing open-heart surgery. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2011</b> , 40, e118-24 <sup>3</sup>		39

25	Osteoprotegerin: a biomarker with many faces. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2010</b> , 30, 1684-6	9.4	35
24	Circulating osteoprotegerin levels and long-term prognosis in patients with acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 51, 627-33	15.1	161
23	Chromatographic and mass spectrometric methods for quantitative determination of 3-nitrotyrosine in biological samples and their application to human samples. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2007</b> , 851, 160-71	3.2	62
22	Reduction of the nitro group during sample preparation may cause underestimation of the nitration level in 3-nitrotyrosine immunoblotting. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2007</b> , 851, 277-86	3.2	14
21	CRP, interleukin-6, secretory phospholipase A2 group IIA, and intercellular adhesion molecule-1 during the early phase of acute coronary syndromes and long-term follow-up. <i>International Journal of Cardiology</i> , <b>2006</b> , 108, 55-62	3.2	50
20	Treatment and short-term outcome in women and men with acute coronary syndromes. <i>International Journal of Cardiology</i> , <b>2005</b> , 103, 120-7	3.2	34
19	Selective quantification of free 3-nitrotyrosine in exhaled breath condensate in asthma using gas chromatography/tandem mass spectrometry. <i>Nitric Oxide - Biology and Chemistry</i> , <b>2005</b> , 13, 134-44	5	38
18	Recent methodological advances in the mass spectrometric analysis of free and protein-associated 3-nitrotyrosine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2005</b> , 814, 1-9	3.2	71
17	Spectrum of acute coronary syndromes: history and clinical presentation in relation to sex and age. <i>Cardiology</i> , <b>2004</b> , 102, 67-76	1.6	34
16	Cerebrospinal fluid levels of free 3-nitrotyrosine are not elevated in the majority of patients with amyotrophic lateral sclerosis or Alzheimer's disease. <i>Neurochemistry International</i> , <b>2004</b> , 45, 57-62	4.4	59
15	A derivatization assay using gas chromatography/negative chemical ionization tandem mass spectrometry to quantify 3-nitrotyrosine in human plasma. <i>Journal of Mass Spectrometry</i> , <b>2003</b> , 38, 1187-96	2.2	41
14	N-terminal pro-B-type natriuretic peptide and long-term mortality in acute coronary syndromes. <i>Circulation</i> , <b>2002</b> , 106, 2913-8	16.7	458
13	Investigation of tyrosine nitration in proteins by mass spectrometry. <i>Journal of Mass Spectrometry</i> , <b>2001</b> , 36, 616-25	2.2	129
12	Relief of symptoms and improvement of health-related quality of life five years after coronary artery bypass graft in women and men. <i>Clinical Cardiology</i> , <b>2001</b> , 24, 385-92	3.3	28
11	Growth hormone alone or combined with metoprolol preserves cardiac function after myocardial infarction in rats. <i>European Journal of Heart Failure</i> , <b>2001</b> , 3, 651-60	12.3	6
10	Impact of a History of Hypertension on Symptoms and Quality of Life Prior to and at Five Years after Coronary Artery Bypass Grafting. <i>Blood Pressure</i> , <b>2000</b> , 9, 52-63	1.7	3
9	Correlation between increased nitric oxide production and markers of endothelial activation in systemic sclerosis: findings with the soluble adhesion molecules E-selectin, intercellular adhesion molecule 1, and vascular cell adhesion molecule 1. <i>Arthritis and Rheumatism</i> , <b>2000</b> , 43, 1085-93		79
8	Five-year mortality in patients with acute chest pain in relation to smoking habits. <i>Clinical Cardiology</i> , <b>2000</b> , 23, 84-90	3.3	7

7	Mortality, risk indicators for death, and mode of death in younger and elderly patients during five years after coronary artery bypass graft. <i>Clinical Cardiology</i> , <b>2000</b> , 23, 421-6	3.3	4
6	Diurnal variation of flow-mediated vasodilation in healthy premenopausal women. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2000</b> , 279, H2720-5	5.2	39
5	Effect of enalapril initiated early after acute myocardial infarction on heart failure parameters, with reference to clinical class and echocardiographic determinants. CONSENSUS II Multi-Echo Study Group. <i>Clinical Cardiology</i> , <b>1996</b> , 19, 543-8	3.3	9
4	Long-term cardiovascular effects of growth hormone treatment in GH-deficient adults. Preliminary data in a small group of patients. <i>Clinical Endocrinology</i> , <b>1996</b> , 45, 305-14	3.4	86
3	Plasma brain natriuretic peptide as an indicator of left ventricular systolic function and long-term survival after acute myocardial infarction. Comparison with plasma atrial natriuretic peptide and N-terminal proatrial natriuretic peptide. <i>Circulation</i> , <b>1996</b> , 93, 1963-9	16.7	491
2	Changes in early and late diastolic filling patterns induced by long-term adrenergic beta-blockade in patients with idiopathic dilated cardiomyopathy. <i>Circulation</i> , <b>1996</b> , 94, 673-82	16.7	61
1	Early heart failure in the population. The study of men born in 1913. <i>Acta Medica Scandinavica</i> , <b>1988</b> , 223, 197-209		30