## Lia Angela Moulopoulos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/482779/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Comparison of MRI Features of Fat Fraction and ADC for Early Treatment Response Assessment in Participants with Multiple Myeloma. Radiology, 2022, 304, 137-144.	3.6	18
2	Comparison between 1.5-T and 3.0-T MRI for the diagnosis of placenta accreta spectrum disorders. Diagnostic and Interventional Imaging, 2022, 103, 408-417.	1.8	1
3	Intraplacental Fetal Vessel Diameter May Help Predict for Placental Invasiveness in Pregnant Women at High Risk for Placenta Accreta Spectrum Disorders. Radiology, 2021, 298, 403-412.	3.6	26
4	The role of imaging in the management of renal masses. European Journal of Radiology, 2021, 141, 109777.	1.2	24
5	Updates and Ongoing Challenges in Imaging of Multiple Myeloma: <i>AJR</i> Expert Panel Narrative Review. American Journal of Roentgenology, 2021, 217, 775-785.	1.0	9
6	Imaging during pregnancy: What the radiologist needs to know. Diagnostic and Interventional Imaging, 2021, 102, 593-603.	1.8	6
7	Îʿdnexal cystic lymphangiomas in patients with massive leiomyomatous uterus: a not so uncommon finding on pelvic MRI. Abdominal Radiology, 2020, 45, 537-546.	1.0	0
8	Imaging of Gynecologic Malignancy in a Reproductive Age Female. Radiologic Clinics of North America, 2020, 58, 413-430.	0.9	5
9	Stripped fetal vessel sign: a novel pathological feature of abnormal fetal vasculature in placenta accreta spectrum disorders with MRI correlates. Placenta, 2019, 85, 74-77.	0.7	10
10	Apidima Cave fossils provide earliest evidence of Homo sapiens in Eurasia. Nature, 2019, 571, 500-504.	13.7	188
11	Response to: "MRI Features Predictive of Invasive Placenta With Extrauterine Spread in High-Risk Gravid Patients: Methodologic Issues― American Journal of Roentgenology, 2019, 212, W42-W42.	1.0	0
12	Guidelines for Acquisition, Interpretation, and Reporting of Whole-Body MRI in Myeloma: Myeloma Response Assessment and Diagnosis System (MY-RADS). Radiology, 2019, 291, 5-13.	3.6	209
13	MRI prognosticators for adverse maternal and neonatal clinical outcome in patients at high risk for placenta accreta spectrum (PAS) disorders. Journal of Magnetic Resonance Imaging, 2019, 50, 602-618.	1.9	31
14	Functional and molecular MRI of the bone marrow in multiple myeloma. British Journal of Radiology, 2018, 91, 20170389.	1.0	25
15	Pre―and postoperative magnetic resonance imaging (MRI) findings in patients treated with laparoscopic sacrocolpopexy. Is it a safe procedure for all patients?. Neurourology and Urodynamics, 2018, 37, 316-321.	0.8	11
16	MR imaging features and tumor biomarkers of screen-detected and non-screen detected breast cancers: preliminary results of a comparative study. Clinical Imaging, 2018, 52, 350-355.	0.8	0
17	MRI Features Predictive of Invasive Placenta With Extrauterine Spread in High-Risk Gravid Patients: A Prospective Evaluation. American Journal of Roentgenology, 2018, 211, 701-711.	1.0	39
18	A Novel Metal-Based Imaging Probe for Targeted Dual-Modality SPECT/MR Imaging of Angiogenesis. Frontiers in Chemistry, 2018, 6, 224.	1.8	32

#	Article	IF	CITATIONS
19	<sup>68</sup> Ga-radiolabeled AGuIX nanoparticles as dual-modality imaging agents for PET/MRI-guided radiation therapy. Nanomedicine, 2017, 12, 1561-1574.	1.7	34
20	Whole-body computed tomography versus conventional skeletal survey in patients with multiple myeloma: a study of the International Myeloma Working Group. Blood Cancer Journal, 2017, 7, e599-e599.	2.8	124
21	Dynamic contrast-enhanced magnetic resonance imaging parameters correlate with advanced revised-ISS and angiopoietin-1/angiopoietin-2 ratio in patients with multiple myeloma. Annals of Hematology, 2017, 96, 1707-1714.	0.8	7
22	MR imaging of endometriosis: Spectrum of disease. Diagnostic and Interventional Imaging, 2017, 98, 751-767.	1.8	43
23	Quantitative Diffusion-weighted Imaging of the Bone Marrow: An Adjunct Tool for the Diagnosis of a Diffuse MR Imaging Pattern in Patients with Multiple Myeloma. Radiology, 2017, 282, 484-493.	3.6	81
24	Current imaging strategies for the evaluation of uterine cervical cancer. World Journal of Radiology, 2016, 8, 342.	0.5	84
25	High levels of periostin correlate with increased fracture rate, diffuse MRI pattern, abnormal bone remodeling and advanced disease stage in patients with newly diagnosed symptomatic multiple myeloma. Blood Cancer Journal, 2016, 6, e482-e482.	2.8	16
26	Predictive ability of maximal tumor diameter on MRI for high-risk endometrial cancer. Abdominal Radiology, 2016, 41, 2484-2495.	1.0	20
27	Incremental prognostic value of MRI in the staging of early cervical cancer: a prospective study and review of the literature. Clinical Imaging, 2016, 40, 72-78.	0.8	34
28	The Role of Imaging in the Treatment of Patients With Multiple Myeloma in 2016. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2016, 36, e407-e417.	1.8	31
29	Ultrasmall particles for Gdâ€MRI and <sup>68</sup> Gaâ€PET dual imaging. Contrast Media and Molecular Imaging, 2015, 10, 309-319.	0.4	30
30	Endometrial vs. cervical cancer: development and pilot testing of a magnetic resonance imaging (MRI) scoring system for predicting tumor origin of uterine carcinomas of indeterminate histology. Abdominal Imaging, 2015, 40, 2529-2540.	2.0	19
31	Initial in vitro and in vivo assessment of Au@DTDTPA-RGD nanoparticles for Gd-MRI and 68Ga-PET dual modality imaging. EJNMMI Physics, 2015, 2, A89.	1.3	7
32	Bone Marrow MRI. , 2015, , .		16
33	The prognostic importance of the presence of more than one focal lesion in spine MRI of patients with asymptomatic (smoldering) multiple myeloma. Leukemia, 2014, 28, 2402-2403.	3.3	115
34	MRI findings before and after abdominal radical trachelectomy (ART) for cervical cancer: A prospective study and review of the literature. Clinical Radiology, 2014, 69, 678-686.	0.5	21
35	Extensive bone marrow infiltration and abnormal free light chain ratio identifies patients with asymptomatic myeloma at high risk for progression to symptomatic disease. Leukemia, 2013, 27, 947-953.	3.3	141
36	Diffuse pattern of bone marrow involvement on magnetic resonance imaging is associated with high risk cytogenetics and poor outcome in newly diagnosed, symptomatic patients with multiple myeloma: A single center experience on 228 patients. American Journal of Hematology, 2012, 87, 861-864.	2.0	81

#	Article	IF	CITATIONS
37	Advances in Imaging and the Management of Myeloma Bone Disease. Journal of Clinical Oncology, 2011, 29, 1907-1915.	0.8	110
38	Degenerative endplate changes of the lumbosacral spine: Dynamic contrastâ€enhanced MRI profiles related to age, sex, and spinal level. Journal of Magnetic Resonance Imaging, 2011, 33, 382-389.	1.9	12
39	Diffuse MRI marrow pattern correlates with increased angiogenesis, advanced disease features and poor prognosis in newly diagnosed myeloma treated with novel agents. Leukemia, 2010, 24, 1206-1212.	3.3	62
40	International myeloma working group consensus statement and guidelines regarding the current role of imaging techniques in the diagnosis and monitoring of multiple Myeloma. Leukemia, 2009, 23, 1545-1556.	3.3	428
41	Plain X-ray, computed tomography and magnetic resonance imaging findings of telangiectatic osteosarcoma: a case report. Cases Journal, 2009, 2, 7833.	0.4	1
42	Differences in perfusion parameters between upper and lower lumbar vertebral segments with dynamic contrast-enhanced MRI (DCE MRI). European Radiology, 2008, 18, 1876-1883.	2.3	32
43	Extranodal non-Hodgkin's lymphoma presenting as an abdominal wall mass. A case report and review of the literature. Leukemia and Lymphoma, 2006, 47, 329-332.	0.6	10
44	Intratesticular Arteriovenous Malformation. Clinical Course, Ultrasound and MRI Findings of an Extremely Rare Lesion on a 7 Year Follow-up Basis. International Urology and Nephrology, 2006, 38, 119-122.	0.6	10
45	Intramedullary spinal cord and leptomeningeal metastases in a patient with carcinoma of the uterine cervix. Gynecologic Oncology, 2006, 102, 124-127.	0.6	15
46	Age-related thymic activity in adults following chemotherapy-induced lymphopenia. European Journal of Clinical Investigation, 2005, 35, 380-387.	1.7	58
47	Prognostic significance of magnetic resonance imaging of bone marrow in previously untreated patients with multiple myeloma. Annals of Oncology, 2005, 16, 1824-1828.	0.6	100
48	The outcome of elderly patients with advanced urothelial carcinoma after platinum-based combination chemotherapy. Annals of Oncology, 2005, 16, 307-313.	0.6	64
49	Osteonecrosis of the Jaw in Cancer After Treatment With Bisphosphonates: Incidence and Risk Factors. Journal of Clinical Oncology, 2005, 23, 8580-8587.	0.8	990
50	Paclitaxel and epirubicin versus paclitaxel and carboplatin as first-line chemotherapy in patients with advanced breast cancer: a phase III study conducted by the Hellenic Cooperative Oncology Group. Annals of Oncology, 2004, 15, 1517-1526.	0.6	63
51	A prospective study on lung toxicity in patients treated with gemcitabine and carboplatin: clinical, radiological and functional assessment. Annals of Oncology, 2004, 15, 1250-1255.	0.6	27
52	Second-line chemotherapy with gemcitabine and carboplatin in paclitaxel-pretreated, platinum-sensitive ovarian cancer patients A Hellenic Cooperative Oncology Group Study. Gynecologic Oncology, 2004, 92, 152-159.	0.6	36
53	Detection of malignant bone marrow involvement with dynamic contrast-enhanced magnetic resonance imaging. Annals of Oncology, 2003, 14, 152-158.	0.6	58
54	Title is missing!. Clinical Nuclear Medicine, 2003, 28, 631-635.	0.7	6

#	Article	lF	CITATIONS
55	Leptospirosis presenting with encephalitis-induced coma. Intensive Care Medicine, 2002, 28, 1682-1682.	3.9	7
56	Focal nodular hyperplasia: imaging findings. European Radiology, 2001, 11, 202-212.	2.3	67
57	CT appearance of solitary and multiple cystic and cavitary lung lesions. European Radiology, 2001, 11, 612-622.	2.3	60
58	Comparison of dual spin echo echo planar imaging (SE_EPI), turbo spin echo with fat suppression and conventional dual spin echo sequences for T2-weighted MR imaging of focal liver lesions. Magnetic Resonance Imaging, 2000, 18, 715-719.	1.0	10
59	Paclitaxel and Cisplatin in Advanced or Recurrent Carcinoma of the Endometrium: Long-Term Results of a Phase II Multicenter Study. Gynecologic Oncology, 2000, 78, 52-57.	0.6	81
60	Docetaxel and cisplatin combination chemotherapy in advanced carcinoma of the urothelium: A multicenter phase II study of the Hellenic Cooperative Oncology Group. Annals of Oncology, 1999, 10, 1385-1388.	0.6	64
61	Abdominal retained surgical sponges: CT appearance. European Radiology, 1999, 9, 1407-1410.	2.3	62
62	MR imaging of complex tail-gut cysts. Clinical Radiology, 1999, 54, 118-122.	0.5	39
63	Bone Lesions with Soft-Tissue Mass: Magnetic Resonance Imaging Diagnosis of Lymphomatous Involvement of the Bone Marrow Versus Multiple Myeloma and Bone Metastases. Leukemia and Lymphoma, 1999, 34, 179-184.	0.6	34
64	Male Breast Myofibroblastoma and MR Findings. Journal of Computer Assisted Tomography, 1999, 23, 414-416.	0.5	27
65	Langerhans cell histiocytosis with involvement of the pons: case report. Neuroradiology, 1998, 40, 161-163.	1.1	15
66	Treatment of patients with metastatic urothelial carcinoma and impaired renal function with single-agent docetaxel. Urology, 1998, 52, 56-60.	0.5	50
67	Role of adjuvant chemotherapy in the treatment of invasive carcinoma of the urinary bladder Journal of Clinical Oncology, 1998, 16, 1601-1612.	0.8	31
68	A rare cause of respiratory failure: Echinococcus of the pulmonary artery American Journal of Roentgenology, 1998, 171, 1163-1164.	1.0	4
69	Treatment of Langerhans Cell Histiocytosis with 2 Chlorodeoxyadenosine. Leukemia and Lymphoma, 1997, 25, 187-189.	0.6	24
70	A second look at unenhanced spinal magnetic resonance imaging of malignant leptomeningeal disease. Clinical Imaging, 1997, 21, 252-259.	0.8	8
71	Prognostic features of asymptomatic multiple myeloma. British Journal of Haematology, 1997, 97, 810-814.	1.2	107
72	MR prediction of benign and malignant vertebral compression fractures. Journal of Magnetic Resonance Imaging, 1996, 6, 667-674.	1.9	85

#	Article	IF	CITATIONS
73	Waldenström Macroglobulinemia Presenting as a Renal or Perirenal Mass: Clinical and Radiographic Features. Leukemia and Lymphoma, 1995, 17, 331-334.	0.6	23
74	Multiple myeloma: MR patterns of response to treatment Radiology, 1994, 193, 441-446.	3.6	154
75	Magnetic resonance imaging appearance of foreign body granulomas of the upper arms. Clinical Imaging, 1994, 18, 39-42.	0.8	9
76	Magnetic resonance imaging and computed tomography appearance of asymptomatic paravaginal cysts. Clinical Imaging, 1993, 17, 126-132.	0.8	20
77	Extraosseous multiple myeloma: imaging features American Journal of Roentgenology, 1993, 161, 1083-1087.	1.0	88
78	Waldenström macroglobulinemia: MR imaging of the spine and CT of the abdomen and pelvis Radiology, 1993, 188, 669-673.	3.6	49
79	MRI of Extraskeletal Osteosarcoma. Journal of Computer Assisted Tomography, 1993, 17, 414-417.	0.5	36
80	Magnetic resonance imaging in the staging of solitary plasmacytoma of bone Journal of Clinical Oncology, 1993, 11, 1311-1315.	0.8	213
81	Multiple myeloma: spinal MR imaging in patients with untreated newly diagnosed disease Radiology, 1992, 185, 833-840.	3.6	175