

Aling Shen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4828395/publications.pdf>

Version: 2024-02-01

53
papers

935
citations

430442

18
h-index

525886

27
g-index

57
all docs

57
docs citations

57
times ranked

1045
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of MicroRNAs and their corresponding ACE2/Apelin signaling pathways in hypertension. <i>Microbial Pathogenesis</i> , 2022, 162, 105361.	1.3	1
2	Uncaria Rhynchophylla attenuates angiotensin α - β -induced myocardial fibrosis via suppression of the RhoA/ROCK1 pathway. <i>Biomedicine and Pharmacotherapy</i> , 2022, 146, 112607.	2.5	7
3	Swimming attenuates tumor growth in CT-26 tumor-bearing mice and suppresses angiogenesis by mediating the HIF-1 α /VEGFA pathway. <i>Open Life Sciences</i> , 2022, 17, 121-130.	0.6	1
4	Xinhuang Tablets Improve Intestinal Barrier Function via Regulating Epithelial Tight Junctions in Dextran Sulfate Sodium-Induced Ulcerative Colitis Mice. <i>Journal of Medicinal Food</i> , 2021, 24, 33-39.	0.8	7
5	Qingda granule attenuates angiotensin II-induced cardiac hypertrophy and apoptosis and modulates the PI3K/AKT pathway. <i>Biomedicine and Pharmacotherapy</i> , 2021, 133, 111022.	2.5	33
6	Identification of Cysteine Protease Inhibitor CST2 as a Potential Biomarker for Colorectal Cancer. <i>Journal of Cancer</i> , 2021, 12, 5144-5152.	1.2	4
7	Kuanxiong aerosol inhibits apoptosis and attenuates isoproterenol-induced myocardial injury through the mitogen-activated protein kinase pathway. <i>Journal of Ethnopharmacology</i> , 2021, 269, 113757.	2.0	8
8	Prognostic and immunological roles of Fc fragment of IgG binding protein in colorectal cancer. <i>Oncology Letters</i> , 2021, 22, 526.	0.8	7
9	Qingda granule attenuates cardiac fibrosis via suppression of the TGF- β 1/Smad2/3 signaling pathway in vitro and in vivo. <i>Biomedicine and Pharmacotherapy</i> , 2021, 137, 111318.	2.5	20
10	Qingda Granule Attenuates Angiotensin II-Induced Blood Pressure and Inhibits Ca ²⁺ /ERK Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 688877.	1.6	7
11	Huoxin Pill inhibits isoproterenol-induced transdifferentiation and collagen synthesis in cardiac fibroblasts through the TGF- β 2/Smads pathway. <i>Journal of Ethnopharmacology</i> , 2021, 275, 114061.	2.0	5
12	Targeting NUFIP1 Suppresses Growth and Induces Senescence of Colorectal Cancer Cells. <i>Frontiers in Oncology</i> , 2021, 11, 681425.	1.3	0
13	Baicalin attenuates angiotensin II-induced blood pressure elevation and modulates MLCK/p-MLC signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2021, 143, 112124.	2.5	11
14	Upregulation of SNTB1 correlates with poor prognosis and promotes cell growth by negative regulating PKN2 in colorectal cancer. <i>Cancer Cell International</i> , 2021, 21, 547.	1.8	0
15	Isolated Diastolic Hypertension and Risk of Cardiovascular Events: A Systematic Review and Meta-Analysis of Cohort Studies With 489,814 Participants. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 810105.	1.1	9
16	Qingda Granule Attenuates Angiotensin II-Induced Renal Apoptosis and Activation of the p53 Pathway. <i>Frontiers in Pharmacology</i> , 2021, 12, 770863.	1.6	9
17	Huoxin Pill Attenuates Cardiac Inflammation by Suppression of TLR4/NF- κ B in Acute Myocardial Ischemia Injury Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-9.	0.5	3
18	Huoxin pill attenuates myocardial infarction-induced apoptosis and fibrosis via suppression of p53 and TGF- β 1/Smad2/3 pathways. <i>Biomedicine and Pharmacotherapy</i> , 2020, 130, 110618.	2.5	11

#	ARTICLE	IF	CITATIONS
19	Qingda granules attenuate hypertensive cardiac remodeling and inflammation in spontaneously hypertensive rats. <i>Biomedicine and Pharmacotherapy</i> , 2020, 129, 110367.	2.5	12
20	Qingda granule inhibits angiotensin II induced VSMCs proliferation through MAPK and PI3K/AKT pathways. <i>Journal of Ethnopharmacology</i> , 2020, 258, 112767.	2.0	16
21	Transcription Factor EBF1 Over-Expression Suppresses Tumor Growth in vivo and in vitro via Modulation of the PNO1/p53 Pathway in Colorectal Cancer. <i>Frontiers in Oncology</i> , 2020, 10, 1035.	1.3	15
22	Death-associated protein kinase 1 suppresses hepatocellular carcinoma cell migration and invasion by upregulation of DEAD-box helicase 20. <i>Cancer Science</i> , 2020, 111, 2803-2813.	1.7	13
23	EBF1-Mediated Upregulation of Ribosome Assembly Factor PNO1 Contributes to Cancer Progression by Negatively Regulating the p53 Signaling Pathway. <i>Cancer Research</i> , 2019, 79, 2257-2270.	0.4	49
24	Cell division cycle associated 5 promotes colorectal cancer progression by activating the ERK signaling pathway. <i>Oncogenesis</i> , 2019, 8, 19.	2.1	37
25	Antihypertensive and Vasodilatory Effects of Qingda Granules by Suppression of Calcium Influx and the AKT Pathway. <i>Journal of Cardiovascular Pharmacology</i> , 2019, 74, 549-557.	0.8	12
26	Ligustrazine inhibits platelet activation via suppression of the Akt pathway. <i>International Journal of Molecular Medicine</i> , 2019, 43, 575-582.	1.8	19
27	Five extracellular matrix-associated genes upregulated in oral tongue squamous cell carcinoma: An integrated bioinformatics analysis. <i>Oncology Letters</i> , 2019, 18, 5959-5967.	0.8	5
28	Pien Tze Huang ameliorates DSS-induced colonic inflammation in a mouse colitis model through inhibition of the IL6/STAT3 pathway. <i>Molecular Medicine Reports</i> , 2018, 18, 1113-1119.	1.1	13
29	MicroRNA-155-5p suppresses the migration and invasion of lung adenocarcinoma A549 cells by targeting Smad2. <i>Oncology Letters</i> , 2018, 16, 2444-2452.	0.8	23
30	Pien Tze Huang alleviates 5-fluorouracil-induced intestinal mucositis in CT-26 tumor-bearing mice. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 2291-2297.	0.8	17
31	Pien Tze Huang inhibits the proliferation of colorectal cancer cells by increasing the expression of miR-34c-5p. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3901-3907.	0.8	33
32	Pien Tze Huang induces apoptosis and inhibits proliferation of 5-fluorouracil-resistant colorectal carcinoma cells via increasing miR-22 expression. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 3533-3540.	0.8	12
33	Pien Tze Huang inhibits the growth of hepatocellular carcinoma cells by upregulating miR-16 expression. <i>Oncology Letters</i> , 2017, 14, 8132-8137.	0.8	12
34	Qingxuan Jiangya Decoction Mitigates Renal Interstitial Fibrosis in Spontaneously Hypertensive Rats by Regulating Transforming Growth Factor- β 1/Smad Signaling Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-8.	0.5	16
35	Qingxuan Jiangya Decoction Reverses Vascular Remodeling by Inducing Vascular Smooth Muscle Cell Apoptosis in Spontaneously Hypertensive Rats. <i>Molecules</i> , 2016, 21, 956.	1.7	16
36	Pien Tze Huang inhibits the proliferation, and induces the apoptosis and differentiation of colorectal cancer stem cells via suppression of the Notch1 pathway. <i>Oncology Reports</i> , 2016, 35, 511-517.	1.2	22

#	ARTICLE	IF	CITATIONS
37	Oleanolic acid inhibits colorectal cancer angiogenesis in vivo and in vitro via suppression of STAT3 and Hedgehog pathways. <i>Molecular Medicine Reports</i> , 2016, 13, 5276-5282.	1.1	28
38	<i>Artemisia capillaris</i> formula inhibits hepatic steatosis via an miR-122-induced decrease in fatty acid synthase expression in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2016, 13, 4751-4758.	1.1	8
39	<i>Hedyotis diffusa</i> Willd overcomes 5-fluorouracil resistance in human colorectal cancer HCT-8/5-FU cells by downregulating the expression of P-glycoprotein and ATP-binding cassette subfamily G member 2. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1845-1850.	0.8	28
40	<i>Scutellaria barbata</i> D. Don inhibits growth and induces apoptosis by suppressing IL-6-inducible STAT3 pathway activation in human colorectal cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1602-1608.	0.8	25
41	miRNA Regulation Network Analysis in Qianliening Capsule Treatment of Benign Prostatic Hyperplasia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	0.5	3
42	Pien Tze Huang Inhibits Hypoxia-Induced Angiogenesis via HIF-1 α /VEGF-A Pathway in Colorectal Cancer. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-8.	0.5	18
43	Pien Tze Huang inhibits metastasis of human colorectal carcinoma cells via modulation of TGF- β 1/ZEB/miR-200 signaling network. <i>International Journal of Oncology</i> , 2015, 46, 685-690.	1.4	39
44	Oleanolic acid modulates multiple intracellular targets to inhibit colorectal cancer growth. <i>International Journal of Oncology</i> , 2015, 47, 2247-2254.	1.4	37
45	<i>Patrinia scabiosaefolia</i> inhibits the proliferation of colorectal cancer in vitro and in vivo via G1/S cell cycle arrest. <i>Oncology Reports</i> , 2015, 33, 856-860.	1.2	25
46	Pien Tze Huang inhibits liver metastasis by targeting TGF- β 2 signaling in an orthotopic model of colorectal cancer. <i>Oncology Reports</i> , 2015, 33, 1922-1928.	1.2	33
47	Pien Tze Huang inhibits hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells through suppression of the HIF-1 pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1237-1242.	0.8	19
48	Pien Tze Huang Overcomes Multidrug Resistance and Epithelial-Mesenchymal Transition in Human Colorectal Carcinoma Cells via Suppression of TGF- β 1 Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-10.	0.5	27
49	Chloroform fraction of <i>Scutellaria barbata</i> D. Don promotes apoptosis and suppresses proliferation in human colon cancer cells. <i>Molecular Medicine Reports</i> , 2014, 9, 701-706.	1.1	29
50	<i>Scutellaria Barbata</i> D Don Inhibits Colorectal Cancer Growth via Suppression of Multiple Signaling Pathways. <i>Integrative Cancer Therapies</i> , 2014, 13, 240-248.	0.8	41
51	Pien Tze Huang inhibits tumor angiogenesis in a mouse model of colorectal cancer via suppression of multiple cellular pathways. <i>Oncology Reports</i> , 2013, 30, 1701-1706.	1.2	33
52	Pien Tze Huang suppresses IL-6-inducible STAT3 activation in human colon carcinoma cells through induction of SOCS3. <i>Oncology Reports</i> , 2012, 28, 2125-2130.	1.2	34
53	Pien Tze Huang inhibits the proliferation of human colon carcinoma cells by arresting G1/S cell cycle progression. <i>Oncology Letters</i> , 2012, 4, 767-770.	0.8	19