Mark Stevens

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/482903/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Systemic inflammation is an independent predictive marker of clinical outcomes in mucosal squamous cell carcinoma of the head and neck in oropharyngeal and non-oropharyngeal patients. BMC Cancer, 2016, 16, 124.	2.6	57
2	Validation of the 8th edition UICC/AJCC TNM staging system for HPV associated oropharyngeal cancer patients managed with contemporary chemo-radiotherapy. BMC Cancer, 2019, 19, 674.	2.6	34
3	The Gut Microbiome and Cancer Immunotherapy: Can We Use the Gut Microbiome as a Predictive Biomarker for Clinical Response in Cancer Immunotherapy?. Cancers, 2021, 13, 4824.	3.7	29
4	Measurement of preoperative lobar lung function with computed tomography ventilation imaging: progress towards rapid stratification of lung cancer lobectomy patients with abnormal lung function. European Journal of Cardio-thoracic Surgery, 2016, 49, 1075-1082.	1.4	21
5	The Gut Microbiome and Gastrointestinal Toxicities in Pelvic Radiation Therapy: A Clinical Review. Cancers, 2021, 13, 2353.	3.7	15
6	Emerging Evidence of the Gut Microbiome in Chemotherapy: A Clinical Review. Frontiers in Oncology, 2021, 11, 706331.	2.8	15
7	Introducing Computed Tomography Simulation–Free and Electronic Patient-Reported Outcomes–Monitored Palliative Radiation Therapy into Routine Care: Clinical Outcomes and Implementation Experience. Advances in Radiation Oncology, 2021, 6, 100632.	1.2	10
8	Developing knowledgeâ€based planning for gynaecological and rectal cancers: a clinical validation of RapidPlan â"¢. Journal of Medical Radiation Sciences, 2020, 67, 217-224.	1.5	7
9	Australian high-dose-rate brachytherapy protocols for gynaecological malignancy. Journal of Medical Imaging and Radiation Oncology, 2001, 45, 43-48.	0.6	4
10	Parotid sparing in RapidPlan Oropharynx models: To split or not to split. Journal of Medical Radiation Sciences, 2020, 67, 80-86.	1.5	3
11	Focal radiation therapy for limited brain metastases is associated with high rates of local control and low subsequent whole brain radiation therapy. ANZ Journal of Surgery, 2019, 89, 418-422.	0.7	2