

Gnter Steiner

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4832404/gunter-steiner-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

6,887
citations

42
h-index

81
g-index

162
ext. papers

7,729
ext. citations

7.4
avg, IF

5.36
L-index

#	Paper	IF	Citations
124	Therapeutic strategies for rheumatoid arthritis. <i>Nature Reviews Drug Discovery</i> , 2003 , 2, 473-88	64.1	584
123	Activation, differential localization, and regulation of the stress-activated protein kinases, extracellular signal-regulated kinase, c-JUN N-terminal kinase, and p38 mitogen-activated protein kinase, in synovial tissue and cells in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2000 , 43, 2501-12		486
122	Osteoclasts are essential for TNF-mediated joint destruction. <i>Journal of Clinical Investigation</i> , 2002 , 110, 1419-1427	15.9	368
121	Safety and efficacy of tumor necrosis factor alpha blockade in systemic lupus erythematosus: an open-label study. <i>Arthritis and Rheumatism</i> , 2004 , 50, 3161-9		265
120	Single and combined inhibition of tumor necrosis factor, interleukin-1, and RANKL pathways in tumor necrosis factor-induced arthritis: effects on synovial inflammation, bone erosion, and cartilage destruction. <i>Arthritis and Rheumatism</i> , 2004 , 50, 277-90		264
119	Rheumatoid arthritis associated autoantibodies in patients with synovitis of recent onset. <i>Arthritis Research and Therapy</i> , 2000 , 2, 236-43	5.7	240
118	Depletion of endothelial progenitor cells in the peripheral blood of patients with rheumatoid arthritis. <i>Circulation</i> , 2005 , 111, 204-11	16.7	238
117	Tumor necrosis factor alpha-mediated joint destruction is inhibited by targeting osteoclasts with osteoprotegerin. <i>Arthritis and Rheumatism</i> , 2002 , 46, 785-92		221
116	Nuclear antigen histone H1 is primarily involved in lupus erythematosus cell formation. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1446-55		219
115	Osteoclasts are essential for TNF-alpha-mediated joint destruction. <i>Journal of Clinical Investigation</i> , 2002 , 110, 1419-27	15.9	166
114	Adverse events and efficacy of TNF-alpha blockade with infliximab in patients with systemic lupus erythematosus: long-term follow-up of 13 patients. <i>Rheumatology</i> , 2009 , 48, 1451-4	3.9	144
113	Mixed connective tissue disease: to be or not to be?. <i>Arthritis and Rheumatism</i> , 1998 , 41, 768-77		139
112	Autoantibodies in rheumatoid arthritis and their clinical significance. <i>Arthritis Research</i> , 2002 , 4 Suppl 2, S1-5		131
111	Osteoprotegerin protects against generalized bone loss in tumor necrosis factor-transgenic mice. <i>Arthritis and Rheumatism</i> , 2003 , 48, 2042-51		119
110	Repair of local bone erosions and reversal of systemic bone loss upon therapy with anti-tumor necrosis factor in combination with osteoprotegerin or parathyroid hormone in tumor necrosis factor-mediated arthritis. <i>American Journal of Pathology</i> , 2004 , 164, 543-55	5.8	114
109	Autoimmune response to the spliceosome. An immunologic link between rheumatoid arthritis, mixed connective tissue disease, and systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1995 , 38, 777-85		107
108	Demonstration of a new antinuclear antibody (anti-RA33) that is highly specific for rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1989 , 32, 1515-20		102

107	The Trithorax group protein Ash2l and Saf-A are recruited to the inactive X chromosome at the onset of stable X inactivation. <i>Development (Cambridge)</i> , 2010 , 137, 935-43	6.6	101
106	Anti-inflammatory and apoptotic effects of the polyphenol curcumin on human fibroblast-like synoviocytes. <i>International Immunopharmacology</i> , 2013 , 15, 400-5	5.8	85
105	Effects of short-term infliximab therapy on autoantibodies in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2007 , 56, 274-9		85
104	Activation of the interferon-gamma signaling pathway in systemic lupus erythematosus peripheral blood mononuclear cells. <i>Arthritis and Rheumatism</i> , 2009 , 60, 1463-71		80
103	Rheumatoid arthritis therapy after tumor necrosis factor and interleukin-1 blockade. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3308-19		77
102	Endothelial progenitor cells in active rheumatoid arthritis: effects of tumour necrosis factor and glucocorticoid therapy. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 1284-8	2.4	72
101	Activation of Fas inhibits heat-induced activation of HSF1 and up-regulation of hsp70. <i>FASEB Journal</i> , 1999 , 13, 833-42	0.9	69
100	Identification of citrullinated rheumatoid arthritis-specific epitopes in natural filaggrin relevant for antifilaggrin autoantibody detection by line immunoassay. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1185-95		64
99	Characterization of autoreactive T cells to the autoantigens heterogeneous nuclear ribonucleoprotein A2 (RA33) and filaggrin in patients with rheumatoid arthritis. <i>Journal of Immunology</i> , 2002 , 169, 1068-76	5.3	60
98	CD44 is a determinant of inflammatory bone loss. <i>Journal of Experimental Medicine</i> , 2005 , 201, 903-14	16.6	57
97	The need for prognosticators in rheumatoid arthritis. Biological and clinical markers: where are we now?. <i>Arthritis Research and Therapy</i> , 2008 , 10, 208	5.7	56
96	Nucleic acid-associated autoantigens: pathogenic involvement and therapeutic potential. <i>Journal of Autoimmunity</i> , 2010 , 34, J178-206	15.5	55
95	Epidermal loss of JunB leads to a SLE phenotype due to hyper IL-6 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 20423-8	11.5	55
94	Does mixed connective tissue disease exist? Yes. <i>Rheumatic Disease Clinics of North America</i> , 2005 , 31, 411-20, v	2.4	55
93	Pro-inflammatory cytokines in rheumatoid arthritis: pathogenetic and therapeutic aspects. <i>Clinical Reviews in Allergy and Immunology</i> , 2005 , 28, 239-48	12.3	55
92	Overexpression of transcription factor Ets-1 in rheumatoid arthritis synovial membrane: regulation of expression and activation by interleukin-1 and tumor necrosis factor alpha. <i>Arthritis and Rheumatism</i> , 2001 , 44, 266-74		55
91	Murine models of systemic lupus erythematosus: B and T cell responses to spliceosomal ribonucleoproteins in MRL/Fas(lpr) and (NZB x NZW)F(1) lupus mice. <i>International Immunology</i> , 2001 , 13, 1155-63	4.9	53
90	The stressed synovium. <i>Arthritis Research and Therapy</i> , 2001 , 3, 80-6	5.7	53

89	RNA chaperone activity of protein components of human Ro RNPs. <i>Rna</i> , 2005 , 11, 1084-94	5.8	52
88	Tumor necrosis factor alpha promotes the expression of stem cell factor in synovial fibroblasts and their capacity to induce mast cell chemotaxis. <i>Arthritis and Rheumatism</i> , 2000 , 43, 164-74		49
87	The rheumatoid arthritis-associated autoantigen hnRNP-A2 (RA33) is a major stimulator of autoimmunity in rats with pristane-induced arthritis. <i>Journal of Immunology</i> , 2007 , 179, 7568-76	5.3	47
86	Arthritis induces lymphocytic bone marrow inflammation and endosteal bone formation. <i>Journal of Bone and Mineral Research</i> , 2004 , 19, 990-8	6.3	47
85	The concurrence of rheumatoid arthritis and limited systemic sclerosis: clinical and serologic characteristics of an overlap syndrome. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1938-45		45
84	Auto-antibodies and autoreactive T-cells in rheumatoid arthritis: pathogenetic players and diagnostic tools. <i>Clinical Reviews in Allergy and Immunology</i> , 2007 , 32, 23-36	12.3	45
83	Animal Models of Rheumatoid Arthritis (I): Pristane-Induced Arthritis in the Rat. <i>PLoS ONE</i> , 2016 , 11, e0155936	3.7	44
82	High concentrations of hydrogen sulphide elevate the expression of a series of pro-inflammatory genes in fibroblast-like synoviocytes derived from rheumatoid and osteoarthritis patients. <i>Immunology Letters</i> , 2012 , 141, 197-203	4.1	42
81	Phenotypic and functional deficiencies of monocyte-derived dendritic cells in systemic lupus erythematosus (SLE) patients. <i>International Immunology</i> , 2004 , 16, 1595-604	4.9	41
80	The heterogeneous nuclear ribonucleoproteins I and K interact with a subset of the ro ribonucleoprotein-associated Y RNAs in vitro and in vivo. <i>Journal of Biological Chemistry</i> , 2001 , 276, 20717-24	5.4	41
79	Analysis of the molecular composition of Ro ribonucleoprotein complexes. Identification of novel Y RNA-binding proteins. <i>FEBS Journal</i> , 2000 , 267, 2778-89		41
78	Autoantibodies to the A/B proteins of the heterogeneous nuclear ribonucleoprotein complex: novel tools for the diagnosis of rheumatic diseases. <i>International Archives of Allergy and Immunology</i> , 1996 , 111, 314-9	3.7	41
77	Interaction of tetracycline with RNA: photoincorporation into ribosomal RNA of Escherichia coli. <i>Nucleic Acids Research</i> , 1997 , 25, 1219-24	20.1	40
76	Adenovirus-based overexpression of tissue inhibitor of metalloproteinases 1 reduces tissue damage in the joints of tumor necrosis factor alpha transgenic mice. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2888-98		40
75	B and T cell responses to the spliceosomal heterogeneous nuclear ribonucleoproteins A2 and B1 in normal and lupus mice. <i>Journal of Immunology</i> , 2000 , 165, 2297-305	5.3	40
74	Regulatory T cell-deficient scurfy mice develop systemic autoimmune features resembling lupus-like disease. <i>Arthritis Research and Therapy</i> , 2015 , 17, 35	5.7	39
73	Abatacept (CTLA-4Ig) treatment reduces T cell apoptosis and regulatory T cell suppression in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 710-20	3.9	37
72	Development of a new occupational balance-questionnaire: incorporating the perspectives of patients and healthy people in the design of a self-reported occupational balance outcome instrument. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 45	3	34

71	The lupus erythematosus cell phenomenon: comparative analysis of antichromatin antibody specificity in lupus erythematosus cell-positive and -negative sera. <i>Arthritis and Rheumatism</i> , 2000 , 43, 420-8		34
70	Hydrogen sulphide decreases IL-1 β induced activation of fibroblast-like synoviocytes from patients with osteoarthritis. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 187-97	5.6	33
69	Aberrant expression of the autoantigen heterogeneous nuclear ribonucleoprotein-A2 (RA33) and spontaneous formation of rheumatoid arthritis-associated anti-RA33 autoantibodies in TNF-alpha transgenic mice. <i>Journal of Immunology</i> , 2005 , 175, 8327-36	5.3	32
68	Cartilage damage and bone erosion are more prominent determinants of functional impairment in longstanding experimental arthritis than synovial inflammation. <i>DMM Disease Models and Mechanisms</i> , 2016 , 9, 1329-1338	4.1	32
67	Nucleic acid-stimulated antigen-presenting cells trigger T cells to induce disease in a rat transfer model of inflammatory arthritis. <i>Journal of Autoimmunity</i> , 2011 , 36, 288-300	15.5	31
66	CD4 ⁺ CD25 ⁺ Foxp3 ⁺ T cells: a marker for lupus nephritis?. <i>Arthritis Research and Therapy</i> , 2014 , 16, R104	5.7	30
65	Chloroquine inhibits human CD4 T-cell activation by AP-1 signaling modulation. <i>Scientific Reports</i> , 2017 , 7, 42191	4.9	29
64	Overexpression of tumor necrosis factor causes bilateral sacroiliitis. <i>Arthritis and Rheumatism</i> , 2004 , 50, 1001-5		29
63	mTOR Senses Environmental Cues to Shape the Fibroblast-like Synoviocyte Response to Inflammation. <i>Cell Reports</i> , 2018 , 23, 2157-2167	10.6	29
62	MicroRNA-146a governs fibroblast activation and joint pathology in arthritis. <i>Journal of Autoimmunity</i> , 2017 , 82, 74-84	15.5	28
61	Interferon signals and monocytic sensitization of the interferon- β signaling pathway in the peripheral blood of patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 400-8		28
60	The complement system drives local inflammatory tissue priming by metabolic reprogramming of synovial fibroblasts. <i>Immunity</i> , 2021 , 54, 1002-1021.e10	32.3	28
59	A T cell-specific deletion of HDAC1 protects against experimental autoimmune encephalomyelitis. <i>Journal of Autoimmunity</i> , 2018 , 86, 51-61	15.5	26
58	Cell death and cytokine production induced by autoimmunogenic hydrocarbon oils. <i>Autoimmunity</i> , 2012 , 45, 602-11	3	26
57	Application of the 2010 ACR/EULAR classification criteria in patients with very early inflammatory arthritis: analysis of sensitivity, specificity and predictive values in the SAVE study cohort. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1335-41	2.4	26
56	Dimethyl sulphoxide and dimethyl sulphone are potent inhibitors of IL-6 and IL-8 expression in the human chondrocyte cell line C-28/I2. <i>Life Sciences</i> , 2011 , 89, 473-8	6.8	26
55	Determination of Autoantibody Isotypes Increases the Sensitivity of Serodiagnostics in Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2018 , 9, 876	8.4	25
54	Gait changes precede overt arthritis and strongly correlate with symptoms and histopathological events in pristane-induced arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R41	5.7	25

53	Anti-hnRNP and other autoantibodies in systemic sclerosis with joint involvement. <i>Rheumatology</i> , 2009 , 48, 920-5	3.9	25
52	Are autoantibodies active players or epiphenomena?. <i>Current Opinion in Rheumatology</i> , 1998 , 10, 201-6	5.3	25
51	A study of erosive phenotypes in lupus arthritis using magnetic resonance imaging and anti-citrullinated protein antibody, anti-RA33 and RF autoantibody status. <i>Rheumatology</i> , 2014 , 53, 1835-43	3.8	24
50	Clinical and immunological aspects of autoantibodies to RA33/hnRNP-A/B proteins--a link between RA, SLE and MCTD. <i>Molecular Biology Reports</i> , 1996 , 23, 167-71	2.8	24
49	IRF1 is critical for the TNF-driven interferon response in rheumatoid fibroblast-like synoviocytes : JAKinibs suppress the interferon response in RA-FLSs. <i>Experimental and Molecular Medicine</i> , 2019 , 51, 1-11	12.8	22
48	I Would Never Take Preventive Medication! Perspectives and Information Needs of People Who Underwent Predictive Tests for Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2020 , 72, 360-368	4.7	22
47	Immunodominant T-cell epitopes of hnRNP-A2 associated with disease activity in patients with rheumatoid arthritis. <i>European Journal of Immunology</i> , 2010 , 40, 1795-808	6.1	18
46	AUF1, the regulator of tumor necrosis factor alpha messenger RNA decay, is targeted by autoantibodies of patients with systemic rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2008 , 58, 511-20		18
45	Targeted inhibition of Janus kinases abates interferon gamma-induced invasive behaviour of fibroblast-like synoviocytes. <i>Rheumatology</i> , 2018 , 57, 572-577	3.9	17
44	MicroRNA-155 Controls T Helper Cell Activation During Viral Infection. <i>Frontiers in Immunology</i> , 2019 , 10, 1367	8.4	16
43	Anticarbamylated protein antibodies can be detected in animal models of arthritis that require active involvement of the adaptive immune system. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 949-50	2.4	15
42	A Combination of CD28 (rs1980422) and IRF5 (rs10488631) Polymorphisms Is Associated with Seropositivity in Rheumatoid Arthritis: A Case Control Study. <i>PLoS ONE</i> , 2016 , 11, e0153316	3.7	15
41	Hydrogen sulfide inhibits endothelial nitric oxide formation and receptor ligand-mediated Ca(2+) release in endothelial and smooth muscle cells. <i>Pharmacological Reports</i> , 2016 , 68, 37-43	3.9	14
40	Kinetics of anti-fibrillin-1 autoantibodies in MCTD and CREST syndrome. <i>Journal of Autoimmunity</i> , 2000 , 14, 267-74	15.5	14
39	In Vitro Study of a Liposomal Curcumin Formulation (Lipocurc) Toxicity and Biological Activity in Synovial Fibroblasts and Macrophages. <i>In Vivo</i> , 2016 , 30, 413-9	2.3	14
38	Histone deacetylases 1 and 2 restrain CD4+ cytotoxic T lymphocyte differentiation. <i>JCI Insight</i> , 2020 , 5,	9.9	13
37	FOXO3 is involved in the tumor necrosis factor-driven inflammatory response in fibroblast-like synoviocytes. <i>Laboratory Investigation</i> , 2019 , 99, 648-658	5.9	12
36	HDAC1 controls CD8+ T cell homeostasis and antiviral response. <i>PLoS ONE</i> , 2014 , 9, e110576	3.7	12

35	Histone deacetylase 1 (HDAC1): A key player of T cell-mediated arthritis. <i>Journal of Autoimmunity</i> , 2020 , 108, 102379	15.5	12
34	microRNA-146a controls age-related bone loss. <i>Aging Cell</i> , 2020 , 19, e13244	9.9	12
33	Interleukin-6 receptor alpha blockade improves skin lesions in a murine model of systemic lupus erythematosus. <i>Experimental Dermatology</i> , 2016 , 25, 305-10	4	11
32	Initial evidence for the link between activities and health: Associations between a balance of activities, functioning and serum levels of cytokines and C-reactive protein. <i>Psychoneuroendocrinology</i> , 2016 , 65, 138-48	5	10
31	Inhibition of Inflammation and Bone Erosion by RNA Interference-Mediated Silencing of Heterogeneous Nuclear RNP A2/B1 in Two Experimental Models of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2536-46	9.5	10
30	Photoaffinity labeling of peptidyltransferase. <i>Methods in Enzymology</i> , 1988 , 164, 361-72	1.7	10
29	The involvement of Toll-like receptor 9 in the pathogenesis of erosive autoimmune arthritis. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 4399-4409	5.6	9
28	The spliceosomal autoantigen heterogeneous nuclear ribonucleoprotein A2 (hnRNP-A2) is a major T cell autoantigen in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2006 , 8, R118	5.7	9
27	Clock gene expression in different synovial cells of patients with rheumatoid arthritis and osteoarthritis. <i>Acta Histochemica</i> , 2014 , 116, 1199-207	2	8
26	Crosslinking transfer RNA and messenger RNA at the ribosomal decoding region: identification of the site of reaction on the messenger RNA. <i>Nucleic Acids Research</i> , 1984 , 12, 8181-91	20.1	8
25	CCR6 controls autoimmune but not innate immunity-driven experimental arthritis. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5278-5285	5.6	7
24	Immunopathogenesis of rheumatoid arthritis; induction of arthritogenic autoimmune responses by proinflammatory stimuli. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 391-400	6.5	7
23	Autoantibodies to the translational suppressors T cell intracytoplasmic antigen 1 and T cell intracytoplasmic antigen 1-related protein in patients with rheumatic diseases: increased prevalence in systemic lupus erythematosus and systemic sclerosis and correlation with clinical features. <i>Arthritis and Rheumatism</i> , 2008 , 58, 1226-36		7
22	Pre-arthritis: a concept whose time has come. <i>Future Rheumatology</i> , 2006 , 1, 1-4		6
21	A Common Pathway for All Autoimmune Diseases? The Unholy Alliance of Environment, Cell Death and Nucleic Acids. <i>Current Immunology Reviews</i> , 2009 , 5, 69-88	1.3	5
20	Cooperation of ETV6/RUNX1 and BCL2 enhances immunoglobulin production and accelerates glomerulonephritis in transgenic mice. <i>Oncotarget</i> , 2016 , 7, 12191-205	3.3	4
19	Auto-antibodies and autoreactive T-cells in rheumatoid arthritis 2007 , 32, 23		3
18	Enhanced Antiproliferative and Pro-apoptotic Activities of a Novel Curcumin-related Compound in Jurkat Leukemia T-Cells. <i>Anticancer Research</i> , 2015 , 35, 2675-80	2.3	3

17	Internationaler Konsens zur ANA-Bestimmung Was ändert sich im deutschen Sprachraum? <i>Laboratoriums Medizin</i> , 2015 , 39,		2
16	Autoantibodies in rheumatoid arthritis 2015 , 750-757		2
15	Characterization of the Inducible and Slow-Releasing Hydrogen Sulfide and Persulfide Donor P*: Insights into Hydrogen Sulfide Signaling. <i>Antioxidants</i> , 2021 , 10,	7.1	2
14	Antiproliferative and Pro-apoptotic Activities of a Novel Resveratrol Prodrug Against Jurkat CD4+ T-Cells. <i>Anticancer Research</i> , 2016 , 36, 683-9	2.3	2
13	Contribution of Genetic Factors to Lower DHEAS in Patients with Rheumatoid Arthritis. <i>Cellular and Molecular Neurobiology</i> , 2018 , 38, 379-383	4.6	1
12	Immunosuppressive properties of cyclosporin metabolites. <i>Lancet, The</i> , 1989 , 2, 333-4	4.0	1
11	Impact of autoimmune serology test results on RA classification and diagnosis.. <i>Journal of Translational Autoimmunity</i> , 2022 , 5, 100142	4.1	1
10	MiR-146a controls age related bone loss		1
9	Presence of anti-acetylated peptide antibodies (AAPA) in inflammatory arthritis and other rheumatic diseases suggests discriminative diagnostic capacity towards early rheumatoid arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211022533	3.8	1
8	Improving the measurement of oral health-related quality of life: Rasch model of the oral health impact profile-14. <i>Journal of Dentistry</i> , 2021 , 114, 103819	4.8	1
7	The citrullinated/native index of autoantibodies against hnRNP-DL predicts an individual "window of treatment success" in RA patients. <i>Arthritis Research and Therapy</i> , 2021 , 23, 239	5.7	0
6	A8.30 Analysis of monocyte-fibroblast interaction in 3D synovial micromass tissue cultures. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, A88.1-A88	2.4	
5	Sensitisation of the IFN γ /Stat1-signalling-pathway in rheumatoid arthritis monocytes. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A15-A16	2.4	
4	ANTI-RA33 ANTIBODIES (ANTIBODIES TO THE HETEROGENEOUS NUCLEAR RIBONUCLEOPROTEIN A2) 2007 , 211-216		
3	Autoantigene 2003 , 123-164		
2	RA-33 (Heterogeneous Nuclear Ribonucleoprotein Complex) Autoantibodies 1996 , 660-667		
1	The A2 protein of the heterogeneous nuclear ribonucleoprotein (hnRNP-A2)/RA33 1996 , 205-213		