
## Jamie B Conti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4832869/publications.pdf Version: 2024-02-01



IAMIE B CONTL

#	Article	IF	CITATIONS
1	Examining the psychosocial impact of implantable cardioverter defibrillators: A literature review. Clinical Cardiology, 1999, 22, 481-489.	1.8	265
2	Assessing the Psychosocial Impact of the ICD: A National Survey of Implantable Cardioverter Defibrillator Health Care Providers. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 939-945.	1.2	141
3	Posttraumatic Stress and the Implantable Cardioverter-Defibrillator Patient. Circulation: Arrhythmia and Electrophysiology, 2011, 4, 242-250.	4.8	102
4	Young at Heart: Understanding the Unique Psychosocial Adjustment of Young Implantable Cardioverter Defibrillator Recipients. PACE - Pacing and Clinical Electrophysiology, 2001, 24, 1113-1117.	1.2	73
5	Ageâ€Specific Differences in Women with Implantable Cardioverter Defibrillators: An International Multi Center Study. PACE - Pacing and Clinical Electrophysiology, 2008, 31, 1528-1534.	1.2	53
6	Permanent Atrial Pacing in Cardiac Transplant Patients. PACE - Pacing and Clinical Electrophysiology, 1997, 20, 2398-2404.	1.2	12
7	Cardiac Arrhythmias. Journal of the American College of Cardiology, 2005, 45, B30-B32.	2.8	5
8	Associations between pain, objective sleep efficiency and cognition in patients with implantable cardioverter defibrillators. Sleep Medicine, 2020, 72, 122-125.	1.6	5
9	Patients With Implantable Cardioverter Defibrillators on Social Media Report More Shock Anxiety Than Clinic Patients: Results From an Online Survey. JMIR Cardio, 2017, 1, e6.	1.7	5
10	Cognitive performance in patients with implantable cardioverter defibrillators: Associations with objective sleep duration, age and anxiety. Journal of Sleep Research, 2019, 28, e12810.	3.2	4
11	Atrial Fixation Leads-A Visual Aid Confirming Actual Fixation. PACE - Pacing and Clinical Electrophysiology, 1992, 15, 126-127.	1.2	3
12	Oversensing of atrial flutter in the recipient atrium of a heart transplant patient with a permanent atrial pacemaker. Clinical Cardiology, 1996, 19, 597-600.	1.8	0
13	Does Activity Tracking Serve as a Cue to Increase Activity in Implantable Cardioverter Defibrillator Patients?: A Randomized Pilot Study. Journal of Cardiopulmonary Rehabilitation and Prevention, 2022, 42, 64-66.	2.1	0