

Ibu Matsuzaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4835717/publications.pdf>

Version: 2024-02-01

22
papers

266
citations

1040056

9
h-index

940533

16
g-index

22
all docs

22
docs citations

22
times ranked

409
citing authors

#	ARTICLE	IF	CITATIONS
1	Kras Gene Analysis Using Liquid-Based Cytology Specimens Predicts Therapeutic Responses and Prognosis in Patients with Pancreatic Cancer. <i>Cancers</i> , 2022, 14, 551.	3.7	6
2	Prognostic value of CD155/TIGIT expression in patients with colorectal cancer. <i>PLoS ONE</i> , 2022, 17, e0265908.	2.5	11
3	Microtubule-organizing center-mediated structural atypia in low- and high-grade urothelial carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 327-334.	2.8	6
4	Synergistic Effects of Lenvatinib (E7080) and MEK Inhibitors against Anaplastic Thyroid Cancer in Preclinical Models. <i>Cancers</i> , 2021, 13, 862.	3.7	5
5	Paneth-like cells in renal cell carcinomas and in cysts associated with acquired cystic kidney disease: Clinicopathologic analysis, comparative study and description of precursor lesions. <i>Annals of Diagnostic Pathology</i> , 2021, 51, 151707.	1.3	1
6	Detection of HPV infection in urothelial carcinoma using RNAscope: Clinicopathological characterization. <i>Cancer Medicine</i> , 2021, 10, 5534-5544.	2.8	9
7	Lipid Droplet Accumulation Independently Predicts Poor Clinical Prognosis in High-Grade Serous Ovarian Carcinoma. <i>Cancers</i> , 2021, 13, 5251.	3.7	7
8	Clinicopathological and Molecular Characteristics of Macroscopically Yellowish-Colored Chromophobe Renal Cell Carcinoma Compared to Non-Yellowish-Colored Chromophobe Renal Cell Carcinoma. <i>BMC Clinical Pathology</i> , 2021, 14, 2632010X2110648.	1.7	0
9	Adipophilin expression in cutaneous malignant melanoma is associated with high proliferation and poor clinical prognosis. <i>Laboratory Investigation</i> , 2020, 100, 727-737.	3.7	24
10	Measurement and visualization of cell membrane surface charge in fixed cultured cells related with cell morphology. <i>PLoS ONE</i> , 2020, 15, e0236373.	2.5	39
11	Primary cutaneous peripheral Tâ€cell lymphoma, not otherwise specified, associated with lymphomatoid papulosis after a 9â€year follow up: A case report. <i>Journal of Dermatology</i> , 2020, 47, 641-645.	1.2	1
12	Aggressive <i>TFEB</i>-rearranged renal cell carcinoma mimicking chromophobe and clear cell renal cell carcinoma. <i>Pathology International</i> , 2019, 69, 51-53.	1.3	2
13	Loss of SWI/SNF complex expression in undifferentiated renal carcinoma in acquired cystic kidney. <i>Pathology International</i> , 2018, 68, 494-496.	1.3	0
14	HER2 is frequently overexpressed in hepatoid adenocarcinoma and gastric carcinoma with enteroblastic differentiation: a comparison of 35 cases to 334 gastric carcinomas of other histological types. <i>Journal of Clinical Pathology</i> , 2018, 71, 600-607.	2.0	27
15	A case report of atypical Spitz tumor harboring a novel MLPH-ALK gene fusion with discordant ALK immunohistochemistry results. <i>Human Pathology</i> , 2018, 80, 99-103.	2.0	11
16	Calreticulin regulates syncytialization through control of the synthesis and transportation of E-cadherin in BeWo cells. <i>Endocrinology</i> , 2018, 160, 359-374.	2.8	12
17	Adipophilin expression in cutaneous malignant melanoma. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 228-236.	1.3	18
18	Macrocytic ductal adenocarcinoma of prostate: A rare gross appearance of prostate cancer. <i>Annals of Diagnostic Pathology</i> , 2017, 27, 7-13.	1.3	6

#	ARTICLE	IF	CITATIONS
19	Novel Application of Loop-mediated Isothermal Amplification for Rapid Detection of Gene Translocation. <i>Acta Histochemica Et Cytochemica</i> , 2017, 50, 169-176.	1.6	3
20	Tumor budding is an independent risk factor for lymph node metastasis in cutaneous squamous cell carcinoma: a single center retrospective study. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 766-771.	1.3	19
21	Synthesis of 24â€ soluble gelatin sponge particles and their effect on liver necrosis following hepatic artery embolization: Results of <i>in vitro</i> and <i>in vivo</i> studies. <i>Hepatology Research</i> , 2016, 46, 335-342.	3.4	4
22	Novel Methodology for Rapid Detection of KRAS Mutation Using PNA-LNA Mediated Loop-Mediated Isothermal Amplification. <i>PLoS ONE</i> , 2016, 11, e0151654.	2.5	55