
Rafael Jesðs SÃ;nchez-Villanueva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4839895/publications.pdf

Version: 2024-02-01



Rafael Jesús

#	Article	IF	CITATIONS
1	Alternative activation of macrophages in human peritoneum: implications for peritoneal fibrosis. Nephrology Dialysis Transplantation, 2011, 26, 2995-3005.	0.4	99
2	Low-GDP peritoneal dialysis fluid ('balance') has less impact in vitro and ex vivo on epithelial-to-mesenchymal transition (EMT) of mesothelial cells than a standard fluid. Nephrology Dialysis Transplantation, 2011, 26, 282-291.	0.4	78
3	Higher daily peritoneal protein clearance when initiating peritoneal dialysis is independently associated with peripheral arterial disease (PAD): A possible new marker of systemic endothelial dysfunction?. Nephrology Dialysis Transplantation, 2008, 24, 1009-1014.	0.4	35
4	Markers of endothelial damage in patients with chronic kidney disease on hemodialysis. American Journal of Physiology - Renal Physiology, 2017, 312, F673-F681.	1.3	33
5	Peritoneal Dialysis in the Comprehensive Management of End-Stage Renal Disease Patients with Liver Cirrhosis and Ascites: Practical Aspects and Review of the Literature. Peritoneal Dialysis International, 2008, 28, 118-122.	1.1	30
6	High Stable Serum Adiponectin Levels Are Associated with a Better Outcome in Prevalent Dialysis Patients. American Journal of Nephrology, 2009, 30, 244-252.	1.4	29
7	An Increase of Plasma Advanced Oxidation Protein Products Levels Is Associated with Cardiovascular Risk in Incident Peritoneal Dialysis Patients: A Pilot Study. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-6.	1.9	13
8	Mechanisms Involved in Hypersensitivity Reactions to Polysulfone Hemodialysis Membranes. Artificial Organs, 2017, 41, E285-E295.	1.0	13
9	Repeated analysis of estimated insulin resistance using the HOMAIR index in nondiabetic patients on peritoneal dialysis and its relationship with cardiovascular disease and mortality. Nefrologia, 2013, 33, 85-92.	0.2	8
10	Incidencia y resultados de la COVID-19 en una unidad de diálisis domiciliaria en Madrid (España) durante el pico de la pandemia. Nefrologia, 2021, 41, 329-336.	0.2	7
11	Evaluation of a Polynephron Dialysis Membrane considering New Aspects of Biocompatibility. International Journal of Artificial Organs, 2015, 38, 45-53.	0.7	5
12	Composición corporal y concentraciones de adipocitoquinas en hemodiálisis: la ganancia de grasa abdominal como factor de riesgo cardiovascular añadido. Nefrologia, 2017, 37, 138-148.	0.2	4
13	COVID-19 incidence and outcomes in a home dialysis unit in Madrid (Spain) at the height of the pandemic. Nefrologia, 2021, 41, 329-336.	0.2	4
14	Extracellular Volume Expansion Caused by Protein Malnutrition in Peritoneal Dialysis Patients with Appropriate Salt and Water Removal. Peritoneal Dialysis International, 2008, 28, 407-412.	1.1	3
15	Efficacy of Sodium Hypochlorite in Eradicating Hepatitis C Virus (HCV)-RNA from the Peritoneal Effluent of PD Patients. Peritoneal Dialysis International, 2010, 30, 644-646.	1.1	1
16	Body composition analysis and adipocytokine concentrations in haemodialysis patients: Abdominal fat gain as an added cardiovascular risk factor. Abdominal fat gain and cardiovascular risk. Nefrologia, 2017, 37, 138-148.	0.2	1
17	Nephrogenic ascites: a thing of the past?. Nefrologia, 2012, 32, 406-8.	0.2	1
18	SP405INMUNE MECHANISMS INVOLVES IN HYPERSENSITIVITY REACTIONS TO HELIXONE HEMODIALYSIS MEMBRANES. Nephrology Dialysis Transplantation, 2016, 31, i226-i226.	0.4	0

#	Article	IF	CITATIONS
19	Characterization of hypersensitivity reactions to polysulfone hemodialysis membranes. Annals of Allergy, Asthma and Immunology, 2022, , .	0.5	0