

Ondrej Bezdicek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4841140/ondrej-bezdicek-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

960
citations

19
h-index

26
g-index

91
ext. papers

1,201
ext. citations

2.8
avg, IF

4.23
L-index

#	Paper	IF	Citations
77	The 30-item and 15-item Boston naming test Czech version: Item response analysis and normative values for healthy older adults.. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2022 , 1-16	2.1	1
76	Reducing misclassification of mild cognitive impairment based on base rate information from the uniform data set.. <i>Aging, Neuropsychology, and Cognition</i> , 2022 , 1-20	2.1	1
75	Delayed matching to sample task 48: assessment of malingering with simulating design. <i>Aging, Neuropsychology, and Cognition</i> , 2021 , 28, 797-811	2.1	0
74	Systematic video-analysis of motor events during REM sleep in idiopathic REM sleep behavior disorder, follow-up and DAT-SPECT. <i>Sleep Medicine</i> , 2021 , 83, 132-144	4.6	2
73	Long-term cognitive trajectory and activities of daily living in healthy aging. <i>Clinical Neuropsychologist</i> , 2021 , 35, 1381-1397	4.4	4
72	SERIAL-ORDER recall in working memory across the cognitive spectrum of Parkinson's disease and neuroimaging correlates. <i>Journal of Neuropsychology</i> , 2021 , 15, 88-111	2.6	3
71	Validation Study of a German Cognitive Battery for Huntington's Disease: Relationship Between Cognitive Performance, Functional Decline, and Disease Burden. <i>Archives of Clinical Neuropsychology</i> , 2021 , 36, 74-86	2.7	0
70	Altered sensorimotor fMRI directed connectivity in Parkinson's disease patients. <i>European Journal of Neuroscience</i> , 2021 , 53, 1976-1987	3.5	3
69	The functional activities questionnaire 2021 , 293-303		1
68	The normative data study of the Czech MATRICS consensus cognitive battery. <i>Clinical Neuropsychologist</i> , 2021 , 1-15	4.4	1
67	A normative study of the Czech Edinburgh Cognitive and Behavioural ALS Screen (ECAS): a brief report. <i>Clinical Neuropsychologist</i> , 2021 , 1-8	4.4	2
66	Asymmetry of the insula-sensorimotor circuit in Parkinson's disease. <i>European Journal of Neuroscience</i> , 2021 , 54, 6267-6280	3.5	1
65	Cognitive changes after methanol exposure: Longitudinal perspective. <i>Toxicology Letters</i> , 2021 , 349, 101-108	4.4	
64	Comment on "pro-saccades predict cognitive decline in Parkinson's disease: ICICLE-PD". <i>Movement Disorders</i> , 2020 , 35, 522	7	
63	Beck depression inventory, second edition, Czech version: demographic correlates, factor structure and comparison with foreign data. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020 , 24, 371-379 ⁴	2.4	2
62	Profile of cognitive deficits in schizophrenia and factor structure of the Czech MATRICS Consensus Cognitive Battery. <i>Schizophrenia Research</i> , 2020 , 218, 85-92	3.6	5
61	Cognition in Successful Aging: Systematic Review and Future Directions. <i>Clinical Gerontologist</i> , 2020 , 1-9	2.7	2

60	Validation of the Freezing of Gait Questionnaire in patients with Parkinson's disease treated with deep brain stimulation. <i>Neurological Sciences</i> , 2020 , 41, 1133-1138	3.5	3
59	Test the Best: Classification Accuracies of Four Cognitive Rating Scales for Parkinson's Disease Mild Cognitive Impairment. <i>Archives of Clinical Neuropsychology</i> , 2020 ,	2.7	9
58	Brief Visuospatial Memory Test-Revised: normative data and clinical utility of learning indices in Parkinson's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2020 , 42, 1099-1110	2.1	1
57	Determining a Short Form Montreal Cognitive Assessment (s-MoCA) Czech Version: Validity in Mild Cognitive Impairment Parkinson's Disease and Cross-Cultural Comparison. <i>Assessment</i> , 2020 , 27, 1960-1970	3.7	7
56	Fragmentary myoclonus in idiopathic rapid eye movement sleep behaviour disorder. <i>Journal of Sleep Research</i> , 2019 , 28, e12819	5.8	5
55	Simultaneous tonic and phasic REM sleep without atonia best predicts early phenotypic conversion to neurodegenerative disease in idiopathic REM sleep behavior disorder. <i>Sleep</i> , 2019 , 42,	1.1	13
54	Methanol Poisoning as an Acute Toxicological Basal Ganglia Lesion Model: Evidence from Brain Volumetry and Cognition. <i>Alcoholism: Clinical and Experimental Research</i> , 2019 , 43, 1486-1497	3.7	10
53	Eye movements in idiopathic rapid eye movement sleep behaviour disorder: High antisaccade error rate reflects prefrontal cortex dysfunction. <i>Journal of Sleep Research</i> , 2019 , 28, e12742	5.8	6
52	Impact of dopamine and cognitive impairment on neural reactivity to facial emotion in Parkinson's disease. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1258-1272	1.2	12
51	Relations of non-motor symptoms and dopamine transporter binding in REM sleep behavior disorder. <i>Scientific Reports</i> , 2019 , 9, 15463	4.9	12
50	Memory impairment in Parkinson's disease: The retrieval versus associative deficit hypothesis revisited and reconciled. <i>Neuropsychology</i> , 2019 , 33, 391-405	3.8	10
49	Regional gray matter changes and age predict individual treatment response in Parkinson's disease. <i>NeuroImage: Clinical</i> , 2019 , 21, 101636	5.3	13
48	Prospective memory impairment in idiopathic REM sleep behavior disorder. <i>Sleep Medicine</i> , 2019 , 59, 54	4.6	
47	Effects of continuous positive airway pressure on neurocognitive and neuropsychiatric function in obstructive sleep apnea. <i>Journal of Sleep Research</i> , 2019 , 28, e12761	5.8	5
46	The Uniform Data Set, Czech Version: Normative Data in Older Adults from an International Perspective. <i>Journal of Alzheimers Disease</i> , 2018 , 61, 1233-1240	4.3	14
45	Mild cognitive impairment disrupts attention network connectivity in Parkinson's disease: A combined multimodal MRI and meta-analytical study. <i>Neuropsychologia</i> , 2018 , 112, 105-115	3.2	21
44	Semantic verbal fluency impairment is detectable in patients with subjective cognitive decline. <i>Applied Neuropsychology Adult</i> , 2018 , 25, 448-457	1.9	20
43	Prospective memory impairment in idiopathic REM sleep behavior disorder. <i>Clinical Neuropsychologist</i> , 2018 , 32, 1019-1037	4.4	13

42	Neurological and Neurophysiological Findings in Workers with Chronic 2,3,7,8-Tetrachlorodibenzo-p-Dioxin Intoxication 50 Years After Exposure. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 271-277	3.1	11
41	Brain connectivity changes when comparing effects of subthalamic deep brain stimulation with levodopa treatment in Parkinson's disease. <i>NeuroImage: Clinical</i> , 2018 , 19, 1025-1035	5.3	28
40	Gait and Balance Impairment after Acute Methanol Poisoning. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 176-182	3.1	14
39	Czech version of the Edinburgh Cognitive and Behavioral Amyotrophic Lateral Sclerosis Screen – pilot study. <i>Ceska A Slovenska Neurologie A Neurochirurgie</i> , 2018 , 81/114, 208-212	1.4	4
38	Memory disorders and neuropsychological memory tests in clinical practice. <i>Neurologie Pro Praxi</i> , 2018 , 19, 405-410	0.2	1
37	Unraveling connectivity changes due to dopaminergic therapy in chronically treated Parkinson's disease patients. <i>Scientific Reports</i> , 2018 , 8, 14328	4.9	8
36	Montreal cognitive assessment (MoCA): Normative data for old and very old Czech adults. <i>Applied Neuropsychology Adult</i> , 2017 , 24, 23-29	1.9	48
35	The Reliability of Clock Drawing Test Scoring Systems Modeled on the Normative Data in Healthy Aging and Nonamnesic Mild Cognitive Impairment. <i>Assessment</i> , 2017 , 24, 945-957	3.7	14
34	Psychosocial sequelae following cardiac arrest. <i>Cor Et Vasa</i> , 2017 , 59, e222-e228	0.3	1
33	Cognitive sequelae of methanol poisoning involve executive dysfunction and memory impairment in cross-sectional and long-term perspective. <i>Alcohol</i> , 2017 , 59, 27-35	2.7	18
32	Frequency-phase analysis of resting-state functional MRI. <i>Scientific Reports</i> , 2017 , 7, 43743	4.9	14
31	A parsimonious scoring and normative calculator for the Parkinson's disease mild cognitive impairment battery. <i>Clinical Neuropsychologist</i> , 2017 , 31, 1231-1247	4.4	7
30	A Comparative Study of Tower of London Scoring Systems and Normative Data. <i>Archives of Clinical Neuropsychology</i> , 2017 , 32, 328-338	2.7	13
29	GABA spectra and remote distractor effect in progressive supranuclear palsy: A pilot study. <i>Revue Neurologique</i> , 2017 , 173, 225-229	3	1
28	Clinimetric validity of the Trail Making Test Czech version in Parkinson's disease and normative data for older adults. <i>Clinical Neuropsychologist</i> , 2017 , 31, 42-60	4.4	9
27	Genetic Alzheimer Disease and Sporadic Dementia With Lewy Bodies: A Comorbidity Presenting as Primary Progressive Aphasia. <i>Cognitive and Behavioral Neurology</i> , 2017 , 30, 23-29	1.6	10
26	Is Chelation Therapy Efficient for the Treatment of Intravenous Metallic Mercury Intoxication?. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 120, 628-633	3.1	4
25	Separate neural representations of depression, anxiety and apathy in Parkinson's disease. <i>Scientific Reports</i> , 2017 , 7, 12164	4.9	33

24	Frontal Assessment Battery in Parkinson's Disease: Validity and Morphological Correlates. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 675-684	3.1	16
23	Montreal Cognitive Assessment and Mini-Mental State Examination reliable change indices in healthy older adults. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 868-875	3.9	24
22	The Diagnostic Accuracy of Parkinson's Disease Mild Cognitive Impairment Battery Using the Movement Disorder Society Task Force Criteria. <i>Movement Disorders Clinical Practice</i> , 2017 , 4, 237-244	2.2	13
21	[P251]: PAIRED CUED RECALL IN MEMORY BINDING TEST IS ASSOCIATED WITH THE LEVEL OF COGNITIVE WORRY IN COGNITIVELY NORMAL OLDER ADULTS 2017 , 13, P810-P810		
20	Toward the processing speed theory of activities of daily living in healthy aging: normative data of the Functional Activities Questionnaire. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 239-47	4.8	30
19	The Rey Auditory Verbal Learning Test forced-choice recognition task: Base-rate data and norms. <i>Applied Neuropsychology Adult</i> , 2016 , 23, 155-61	1.9	16
18	http://www.csnn.eu/en/czech-slovak-neurology-article/validity-study-of-the-boston-naming-test-czech-version-58260 . <i>Ceska A Slovenska Neurologie A Neurochirurgie</i> , 2016 , 79/112, 307-316	1.4	10
17	Posttraumatic growth but not abnormal personality structure are typical for patients with essential blepharospasm. <i>Basal Ganglia</i> , 2016 , 6, 115-120		2
16	Chronic stress-like syndrome as a consequence of medial site subthalamic stimulation in Parkinson's disease. <i>Psychoneuroendocrinology</i> , 2015 , 52, 302-10	5	19
15	Clinical validity of the Mattis Dementia Rating Scale in differentiating mild cognitive impairment in Parkinson's disease and normative data. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015 , 39, 303-11	2.6	20
14	Long-term visual damage after acute methanol poisonings: Longitudinal cross-sectional study in 50 patients. <i>Clinical Toxicology</i> , 2015 , 53, 884-92	2.9	61
13	The Prague Stroop Test: Normative standards in older Czech adults and discriminative validity for mild cognitive impairment in Parkinson's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015 , 37, 794-807	2.1	25
12	Predicting Falls in Parkinson Disease: What Is the Value of Instrumented Testing in OFF Medication State?. <i>PLoS ONE</i> , 2015 , 10, e0139849	3.7	24
11	Tests of Verbal Fluency, Czech Normative Study in Older Patients. <i>Ceska A Slovenska Neurologie A Neurochirurgie</i> , 2015 , 78/111, 292-299	1.4	25
10	Imaging findings after methanol intoxication (cohort of 46 patients). <i>Neuroendocrinology Letters</i> , 2015 , 36, 737-44	0.3	23
9	Neuropsychological correlates of hippocampal atrophy in memory testing in nondemented older adults. <i>Journal of Alzheimers Disease</i> , 2014 , 42 Suppl 3, S81-90	4.3	24
8	Czech version of Rey Auditory Verbal Learning test: normative data. <i>Aging, Neuropsychology, and Cognition</i> , 2014 , 21, 693-721	2.1	37
7	Development, validity, and normative data study for the 12-word Philadelphia Verbal Learning Test [czP(r)VLT-12] among older and very old Czech adults. <i>Clinical Neuropsychologist</i> , 2014 , 28, 1162-81	4.4	25

6	Grooved pegboard predicates more of cognitive than motor involvement in Parkinson's disease. <i>Assessment</i> , 2014 , 21, 723-30	3.7	28
5	Standardization of the Czech Version of the Tower of London Test – Administration, Scoring, Validity. <i>Ceska A Slovenska Neurologie A Neurochirurgie</i> , 2014 , 77/110, 596-601	1.4	3
4	Validity of the Montreal Cognitive Assessment in the detection of cognitive dysfunction in Huntington's disease. <i>Applied Neuropsychology Adult</i> , 2013 , 20, 33-40	1.9	25
3	Vision after 53 years of blindness. <i>I-Perception</i> , 2013 , 4, 498-507	1.2	9
2	Czech version of the Trail Making Test: normative data and clinical utility. <i>Archives of Clinical Neuropsychology</i> , 2012 , 27, 906-14	2.7	56
1	On Geropsychology in the Czech Republic. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2012 , 25, 161-166	1	